

MINOCQUA, WISCONSIN

Lots 1, 2, 3 and Outlot 1 being part of Gov't. Lot 2, Section 18, T39N, R9E, Sugar Camp Township, Oneida County, Wisconsin, more particularly described as follows.

Commencing at the one quarter corner common to Sections 18 and 19, marked by a 1-1/2" iron pipe, witnessed by a 14" Oak bearing S71°E, 18.3 feet; thence N79°45'15"W, 1314.19 feet along the south line of Gov't. Lot 2 to a oneeighth corner marked by a 1" iron pipe, witnessed by a 9" Norway Pine bearing N85°E, 11.6 feet; thence N7°42'13"E, 1095.45 feet along the west line of Gov't. Lot 2 to the place of beginning marked by a 2" iron pipe.

Thence continuing N7°42'13"E, 200.09 feet to the northwest corner of Gov't. Lot 2 marked by a 2" iron pipe on the northeasterly right of way line of County Trunk Highway "0" witnessed by a 20" Norway Pine bearing N76°W, 14.0 feet and a 10" Oak bearing S30°W, 64.0 feet; thence S80°33'32"E, 517.41 feet along the north line of Gov't. Lot 2 to a meander corner near the westerly shore of Dam Lake marked by a 2" iron pipe witnessed by a 6" Oak bearing S48°W, 1.6 feet and a 8" Oak bearing S6°E, 12.5 feet; thence along the lake S22°01'10'E, 234.47 feet to a 1" iron pipe; thence N80°33'32"W, 633.71 feet to the place of beginning.

Including all lands lying between the meander line and the shore of Dam Lake.




I, James M. Marquardt, Registered Land Surveyor, No.S-1405, hereby certify that we have surveyed the above described property; that this plat is an accurate survey and a true representation thereof and correctly shows the exterior boundary lines and the correct measurements thereof: that we have made such survey by order of Rolland R. Pergande, and that we have complied with Chapter 236.34 of the Wisconsin Statutes.

> runes M. Marquardt S-1405 James M. Marquardt Sil. 20

L1556


L1 556

The Approx. house site has been choosen but not the exact placement. Therefore the distance from the road to the house may vary sightly. It will be a year or two before we be build and the driveway is to have accers to the property.



Onside County Certified Surrey Wap Ho.

003023



Onelda County Address Application

1 等位。

Office use only Building Site Existing Dwelling	Municipal Township Driveway Pennits Required?	es No Permit#
Contact Information Applicants name Michael & Roxann Address Address Landowners name (If different) Address Circ	Hanshaw Phone	215 282 7325 State (NT Zip 54529 State Zip
Parcel # WD 107-4 Road name Section 8 Town 3(0 Range T For Subdivision name Address and distance (nearest 10'), each way, from your drivework.	Int 2 Riggle	Side of Road NSEW NENW LSM distance to nearest intersection,
whichever is closest. Neighbor 1 address Neighbor 2 address OR Nearest intersection 1 OR Nearest intersection 2	E RU Distance	200° Direction North Direction South Direction Direction
Building Type Section Town Range Forty or G Subdivision name Sketch See a	Pin# Block Hached	
If any of the information provided on this form is found to be. The information presented above is accurate to the best of my Name, Printed Michael Lear Si Office Use Only Received by Address Assigned Field Verified by	incorrect you may be required to chicknowledge. gnature Pate 6-13-06 By Add	Date 6/7/05 Date 6/7/05 Date 6-15-00 Date Yes No

SURVEY LANDMARK PRESERVATION RECORD

It is the primary purpose of this record to preserve the location of any survey landmark subject to disturbance, removal or to be rendered inaccessible, as provided by Section 59.74(2), Perpetuation of Landmarks, Wisconsin Revised Statutes.

County:

Oneida

City, Village, Town:

Section:

36

Town: 37 North Range:

8 East

Describe survey landmark found or reset and origin if known, such as being a 1/16 corner, called for in a deed or shown on record land survey map or plat, also note location by Gov't. Lot, 1/4-1/4 section or other PLSS subdivisional tract.

Pine Lake

Show approximate location of survey landmark on this Section diagram:

April 28th, 2005, I found a P.K. nail in the pavement of Trails End Road. I seached the paved roadbed with a metal detector for additional monumentation, and found none. I witnessed the recovered P.K. Nail as shown in the plan below.


Center 1/4 Corner

Reference materials: Survey Map B104, dated 7/23/85.

Plan view map of survey landmark location with bearing and distance ties to a minimum of four (4) described witness or reference monuments of concrete. natural stone, metal, live bearing trees or equivalent material and/or described GPS method and precision.

Scale: 1" = 100'





Post-Construction

Seal:



PROFESSIONAL LAND SURVEYOR CERTIFICATE:

This survey landmark is being referenced for the express purpose of location preservation and is not intended as an attestment of the legal significance and/or positional accuracy thereof.

Therefore, this survey landmark location should be further evaluated and verified for any future land surveying or related usage purposes.

I, Michael L. Oestreich, hereby certify that I am duly licensed as a Professional Land Surveyor in the State of Wisconsin; that the location of this survey landmark was referenced by me or under my direct supervision and/or control; and that the information shown is true and correct to the best of my knowledge and belief.

Signed Muleul & Destreel Date 5/17/06