


SEC. 28 T. 39 N. R. 9 E.

① Meander cor - North line - West of Chain Lake

a Well put by Wimsen at 60.17  
east of NW cor & 23.58 west of NE cor.  
in lake. (Dg's map 1952)



② N<sup>1</sup>/<sub>4</sub> Sec 28

③ N<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>

RECEIVED & FILED #832  
 Onida County Survey Office  
 Date: 1/5/88  
 By: M.R.  
 OCS Area #:

40 NW Cor. Sec 20 Cor. in swamp, orig B.L. (orig map, 17 3 c)

3 W 1/4 NW 1/4

6 W 1/4 Sec 28

7 W 1/4 SW 1/4



④ NW cor. Sec 28 Cor. in swamp, orig B.T. (Og. maps, 1952)  
cedar post, scribed.

⑤ W<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>

⑥ W<sup>1</sup>/<sub>4</sub> Sec 28

at 29.72 ch north half SW 28 a GLO b.c. i.p., and BT<sup>s</sup> BW 4"  
N 73° E 30 lks.; Pw 10" 533<sup>3</sup>/<sub>4</sub> W 62<sup>1</sup>/<sub>2</sub> lks

⑦ W<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>

8) See loc. sec 28 Iron pipe in road, 79.52 west of SE Co. &  
59.52 south of NW Co. (Wansensens notes - Onida Co. Court House)

9) S<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>

10) S<sup>1</sup>/<sub>4</sub> sec 28 <sup>1</sup>/<sub>4</sub> loc. now found to the south of Wansensens by B.L.M.  
(D.G.'s map 1952)

11) S<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub>

- ⑧ Sec 28 Iron pipe in road, 79.52 west of SE Cor &  
59.52 south of NW Cor. (Wenssens notes - Onocida Co. Court House)  
6" dia conc. monument, brass tablet, GLO, References: iron post w/b.c. is  
North 38 lks.; iron post w/b.c. south 38 lks.; popple 10" N50 $\frac{1}{2}$ °E 73 $\frac{1}{2}$  lks;  
popple 5" S45 $\frac{3}{4}$ °E 66 $\frac{1}{2}$  lks; popple 4" S79°W 155 lks; popple 6" N33 $\frac{1}{2}$ °W 50 lks  
(GLO Resurvey, 1950)

⑨ S $\frac{1}{4}$  SW $\frac{1}{4}$

- ⑩ S $\frac{1}{4}$  Sec 28  $\frac{1}{4}$  cor. now found to the south of Wenssens by B.F.M.

(Jg's map 1952) GLO Resurvey 1952 set proportional corner w/ brass cap and references  
b.c. south 25 lks., b.c. ip north 25 lks, Bw 4" N17 $\frac{3}{4}$ °W 35 lks, maple 5" S15 $\frac{3}{4}$ °E  
37 $\frac{1}{2}$  lks, wooden post S1°03'E 4.025 ch. (set by Onocida Co. Surveyor, 1949).  
I found RR spike (2' S of E) in road, RM to south, north one maybe gone.  
Made BT's to RR spike OR 16" N40°W 38.38', Bw 7" S30°W 31.30', MH 7" S49°W  
73.35', ip. North (36.41)? RR spike is 280' W of "D"

⑪ S $\frac{1}{4}$  SE $\frac{1}{4}$

- ⑫ WP south edge flowage — GLO b.c. BT's Maple 7" S44°E 38 lks., maple 7" S32 $\frac{1}{2}$ °W 13 $\frac{1}{2}$  lks.  
(GLO Resurvey, 1950)