


SEC. 14 T. 39 N. R. 7 E. W.



① Meander Cr - North line - West of Buffalo at  
 5.000 ch. west of NE Cor in lake set M.C.  
 PW 7" - S 42° W - 0.450 ch.; OR 5" - N 25° W - 0.155 ch.  
 (Bernett 4/14/61) set wrong

RECEIVED & FILED	1764
Onondaga County Surveyor's Office	
Date	APR 22 1988
By	577
OCS Area #	

② N 1/4 NE 1/4 at 20.239 set 1/8 cor. PW 18" - N 42° E - 0.280 ch.; PW 12" - S 59° W - 0.295 ch. (Bernett 4/14/61)  
 found i.p. (Fisher's) (Bernett's not found, was set wrong) -  
 BT<sup>s</sup> PW 18" S 15° W 13.55'; MH 12" S 38° E 15.35' Seymour 2/8/83

③ N 1/4 Sec 14 Post was set by Monnell from orig. trees, now gone  
 Found cor! (Vaughn 11/12/61) SW O.B.T. is SE, NW O.B.T.  
 a low step. (Don 10/21/98) U.C.D. file at orig. corner. PN 12" - N 30° E -  
 0.500 ch.; PN 11" - S 35° E - 0.060 ch. (Bernett 4/14/61)

See corner file

④ NW 1/4 NW 1/4 Set 1/2 post PW (step.) 12" S60°E - 0.510  
PW (step.) 14" - S49°W - 0.280. Corn at 19.91 1/2 (Vaughn 11/12/01) at 19.917  
east of NW cor of 19.953 west of 1/4 cor. - Vaughns corner. PN 6" - S32°E -  
.150; OR 12" - N70°W - 0.220; New B.T. PW 11" - S77°W - 0.440 ch.; PW 14" - N19°W -  
.340 ch. (Bennett 4/14/61) Reset 1" i.p. old B.T. now PN 10" S55°E 13.08', PW 18" S71°W 31.00'  
PW 24" N22°W 19.22' Seymour 6/14/84

⑤ NW Cor. Sec 14 No sign of orig. cor. Set new cor. PW (step.) 36" - S34°W -  
0.670 ch.; PW (step.) 28" - S76°E - 0.360 ch. (Vaughn 11/12/01) Vaughns corner.  
B.T. by Hordor OR 6" - N83°W - 0.355 ch.; OR 6" - S46°W - 0.478 ch. (Bennett  
4/14/61)  
see corner file

⑥ W 1/4 NW 1/4 Set 1" i.p. (30' south of snow trail) BT<sup>s</sup> PW 18" S84°W 65.22',  
MH 8" S43°E 21.90'  
Seymour 11/15/83

⑦ W 1/4 Sec 14

⑧ Meander Cor - West line - North of Sweeting Lake

⑨ Ch. Sec 14

4062	40.73
4007	39.88

Set. cu. Tom. 8" - N 46° E - 0.330 ch.; Tom 5" - S 57° E - 0.182 ch. (Down 10/31/98)

⑩ N 1/4 SE 1/4 Marked stake in open swamp. (Down 10/31/98)

L 7644

RECEIVED & FILED	L 7644
Order Court / Surveyors Case	
Date	APR 22 1999
By	
OCS Area #	

⑪ W 1/4 SE 1/4 Point 3" - N 74° E - 0.415 ch. (Down 10/31/98)