


SEC 5 T. 38 N. R. 9 E W.

① E 1/4 SE 1/4



② E 1/4 Sec 5

③ E 1/4 NE 1/4

RECEIVED & FILED **1787**
 Oneida County Surveyor's Office
 Date: **Apr. 27 1988**
 By:
 OCS Area #.....

1787

④ NE Cor. Sec 5

⑤ N¹/₄ NE ¹/₄

⑥ N¹/₄ Sec 5

⑦ Meander Cor. - North Line - East of Stone

Sec 5 - 38 - 9

8) Meander Cor - North Line - West of Stone

9) NW Cor. Sec 5 at 40.47 east of N 1/4 Sec 6 found G.T.O. ~~1/2~~ 07012:
N51°E - 0.266 ch; PN 12" - N60°W - 0.166 ch, PN 8" (dead) - S28°W -
0.283 ch.; PN 11" - S19°E - 0.545 ch. (deg 64)

10) Meander Cor - West Line - North of Stone

1787

RECEIVED & FILED	1787
Orinda County Surveyor's Office	
Date	APR 22 1991
By	S. J. [Signature]
OCS Area #	


11) Meander Cor. - West Line - South of Stone

2) W¹/₄ Sec 5

⑬ W¹/₄ SW¹/₄

SEC. 5 T. 38 N. R. 9 W.

① E 1/4 SE 1/4



② E 1/4 Sec 5

GLO pipe, see 38-9 work folder in survey file.

③ E 1/4 NE 1/4

④ NE Cor. Sec 5

⑤ N¹/₄ NE ¹/₄

⑥ N¹/₄ Sec 5

⑦ Meander Cor. - North Line - East of Stone
GLC pipe

⑧ Meander Cor. - North Line - West of Stone

GLO pipe

⑨ NW Cor. Sec 5 at 40.47 east of N $\frac{1}{4}$ Sec 6 found GLO pipe. OR 12"
N51°E - 0.266 ch; PN 12" - N60°W - 0.166 ch; PN 8" (dead) - S28°W -
0.283 ch.; PN 11" - S19°E - 0.545 ch. (leg 64)

⑩ Meander Cor. - West Line - North of Stone

GLO pipe

⑪ Meander Cor. - West Line - South of Stone

GLO pipe

⑫ W¹/₄ Sec 5

GLO Pipe, sec

⑬ W¹/₄ SW¹/₄