

T. 38N. R. 5E.

1, 2, 3, 9, 10, 11, 12, 16, 19,

30, 31.

• Dewalt # 1

K&E
COLLEGE FIELD BOOK

3600

Section 1 T38N. R.5E.

| | | |
|--|-----------------------------------|----------|
| 11/5/37. | Schaller and Olayewski | 11/6/37. |
| Starting at S.E. Corner | Starting 10 chains N of S.E. Cor. | |
| of Sec. 1. T38. N.R. 5E. | Sec. Corner of Sec. 1. T38 | |
| WR. BT. (with 2 p.m. 5 th) | N.R. 5E. 12 paces to ch. | |
| 12 paces to ch. | | |
| 267°+3° - 240 | 267°+3° - 240 | |
| BW 1-3 ⁴ | BW 1-3 ⁴ | |
| 140 to project #4 | 102 crossed RR | |
| 353+2. 174+3 | bed. 259°+3-70°+3 | |
| 240 to app. 1/2 | 201 crossed proj | |
| N. Cor. post | #4. 315°+3-6 ch. 138°+3-6 ch | |
| 267°+3° - 240 | 240 app. 1/2 line | |
| 125 ent P 3-6 ⁴ | no post | |
| 220 ent A 9, P 3-6 | 267°+3° - 240 | |
| 240 app. 1/2 Cor. | 95 cross RR | |
| no post. Same 357°+3-179°+3 | bed. 115°+3° - 300°+3° | |
| 267°+3° - 240 | 240 app. 1/2 line, | |
| ent. P W 1-3 | RR fence. | |
| 82 ent P 3-6 & A 9-3 | 267°+3° - 240 | |
| 190 ent P W 3-6 | 240 app. 1/2 line | |
| 230 ent. P W 6-9 ⁴ | 267°+3° - 240 | |
| 240 app. 1/2 Cor. no | 117 crossed RR | |
| post | 215°+3-30°+3 | |
| 267°+3° - 240 | 240 crossed | |
| 108 ent A 9 1-3 ⁴ | Sec. line. | |
| 140 ent P 3-6 | | |
| 240 Sec. Cor. 1-11 | | |
| 12-2. I.P. - W.P. 2 BT. P W | | |

Section 1 - T38 N. R. 5. E.

115/37 Krause, Pfister, Ferguson 13.2 per to chain
Starting at E 1/4 part of Sec. 1. WP, IP, BT, BT 1 ch. NW.

1 T38 N R5 E. 1P, WP, BT 267+3-264

267+3-264 PJ 3-6²
 90 - ent PJ 1-3³ 145 - ent Bw 1-3⁴, Ag 1-3²
 264 app. 1/4 line 224 - ent PJ 1-3³
 267+3-264 224 - Dynamite house (ch. S.
 20 - cross proj. #4 ⁶⁰⁺³ 125+3 267+3-264 264 - app. 1/2 line
 121 - cross --- ⁷⁺³ 100+3 15 - cross proj. #1 ³⁵⁺³ 175+3 185 - cross --- ²²⁺³ 210+3
 264 - app. center of section (no post) 264 - app. 1/4 line
 267+3-264 267+3-264
 82 - ent L B 27 - ent L B
 105 - ent PJ 1-3³ 92 - ent PJ 1-3³
 132 - ent C L 132 - ent C L
 264 - app. 1/2 cor. (no post) 264 - app. 1/4 line
 267+3-264 267+3-264
 13 - fence house 1 ch. south 267+3-264
 20 - PJ 3-6³ 1/2 ch. north 22 - ent PJ 1-3³ 6 north
 185 - PJ 1-3³ on south 93 - ent PJ 1-3³
 160 - ent C L 138 - ent C L
 225 - ent BM 198 - ent BM
 264 - bridge - app. 1/4 cor. (no post) 290 - sec. line
 357+3-132

115/37 - Krause, Pfister, Ferguson
 13.2 per. to chain. Starting 10 ch.
 north of E. 1/4 post. Sec. 1, T38 N.
 R5 E. - WP, IP, BT.

132 - 6 app. 1/4 cor. on
 bridge.

Section 21. T. 38 N R. 5 E.

116/37 Krause, Pfister, Ferguson 115/37 Hernandez, Steinfeld.
 13.2 per. per chain 8 1/2 post on east Starting N.E. corner Sec. 1. T38
 side of Sec. 1 T38 N-5 E. W.P. NR5 E. 1P, WP, BT., PJ. 6 NE 2 per.

267+3-264 13 per to chain

267+3-264 PJ 3-6² 268+2-260
 66 - PJ 3-6² on South PJ 1-3³ Lamp 7 E 5 to
 190 - ent Bw 1-3⁴, Ag 1-3² the South west
 264 - app. 1/4 line 156 - C.L. to right
 267+3-264 260 - 1/2 BT. (stump along
 13 - cross proj. #1 ¹⁷⁶⁺³ 356+3 east side of road).
 58 - ent PJ 1-3³ 268+2-260
 196 - ent PJ 3-6⁵ PJ 0-1' left
 224 - ent Ag 1-3⁶ PJ 1-3' right
 264 - app. 1/4 line 130 - PJ 0-1' to right
 267+3-264 264 - app. 1/4 line 140 - PJ 3-6⁶ to left
 53 - crossed --- ¹⁸²⁺³ 32+3 270 - 1/4 post 1P, WP, .
 132 - ent C.L. 268+2-260
 264 - app. 1/4 line PJ 0-1' right
 267+3-264 169 - PJ 3-6⁶
 84 - ent PJ 3-6², Ag 1-3³, PW 2-6' 260 - app. 1/4 cor. (no post).
 105 - ent SB 1-3⁸ 268+2-260
 204 - app. 1/4 post (no post) 1 ent BM
 357+3-264 26 - to river
 264 - app. 1/4 cor. on 39 - cross river ent G.M.
 bridge 56 - ent Ag 1-3³
 79 - ent PJ 6-9⁹
 260 - to sec. cor. WP, IP, BT.,
 PW 15" 1 ch. South
 178+2-226

178+2-226

4

Section 1

T. 38 N. R. 5 E.

268+2-260
 122-Aq 1-3³
 169-ent LB
 226-1/2 post WP, BT.
 (stub with post #1)
 178+2-264
 23-to river
 81-leave river ent. BM
 264-to app. 1/4 cor on bridge

268+2-260
 171-ent PS 1-3²
 231-ent BM
 260-app. 1/2 line
 268+2-260
 89-cross river {182+2
 2+2
 117-ent. Aq 1-3²
 195-ent BM
 208-ent LB
 261-1/4 post WP BT (STUB)
 4 in W 3 ft.

1/6/37 Hernandez, Steink
 Starting at 7/8 post on east
 line of Sec. 1 T. 38 N. R. 5 E. W.P. I.P.
 BT. PS 6" W. 1/2 ch.

1/6/37 Hernandez, Steink
 Starting 1/2 ch. south of post &
 post east line sec. 1 38-5

268+2-260
 PS 3-6⁶
 81-ent PS 3-6⁴
 135-old dynamite house
 260-app. 1/2 cor. (no post)
 268+2-260
 28-cross proj #4
 28-ent. PS 1-3³
 69-cross = = -6 damp
 85-cross proj #2
 85-ent PS 0-1¹
 135-cross ---
 260-app. 1/4 line (no post)

268+2-260
 PS 1-3³
 39-ent LB
 260-ent PS 1-3³
 260-app. 1/2 line
 268+2-260
 54-cross proj #4
 131-ent CL
 131-cross = = -6 damp
 268+2-260
 260-app. 1/4 line
 260-ent SB 1-3²
 268+2-260
 91-ent CL
 260-app. 1/4 line.

Section 1 T. 38 N. R. 5 E.

Section 2 T. 38 N. R. 5 E.

268+2-279
 50-cross proj #2
 50-ent PS 1-0³
 119-cross ---
 132-ent BM
 169-ent PS 3-6⁷
 208-ent river
 221-ent BM
 279-1/2 sec. line
 178+2-130
 130-app. 1/2 cor. on
 bridge.

13 per = 1 ch.
 1/6/37 Hernandez & Steink
 Starting at 7/8 sec corner
 sec. 2, 38-5 WP, I.P., BT PS 5" S. 1 ch.
 268+2-299 feet.
 Aq 1-3³
 64-ent PS 3-6⁴
 158-ent Aq 0-1¹
 299-1/2 post WP, I.P., BT
 268+2-260
 91-PS 0-1 (CL)
 153-CL
 260-1/2 post WP, BT

Olegowska & Steink 1/6/37
 Traverse of town road and proj #2
 across section 1 38-5 starting
 at east 1/2 corner on north line
 section 1. 12 per = 1 chain.

268+2-260
 58-ent SB 3-6⁵
 154-ent. Aq 1-3⁵
 260-1/2 post WP, BT.
 268+2-260

179+2-101
 38-camp road to left
 241+2-88
 39-guilin road {175+2
 95+2
 262+2-110
 200+2-46
 261+2-62
 212+2-44
 221+2-44
 277+2-104
 214+2-32
 32-179+2 to #
 220+2-57
 234+2-108
 242+2-108
 307+2-22 to app. 1/4 cor
 on bridge.

250-ent BM (adfers)
 260-Sec. post WP, I.P., BT
 stub 11" SE
 178+2-182
 84-cross proj #2
 182-1/2 post WP, I.P., BT 13H
 88+2-260
 F4 SB 3-6⁵
 75-ent Aq 1-3³
 164-cross proj #2 {305+2
 115+2
 243-ent Aq 1-3²

Section 2 T. 38 N. R. 5 E.

260 - app. to line
 88+R-260
 60 - ent. Sb 3-6⁵
 * 2 xchs to right
 89 - ent. Aq 1-3⁴
 260 - app. to line
 88+R-260
 129 - --- { 156+2² / 22+2² }
 178 - ent. P 3-6³
 233 - ent. Aq 1-3²
 260 - app. to line
 88+R-243
 51 - ent. P 3-6⁶
 107 - ent. Pn 6-9³
 179 - ent. LB
 243 - 1/2 post WP. BT. 4' sub 3' W.
 1/7/37 - Krause + Pfeister
 Starting at 1/4 cor. sec. 2 38-5
 13.2 per = 1 ch. bridge
 267+3 - 263
 read { 113+3³ / 317+3³ }
 over { 42+2² / 241+2² }
 22 - ent. BM
 110 - fence to north, ch. right
 134 - cross = proj. # 2 { 70+3³ / 24+3³ }
 176 - Sb to S 40 per
 196 - ent. P 3-6³
 247 - P 3-6 BK - CL to S.
 265 - app. to line
 267+3 - 263
 35 - P 3-6 BK - LB to N.
 35 - cross = proj. # 2 { 118+3³ / 118+3³ }
 100 - P 3-6³
 161 - ent. Aq 1-3³
 234 - ent. P 3-6⁴
 263 - app. to line (no post)
 267+3 - 263
 35 - ent. Sb 3-6⁵
 245 - ent. Aq 1-3²
 263 - cross --- { 175+3³ / 350+3³ }
 263 - app. to cor. (no post)
 267+3 - 317
 30 - cross = proj. # 10 { 101+3³ / 101+3³ }
 83 - ent. Bw 1-3⁴
 235 - ent. Pn 6-9¹
 317 - to sec. line
 358+2 - 24
 { Pn 108+3³ 10 per / Pn in sec 2 17+3³ }
 24 - 1/4 cor. { 90 }
 358+2 - 132
 25 - ent. LB
 50 - ent. Pw 6-9¹
 75 - ent. F 3-6⁵
 132 - app. 10 ch. line
 88+R-263
 71 - ent. Bw 1-3⁴
 260 - app. to line

Section 2 T. 38 N. R. 5 E. 7

88+R-263
 7 - --- { 247+2² / 170+2² }
 28 - = proj. # 1 { 15+2² / 190+2² }
 45 - ent. Sb 3-6⁵
 228 - ent. Aq 1-3⁴
 263 - app. to line
 88+R-263
 24 - cross = proj. # 2 { 22+2² / 251+2² }
 141 - ent. P 3-6³
 167 - cross --- { 140+2² / 318+2² }
 241 - ent. Pn 6-9³
 263 - app. to line
 88+R-263
 14 - ent. Aq 1-3⁴
 98 - ent. CL
 165 - fence { 10+2² / 193+2² }
 219 - BM
 232 - ent. Tomahawk Cr.
 263 - sec. line center river.
 178+R-126
 126 - app. to cor. on bridge
 13.2 per per chain.
 1/8/37 - Krause - Pfeister
 Starting 10 ch. S. of E. 1/4 cor.
 Sec. 2 38-5
 268+R-263
 - BM
 48 - cross --- { 322+2² / 40+2² }
 58 - to river { 105+2² / 328+2² }
 71 - ent. BM
 119 - Sb 3-6⁴ on right
 148 - 25 per north
 205 - Sb 3-6⁴
 263 - app. to line
 268+R-263
 78 - P 3-6⁵ to north
 112 - ent. Aq 1-3⁴
 190 - cross --- { 152+2² / 327+2² }
 190 - ent. P 3-6⁴
 263 - app. to line
 268+R-263
 57 - cross --- { 170+2² / 254+2² }
 89 - another --- { 242+2² / 57+2² }
 150 - ent. Sb 3-6⁵
 210 - cross --- { 295+2² / 120+2² }
 231 - ent. Pn 3-6
 238 - cross --- { 223+2² / 27+2² }
 263 - app. to line
 268+R-263
 268+R-263
 69 - ent. Bw 1-3⁴
 105 - cross = proj. # 10 { 250+2² / 63+2² }
 278 - sec. line.
 358+R-137
 137 - 1/2 post. WP. BT.
 12 per = 1 chain
 1/7/37 Olegewski + Schaller
 Starting at SE corner sec. 2
 38-5. WP. BT.

Section 2

T. 38 N. R. 5 E.

267+3-240
Pn 12-15, Pw 12-15
61-cross from R 1/4 ch wide
72-ext BM
236-PI 3-6
240-app to cor (no post)

267+3-240
16-Ag 1-3
37-cross
240-app to cor (no post)

267+3-240
75-cross
240-app to cor (no post)

267+3-240
205-ext Pw 6-9
230-cross
240-sec. cor. 2, 3, 10, 11.

WR 17, 2 BTs.
12 per = 1 chain
11/7/37 Olegowski, Schaller
Starting 10 chs N of SE corner
Sec. 2, 38-5

267+3-240
17-ext. BM
77-
88-BM
220-Ag 1-3
240-app to line.

267+3-240
103-cross
240-app to line

267+3-240
98-cross
240-app to line

267+3-240
213-cross
240-sec. line

177+3-96
96-to sec. cor.
12 per = 1 ch

11/8/37 Olegowski, Schaller
Starting at app. 5' cor on
E. line Sec. 2, 38-5

267+3-240
BM
34-ext. BM
132-ext C 9-12

240-Ag 1-3
240-app to cor (no post)

267+3-240
37-Sb 3-6
92-Ag 1-3
156-cross
240-app to cor (no post)

Section 2

N. 38 N. R. 5 E. 9

267+3-240
19-cross
19-ext PI 3-6
240-app to cor (no post)

267+3-242
40-ext BM 1-3
150-cross
236-cross random line
242-sec. line.

357+3-13
13-6 to post WP BTs
12 per = 1 chain
11/7/36 DeHalt, Ferguson
Transverse of road proj. #2 across
Sec. 2, 38-5. Starting off.

7 1/2 chs N. of N. to post N. line
Sec. 2.
90+2-66
130+2-126
108+2-327
125-proj #10-190+2

129+2-168
92+2-144
144-== 247+2
144-== 92+2

73+2-72
81+2-36

60+2-48
128+2-26
26-6 cont. of bridge off.
1/4 cor.

12 per = 1 chain
11/7/37 DeHalt, Ferguson
Starting on road at junction
of proj. #2 & proj. #10
190+2-312

136-== 175+2
212+2-54
253+2-90
209+2-84

24-== 250+2
194+2-126
22-fine gate
232+2-42
180+2-134

Sec. cor 9 paces to west
B.T. 13" PW 200+2 13 per
B.T. 8" PW 160+2 14 per
B.T. 11" PN 69+2 7 per
12 per to chain

11/19/37 Olegowski & Wolosz
Starting at app 1/4 cor bet.
Sec. 1+2 T. 38 N. R. 5 E.

10 Section 2 N. 38 N. R. 5 E.

Traverse of road pjt #2
 320+2-29
 271+2-13
 235+2-41
 272+2-31
 249+2-62
 273+2-108
 10 trail No 1
 Traverse of trail
 240+2-44
 250+2-165
 No 2 trail 169+2-~~47~~
 245+2-57
 240+2-96
 No 3 trail at 36 - 191+2-~~47~~
 234+2-36
 265+2-12
 295+2-12
 326+2-21
 305+2-12
 290+2-29
 309+2-36
 320+2-50
 342+2-40
 351+2-18
 290+2-16 to pjt #10
 Traverse of No 3 trail

191+2-12
 177+2-48
 197+2-48
 185+2-35
 226+2-33
 205+2-28
 231+2-6
 211+2-11
 230+2-20
 207+2-24
 167+2-15
 160+2-21
 145+2-12
 166+2-36
 182+2-36 app 50.
 Sec. line of Sec. 2
 88+2-294 paces to
 opp 1/8 cor. west of sec.
 cor. 1-2-11-12 T38-5
 Traverse of trail - No 2
 from 1/8 cor.
 360+2-41
 313+2-30
 285+2-23
 323+2-36
 281+2-16

Section 3 N. 38 N. R. 5 E. 11

315+2-21
 324+2-18
 360+2-12
 351+2-48
 16+2-31
 25+2-19
 358+2-24
 18+2-24
 336+2-52
 306+2-18
 349+2-19 come to
 trail No 1
 13 paces = 1 chain.
 11/137 Stainle Herwardly
 starting S.E. corner
 Section at 38 N. R. 5 E.
 W.P., B.T. (307, 2 P.W., 1 P.N.)
 268+2-260
 Ag 1-3³
 227- - - { 340+2
 147+2
 260-app 1/2 cor (no post)
 268+2-260
 13-ent. 56 1-3³
 60-ent. LB (open)
 80-ent. Ag 1-3³
 197-ent. LB
 137-ent. Bw 1-3³
 260-app 1/4 cor. (no post)

268+2-260
 19-ent. 56 1-3, 7 1-3²
 220-ent. Ag 1-3³
 260-app 1/2 cor (no post)
 268+2-263
 7-ent LB
 36-ent Ag 1-3³
 263-sec. line (cut out line no post)
 358+2-130
 130-app 10 ch line.
 88+2-260
 7-ent. BM
 62-ent Ag 1-3³
 91-ent. BM
 101-ent Ag 1-3³
 235-ent. BM
 260-app 1/2 line
 88+2-260
 14-ent Ag 1-3³
 52-ent ===
 75-56 1-3³
 127-ent Pn 6-9, F 1-3³
 201-ent BM
 260-app 1/4 line
 260-ent. T 1-3³
 88+2-260
 34-ent Bw 1-3³
 56-ent ===
 70-ent 56 1-3²

12 Section 3 N. 38 N. R. 5 E.

101 - ent. Ag 1-3³, Bw 1-3² 268+2 - 260
 160 - app. to line 44 - ent. B.M. T 1-3³
 89+2 - 260 216 - ent. Ag 1-3⁵
 260 - Sec. line. 260 - Sec. line
 178+2 - 130 358+2 - 130
 130 - Sec. corner WP, IR, BT. 75 - cross road proj #2
 13 - proj - 1 chain 130 - app. 10 ch line.
 1/12/37 Hernandez, Steink Starting S & part E line
 Sec. 3 T 38 N. R. 5 E. WP, BT. TW STUMP 1 ch S.W.
 268+2 - 260 88+2 - 260
 16 - ent. G.M. 72 - cross road Proj #2
 { 57+2 }
 { 237+2 }
 129 - cross { 55+2 }
 190 - ent. Ag 1-3³ { 3+2 }
 202 - cross { 168+2 }
 { 346+2 }
 260 - app. to line. 260 - app. to line.
 89+2 - 260 138 - ent. B.M. T 1-3⁵
 260 - app. to line 260 - app. to line
 88+2 - 260 108 - cross { 358+2 }
 { 1957+2 }
 134 - ent. F 3-6⁵, S 6-6³
 C 3-6²
 244 - ent. Bw 1-3⁵, Ag 1-3⁴
~~260 - app. to line~~
 260 - app. to line
 88+2 - 263 182 - cross { 324+2 }
 { 145+2 }
 263 - Sec. line. 258+2 - 130
 130 - 1/4 cor. WP

Section 3 N. 38 N. R. 5 E. 13

13 per - 1 chain 368+2 - 130 # { 325+2 }
 # { 145+2 }
 1/13/37 Hernandez, Steink 49 - proj #16
 Starting at E & cor. Sec. 3 130 - app. 10 ch line.
 N 38 N. R. 5 E. WP 88+2 - 260
 68 - ent. B.M. { 195+2 }
 101 - cross { 37+2 }
 147 - ent. Ag 1-3³, Bw 1-3³
 260 - app. to line 260 - app. to line
 88+2 - 260 88+2 - 260
 13 - ent. B.M. 60 - proj # { 30+2 }
 # { 210+2 }
 32 - ent. Bw 1-3², Ag 1-3² 212 - ent. B.M.
 M 4-1-3² 260 - app. to line
 252 - ent. S 6-3-6³, F 3-6³ C 3-6³
 260 - app. to car (part) 88+2 - 260
 268+2 - 260 114 - T 1-3⁵
 260 - app. cont. sect. 240 - B.M. T 1-3³
 268+2 - 260 260 - app. to line
 144 - ent. Ag 1-3³ 88+2 - 260
 253 - ent. G.M. 36 - ent. Ag 1-3³
 260 - app. to car (part) 94 - ent. S 6-1-3⁵
 140 - ent. Ag 1-3³ 260 - Sec. line
 268+2 - 260 6 - ent. Ag 1-3³ 368+2 - 65
 34 - cross road proj # 8 - ent. S 6-3-6³, F 3-6²
 { 217+2 } Ash 6 -
 { 37+2 } 65 - to 1/4 car. WP, IR
 34 - proj #16 10 per N. BT 1st. (5 chains too
 58 - trail # 21A+2 for north at the
 108 - G.M. end of this strip.)
 128 - T { 356+2 }
 { 176+2 } 191 - ent. Ag 1-3²
 260 - app. to car (part)

14
 1/14/37 - Hernandez, Steink
 starting at N 1/2 part on
 E line of Sec 3 T.38N. R.5E
 IP, WP, BT. (6' ASH N.W. 1/4 pt.)
 268+2-260
 154 - ent Ag 1-3²
 168 - ent B.M.
 182 - ent Ag 1-3²
 201 - ent B.M., 56 1-3²
 219 - trail { 237+2
 57+2
 260 - B.M., 56 1-3²
 260 - app. 1/4 cor.
 268+2-260
 234 - ent Ag 1-3²
 260 - app. 1/4 line
 268+2-260
 162 - road proj. { 210+2
 28+2
 181 - road = = { 216+2
 36+2
 260 - app. 1/4 cor.
 268+2-260
 Ag 1-32, B.M. 1-3,²
 171 - ent B.M.
 214 - { 182+2
 308+2
 204 - ent B.M. 1-3², Ag 1-3²
 260 - app. 1/4 cor. on
 sec. line.
 308+2-182
 31 - ent B.M.

182 - sec part. WP
 BT. (3700)
 88+2-260 216+2
 32 -
 82 - ent Ag 1-3²
 160 - ent 56 1-3²
 177 - ent Ag 1-3²
 224 - ent 56 1-3²
 260 - ent Ag 1-3²
 261 - 1/8 part WP.
 88+2-~~260~~ 279
 45 - trail 30+2
 211 - trail 137+2
 279 - 1/4 part. WP. IP.
 BT. (3 popple trees)
 88+2-260
 260 - ent B.M.
 260 - 1/8 part. WP
 88+2-260
 144 - ent Ag 1-3²
 151 - trail 254+2
 182 - ent G.M.
 219 - trail { 115+2
 290+2
 226 - ent B.M.
 260 - sec part. WP, IP
 BT. (10" ASH N.E. 6 pt.)

Transverse of road proj #2
 through Sec. 3, T.38N. R.
 5E. Starting app. 7 1/2 chs N
 of N. 1/2 corner on E line of
 3. Hernandez + Steink 1/14/37
 267+2-168
 293+2-67
 265+2-60
 236+2-74
 264+2-25
 277+2-59
 267+2-70
 244+2-98
 220+2-46
 208+2-~~260~~ 198
 198 - = = 209+2
 193+2-99
 212+2-77
 77 - punch proj #16
 287+2
 234+2-213
 62 - cross bridge
 213 - app. sec line.
 Transverse of proj #16 from
 junct of #16 & #2. 1/18/37
 Hernandez, Steink 3 pt. 1/4
 292+2-34

258+2-81
 69 - to bridge
 297+2-45
 326+2-108
 108 app. sec. line.
 Sec 10 T.38N R.5E
 Krause, Pfister 11/11/37
 12 paces = 1 chain.
 Starting 10 chs. S of N.E. cor. part.
 WP. IP. 3815.
 268+2-263 1/2
 23 ent Ag 1-3²
 147 cross trail { 157+2
 325+2
 147 ent B.W. 1-3²
 263 1/2 app. 1/4 line
 268+2-263 1/2
 23 ent. P.W. 6-9²
 73 ent. T. 1-3²
 152 ent Ag 1-3²
 234 ent T. 1-3²
 263 1/2 app. 1/4 line.
 268+2-263 1/2
 16 cross trail { 110+2
 291+2
 64 cross trail { 178+2
 358+2
 95 ent Ag 1-3²
 192 ent 56 3-6²
 263 1/2 app. 1/4 line.

268+2-263 1/2
 39 ent A91-3⁴
 119 ent. Lb
 163 ent A91-3³
 168 ent Lb
 192 ent A91-3³-BW1-3³
 263 1/2 app. Sec. Line
 178+2-131 1/2
 131 1/2 app. 1/8 Post.
 88+2-263 1/2
 BW1-3⁴
 169 ent Sb1-3²
 193 ent A91-3³
 263 1/2 app. 1/8 line.
 88+2-263 1/2
 67 ent F1-3⁵
 133 ent T1-3³
 217 cross trail ⁸³⁰⁺₄₉₄₊
 229 Sb on north.
 263 1/2 app 1/4 line
 88+2-263 1/2
 46 ent A91-3⁴
 178 ent. T1-3²
 221 cross trail ⁸²⁶⁺₆₀₂₊
 263 1/2 app. 1/8 line.
 88+2-263 1/2
 123 ent B3-6² ³¹⁶⁺₂
 186 cross trail ³¹⁶⁺₁₄₆₊

185 ent A91-3⁴
 Row South 3-6²
 263 1/2 E. Sec. Line.
 WP
 Krause, Pfister. 11/2/37.
 Starting 10 ch. S. of N 1/4
 Post. E Line Sec. 10.
 T38N R6E
 268+2-240 ¹² paces red chain.
 31 cross Rd. Proj #10
¹¹⁺²
¹⁹⁺²
 110 Lb to north.
 116 Lb to south.
 164 ent Sb. 1-3³
⁵⁴⁵⁺²
 216 cross trail ²²¹⁺²
 247 app 1/8 line.
 268+2-240
 46 ent Sb1-3³
 56 ent T1-3³
 180 T1-3⁶ to north.
 240 app. 1/4 line.
 268+2-240
 22 ent Sb 1-3⁵
 61 ent BW1-3⁴
 94 ent Sb. 1-3⁵
 136 ent BW1-3⁴
 166 ent Sb. 0-1'

216 ent. BW1-3³-H.0-1'
 240 app 1/8 line.
 268+2-240
 179 ent A91-3⁵-BW1-3³
 240 app. Sec. Line.
 178+2-120
 120 app 1/4 line W.P. P.W.B.T.
 S of Post 1/5. 15 paces. NW. B.T. P.W.
 B.T.
 88+2-240
 60 BW1-3³
 176 ent. 3-6³
 204 ent. Sb. 0-1'
 240 app 1/8 line.
 88+2-240
 100 ent BW1-3⁴
 124 ent. Sb. 1-3⁵
 184 ent T1-3³
 240 app 1/4 line.
 88+2-240
 12 ent Sb1-3³
 192 cross trail ³¹⁹⁺²₁₄₁₊₂
 210 ent Sb. 1-3⁵ ⁵⁵⁹⁺²
 221 cross trail ¹⁸²⁺²
 240 app. 1/8 Line.
 88+2-239
 Pond 1 ch. to North.
 106 ent. P1. 1-3⁶
 145 ent. P1-3¹-PW1-3¹
 172 cross Rd. Proj #10 ¹⁸⁰⁺²₁₆₂₊₂
 239 1/4 Post. E. Sec. line
 Came out
 W.P. P1. 26 paces South of 1/4 Post
 11/3/37 Krause, Pfister
 178+2-120
 120 paces 10 ch. line
 268+2-240
 A91-3³
 57 paces cross proj #10, 176+2
 ent P1 3-6' P.N. 3-6' ³⁵⁰⁺²
 PW 3-6' swamp 52 paces south
 196 ent Sb. 1-3¹ T1-3¹
 240 app 1/8 line
 268+2-240
 ent P1 3-6'
 46 paces ent Sb. 1-3³
 52 paces cross trail ¹⁸⁵⁺²
 87 ent A9. 3-6⁸ BW1-3⁸
 102 ent Sb. 1-3⁵
 142 ent A9. 3-6'
 169 ent Sb. 1-3⁵
 204 ent A9. 3-6⁶
 240 app 1/8 line
 268+2-240
 13 paces ent Sb. 1-3⁵
 162 ent A9. 1-3³ BW1-3³
 190 ent Sb 1-3⁴
 240 app 1/8 line
 268+2
 31 paces ent Sb. 1-3¹ T1-3²
 223 ent A9. 1-3⁵
 240 app 1/8 line

18

- 178+2 - 120
24 paces ent F. 3-6⁺
C. 3-6⁺
108 ent B.M.
120 app $\frac{1}{2}$ post
- 88+2 - 240
14 paces ent S.B. 3-6⁺
T. 3-8⁺
84 ent S.B. 0-1⁺
240 app $\frac{1}{2}$ line
- 88+2 - 240
57 ent A. 9-1-3⁺ B.W. 1-3⁺
128 ent T. 1-3⁺
189 ent A. 9-3-8⁺ B.W. 1-3⁺
P.W. 0-1⁺
240 app $\frac{1}{2}$ line
- 88+2 - 240
5 ent S.B. 1-3⁺
35 ent A. 9-1-3⁺
86 ent S.B. 1-3⁺ T. 1-3⁺
133 cross trail (32+2)
(205+2)
240 app $\frac{1}{2}$ line
- 88+2 - 235
24 ent P.F. 1-3⁺
95 ent P.F. 3-6⁺ P.N. 3-6⁺
P.W. 3-6⁺
186 cross proj #10
(175+2)
235 app $\frac{1}{2}$ post (352+2)
Picket line
28 paces south of $\frac{1}{2}$ post
1/14/37 Krause Pfister
- 178+2 - 120
36 ent B.M.
120 paces to 10 ch line

10

- 268+2 - 240^{ent}
P.N. 1-3⁺ P.W. 1-3⁺ A. 9-13⁺
41 ent P.F. 3-6⁺
70 cross proj #10 (5+2)
87 ent S.B. 1-3⁺ (190+2)
T. 1-3⁺
146 ent P.W. 1-3⁺ P.N. 1-3⁺
154 ent S.B. 1-3⁺
240 app $\frac{1}{2}$ line
- 268+2 - 240
156 cross trail (35+2)
(215+2)
223 ent B.W. 1-3⁺ A. 9-3-6⁺
240 app $\frac{1}{2}$ line
- 268+2 - 240
78 ent T. 1-3⁺
144 ent A. 9-1-3⁺ B.W. 1-3⁺
202 ent S.B. 0-1⁺
240 app $\frac{1}{2}$ line
- 268+2 - 240
ent A. 9-1-3⁺ B.W. 1-3⁺
16 ent S.B. 0-1⁺
125 A. 9-1-3⁺ south 1-3⁺
168 ent S.B. 1-3⁺ T. 3-6⁺
240 app sec line.
- 178+2 - 120
56 3-6⁺ T. 3-6⁺
120 app sec post
of 9-10-15-16

Section 10 T. 38. N. R. 5. E. 19

10-12

- 88+2 - 240
34 ent A. 9-1-3⁺ P.N. 6-9⁺
82 ent S.B. 1-3⁺
130 ent A. 9-1-3⁺ B.W. 1-3⁺
240 app $\frac{1}{2}$ line
- 88+2 - 240
91 ent T. 3⁺
143 ent S.B. 0-1⁺ T. 0-1⁺
240 app $\frac{1}{2}$ line
- 88+2 - 240
15 ent A. 9-3-6⁺ P.N. 13⁺
P. 3-1-3⁺
32 cross trail (60+2)
(235+2)
125 ent S.B. 1-3⁺ T. 1-3⁺
240 app $\frac{1}{2}$ line
- 88+2 -
99 paces cross proj #10
ent P. 3-6⁺ P.W. 3-6⁺ (20+2)
(30+2)
P.N. 36
- 159 ent P.N. 1-3⁺
P.W. 1-3⁺ A. 9-1-3⁺
252 picket line
358+2 - 25 paces to
sec. post 10-11-14-15
W.P. B.T. N.W. of post B.T. stump
- 178+2 - 132 paces
34 - ent S.B. 1-3⁺ + 6B
106 - ent P. 1
172 - 10 ch. line
- 268+2 - 264
13 - ent S.B. 1-3⁺ + 6B
180 - ent P. 16-9⁺
129 - cross proj #4 (347+2)
(190+2)
- Krause of road proj #10
1/14/37 12 paces = 1 ch.
Pfister Krause
Starting 66 paces west of
S.E. corner of sec. 10
35+2 - 24
18+2 - 194
352+2 - 258
10+2 - 54
15+2 - 160
19+2 - 95
at 50 paces N $\frac{1}{2}$ post
21+2 - 69
360+2 - 25
337+2 - 116
Sec post W of road 6 paces
Sec. 2-3-10-11
- Sec. 12 T. 38 N. R. 5 E
Krause Pfister Jan 20 1937
13.2 paces = 1 ch.
Starting at sec post 6-7-12
W.P.B.T.

- 149-Cross trail 357²
185²
- 241-ent SBI-3⁵
- 264-opp $\frac{1}{8}$ line
- 268²-264
- 118-ent Ag1-3
- 135-ent SBI-3⁴
- 255-ent PN 9-12³
- 264-opp $\frac{1}{4}$ line
- 268²-264
- 24-ent SBo on south^{BM}
- 89-ent Ag1-3⁴
BW1-3
- 174-ent PN 9-12³
- 230-SBI-3⁵ on north
- 255-ent Ag1-3
- 264-opp $\frac{1}{8}$ line
- 268²-264
- 70-ent PJ1-3³
Ag1-3²
- SBI swamps on south
- 233-section line
- 178²-132
- 132-opp $\frac{1}{8}$ post
- 88²-264
- 10-ent SBo-1²
- 170-ent SBI-3³+T1-3
- 264-opp $\frac{1}{8}$ line
- 88²-264
- 57-ent BM-To-1,
SBo-1

- 140-ent SBI-3³
- 173-ent T1-3²
SB0-1
- 212-Cross Hoboken
river - 215²+2²
56²+2
- 264-opp $\frac{1}{4}$ line
- 88²-264
- 26-ent PJ1-3¹
- 159-ent Ag1-3³
- 239-ent BM
- 264-opp $\frac{1}{8}$ line
- 88²-272
- 11-Cross edge of
Hoboken River 210²+
30²+2
- 50-ent PJ3-6³
- 100-Cross proj #4 30²+
3 210²+2
- 234-ent PJ1-3²
BW1-3
- 272-opp $\frac{1}{8}$ post
- Krause Pfister Jan 21/37
- 178²-132
- 77-ent SBI-3²
- 132-10 ch. line
- 268²-264
- 106-ent PJ3-6³
PN 9-12
- 175-Cross trail 243²+2²
165²+2
- 188-ent BM
- 203-Cross Hoboken-
river 305²+2²
170²+2

- 239-Ag1-3³
- 264-opp $\frac{1}{8}$ line
- 268²-264
- 13-ent PJ1-3³+Ag1-3³
- 29-Cross trail 165²+2²
340²+2
- 89-Cross proj #4 35²+2²
225²+2
- 135-ent SBI-3³
- 163-ent Ag1-3¹
- 264-opp $\frac{1}{4}$ line
- 268²-264
- 11-ent BM
- 39-Cross Hob river 215²+2²
35²+2
- 83-Cross Hob river 315²+2²
125²+2
- 147-ent T1-3⁴
SB3-6
- 234-ent BM
- 264-opp $\frac{1}{8}$ line
- 268²-264
- 2-Cross Hob river 215²+2²
290²+2
- 99-Cross Hob river 165²+2²
345²+2
- 139-PN on south
- 163-Cross Hob river 200²+2²
5²+2
- 221-Cross Hob river 240²+2²
175²+2
- PN on north
- 245-Cross Hob river 200²+2²
75²+2
- 264-opp reef line
- 178²-132
- 56-Cross Hob river - 20²+2²
185²+2
- 132-opp $\frac{1}{4}$ post.
- 88²-264
- 37-Cross Hob R. 215²+2²
30²+2
- 62-PN on north
ent Ag1-3³
- 136-ent T1-3⁴ SBI-3³
- 209-ent BM
- 264-opp $\frac{1}{8}$ line
- 88²-264
- 106-ent SBI-3⁶
- 150-Cross edge of Hob.
river 305²+2. 15²+2
- 176-ent SBI-3⁶
- 249-ent PJ1-3⁴
- 264-opp $\frac{1}{4}$ line
- 88²-264
- 88-ent Ag1-3⁴
- 108-Cross proj #4 210²+2²
ent PJ1-3³ 30²+2
- 176-ent SBI-3⁴
- 264-opp $\frac{1}{8}$ line
- 88²-291
- 5-ent Ag1-3²
- 29-Cross trail 190²+2²
16²+2
- 178-ent BM
- 206-Cross river 165²+2²
35²+2
- 244-Cross Hob R. 50²+2²
215²+2

270 - Cross Hob. R. 205+2
157+2

291 - Section line

app $\frac{1}{4}$ post

178+2 132

60 - Cross Hob. R. 125+2
295+265 - ent SBI-3⁴

132 - app 10 ch. line

268+2 - 264

20 - ent T1-3¹107 - ent SBI-3⁴132 - ent Ag 1-3²264 app $\frac{1}{8}$ line

268+2 - 264

12 - ent SBI-3³47 - ent PJ1-3⁷130 - SBI-3⁴ on north

198 - Ag on south

262 - ent L.B.

264 - app $\frac{1}{4}$ line

268+2 - 264

7 - Cross Proj #4

352+2

175+2

Krause Pfister, Jan 25/37

20 - ent SBI-3³

156 - ent B.M.

199 - ent SBI-3³T1-3³264 - app $\frac{1}{8}$ line

268+2 - 276

97 - ent Ag 1-3⁴

276 - sect. line

178+2 - 132

132 - app W $\frac{1}{8}$ post

88+2 264

82 - PJ on south

157 - Cross trail 349+2

186 - ent SB3-6⁵213 - ent SBI-3³264 - app $\frac{1}{8}$ line

88+2 264

40 - ent SBI-3³ - B.M.

141 - Cross trail 160+2

250 - ent Ag 1-3³264 - app $\frac{1}{4}$ line

88+2 264

7 - Cross Proj #4

165+2

35+2

ent Ag 1-3³ PJ1-3144 - ent SBI-3⁴

88+2 - 238

264 - app $\frac{1}{8}$ line

165 - Cross Hob. Creek

185+2

355+2

all bridge / ch. north

180 - ent B.M.

238 - app $\frac{1}{8}$ post

W.P. No markings

177+2 - 132

31 - ent PJ1-3³

72 - Fire lane to

gins

180+2

132 - app 10 ch. line

268+2 - 264

2 - Cross fire lane

180+2 360+2

13 - ent PJ3-6⁴

67 - Cross Hob. Creek

10+2

195+2

ent SBI-3⁴T1-3³264 - app $\frac{1}{8}$ line

268+2 - 264

110 - ent Ag 3-6⁴ PJ1-3²

252 - Cross Proj #4 157+2

195+2

Jan 27/37 Krause Pfister

264 - app $\frac{1}{8}$ line

268+2 - 264

26 - Cross trail 5+2

171 - ent SBI-3³ B.M.T1-3³252 - ent Ag 1-3⁵

257 - Cross trail 140+2

264 - app $\frac{1}{8}$ line

268+2 - 226

103 - ent PJ1-3³

PN 9-12 on South

109 - ent L.B.

146 - ent PJ1-3² Ag 1-3⁴

226 - section line

358+2 110 (to check accuracy)

55 - ent Ag 1-3⁴110 - app $\frac{1}{8}$ post

178+2 - 226

171 - ent PJ1-3⁴

226 - sect part 11-12

15-14

I.P. W.P.

12 inch. PJ. BT. snag

B.E. 10 paces

6 inch PJ. BT. S.W. 9 paces

88+2 - 88

Change pace scale to 12 $\frac{1}{2}$ ch

88+2 - 88

78 - ent Ag 1-3⁴ PJ1-3³

112 - ent L.B.

124 - ent PJ1-3³ PN 9-12PW 1-3²

183 - ent L.B. 4

200 - ent PJ1-3 Ag 1-3

227 - $\frac{1}{8}$ post W.P.

14 - N.E. 6" PJ. BT

24

88°+2' - 225

51 - Cross trail 33°+2'

135 - Cross trail 20°+2'

146 - Cross trail 20°+2'

205 - section location P. 12-15-4

207 - Cross proj # 4

double trail join

225 - 1/4 post WP

5 - SE, 8 incl P. 12-15-4

15 SW, 4 incl P. 12-15-4

Jan. 28/37 Kraus & Pfister

88°+2' - 240

120 - ent SB 1-3⁴

214 - Cross trail 20°+2'

240 - app 1/2 post.

88°+2' - 230

24 - Cross creek 65°+2'

50 - cross creek 5°+2'

81 - ent PJ 3-6³

225 - Cross firelane

230 - sect post.

1 P. WP. Sect 12-15-7-18

6 incl P. 12-15-4

8" P. 12-15-4 SE.

4 corners of road Proj # 4.
Sect P. 12-15-4 R. 5E.

12 - Starting at south location

person proj # 4

following proj # 4.

15°+2' - 136

4 - trail 145°+2'

5°+2' - 18

350°+2' - 55

340°+2' - 48

352°+2' - 109

35°+2' - 300

60°+2' - 140

20 - trail 265°+2'

67 - bridge over

Koboskin River

River angle 155°+2'

25°+2' - 26

10°+2' 141

352°+2' 127

115 - trail 187°+2'

127 - Section line

Section 1 & 12.

Schaller & Ferguson

Starting 10 ch. So. of No. 8 Sec.

Cor. of Sec. 11. T. 38 N. R. 5 E. 12 sec. 1 ch.

268°+2' - 240

30 E. of P. 12-15-4

107 ent B.M.

25

11

172 cross Tom. River

88°+2' - 240

195 cross Tom. River

108 ent. P. 12-15-4, P. 12-15-4

240 app 1/2 line

230 ent. A 81-3²

268°+2' - 240

240 app 1/2 cor.

28 ent. A 81-3⁶

Schaller & Ferguson

240 app 1/4 line

Starting 10 chains So. of No. 8

268°+2' - 240

Cor. of Sec. 11. T. 38 N. R. 5 E. 12 sec. 1 ch.

240 app 1/2 line

268°+2' - 240

268°+2' - 240

B.M.

170 ent. P. 12-15-4

96 ent. P. 12-15-4, P. 12-15-4

240 cross Sec. line

108 ent. B.M.

Schaller & Ferguson

240 app 1/2 line

Starting at the N.W. 1/4 post

268°+2' - 240

of Sec. 11. T. 38 N. R. 5 E. 12 sec. 1 ch.

88°+2' - 240

240 app 1/2 line.

78 cross Tom. River

96 cross Tom. River

132 cross Tom. River

88°+2' - 240

168 ent. B. 1-3¹

95 ent. P. 12-15-4

203 ent. F. 1-3³138 ent. A 81-3⁶220 ent. S. B. 1-3⁶

240 app 1/2 line

240 app 1/2 line

88°+2' - 240

268°+2' - 240

4 ent. S. B. 1-3⁴30 ent. S. B. 3-6⁶52 ent. F. 1-3³

240 app 1/2 line

107 ent. P. 12-15-4, A 81-3¹

268°+2' - 240

B. 1-3¹204 ent. A 81-3⁶

160 ent B.M.

240 cross Sec. line.

237 cross Tom. River

240 app 1/2 line

Schaller & Ferguson

Starting at the W. $\frac{1}{4}$ post of
Sec. 11, T38 N.R. 5.E. 12 posts / chain

88°2' - 240

72 ent SB 3-6'

145 ent A8 1-3'

240 app. $\frac{1}{2}$ line

88°2' - 240

6 ent SB 1-3'

132 cross trail

197 ent B.M.

240 app. $\frac{1}{2}$ line

88°2' - 240

48 cross Tom. Riv.

72 cross Tom. Riv.

240 app. $\frac{1}{2}$ line

88°2' - 240

30 cross Xetas. Riv.

96 cross Xetas. Riv.

150 ent P^w 12-15⁴

190 ent B.M.

240 app. $\frac{1}{4}$ cor.

Schaller & Ferguson

Starting 10 ch. So. of C. $\frac{1}{4}$ cor. of
Sec. 11, T38 N.R. 5.E. 12 posts / chain

268°2' - 240

B.M.

36 ent A8 1-3'

52 ent B.M.

11

101 ent Pⁿ 12-15³

156 ent B.M.

240 app. $\frac{1}{2}$ line

268°2' - 240

120 cross Xetas. Riv.

180 cross Tom. Riv.

226 ent P^d 3-6'240 app. $\frac{1}{2}$ line

268°2' - 240

18 ent B.M.

78 ent A8 3-6', P^d 3-6'

144 ent B.M.

168 ent F 1-3', SB 1-3'

216 ent B^w 3-6'240 app. $\frac{1}{2}$ line

268°2' - 240

24 ent P³ 3-6', Pⁿ 3-6', A8 1-3'78 ent A8 3-6', Pⁿ 3-6', P^d 3-6'P^d 1-3'

240 cross sec. line.

Schaller & Ferguson

Starting at the app. So. $\frac{1}{2}$ cor. of
Sec. 11, T38 N.R. 5.E. 12 posts / chain

88°2' - 240

A8 3-6', Pⁿ 1-3', P^d 1-3', P^d 1-3'168 ent B^w 3-6'240 app. $\frac{1}{2}$ line

88°2' - 240

12 ent F 1-3', SB 1-3'

60 ent Pⁿ 7-12', A8 1-3'

107 cross trail

150 ent B.M.

240 app. $\frac{1}{4}$ line

88°2' - 240

22 cross Tom. Riv.

96 Pⁿ

132 ent SB 3-6'

180 ent Pⁿ 9-12⁵240 app. $\frac{1}{2}$ line

88°2' - 240

40 ent P^w 1-3'

66 ent A8 1-3'

240 app. $\frac{1}{2}$ cor.

Schaller & Ferguson

Starting 10 ch. S. of So. $\frac{1}{2}$ cor.
of Sec. 11, T38 N.R. 5.E. 12 posts / chain.

268°2' - 240

A8 1-3'

240 app. $\frac{1}{2}$ line

268°2' - 240

48 ent SB 3-6'

90 ent SB 0-1'

138 ent SB 3-6'

11

210 ent Pⁿ 12-15⁴, Pⁿ 7-12⁵240 app. $\frac{1}{4}$ line

268°2' - 240

24 ent B.M.

26 cross Tom. Riv.

52 cross Tom. Riv.

120 cross Tom. Riv.

222 ent P^w 12-15⁴, P^d 3-6'

A8 3-6'

236 cross trail

240 app. $\frac{1}{2}$ line

Schaller & Ferguson

Starting at the So. W. Sec. Post
of Sec. 11, T38 N.R. 5.E. 12 posts / chain.

88°2' - 240

36 ent B.M.

120 ent SB 1-3', F 3-6'

1 A8 1-3'

156 cross trail

178 ent A8 1-3'

230 ent B.M.

240 app. $\frac{1}{2}$ cor.

86°2' - 240

150 cross Tom. Riv.

102 ent Pⁿ 12-15²

192 ent SB 3-6'

240 $\frac{1}{4}$ post W.P. B.T.

28 Dec 9 T38N R5E

88°+2°-240

11-9

15 ent CH1-3²

144 ent S⁸3-6, F3-6'

c6-94

228 ent Ag1-3⁷

240 app 1/8 cor.

178°+2°

172 ent Ag3-6³, Bw1-3'

PN11-15², PN11-15¹, F3-6'

254 ent SB1-3²

260 app Sec. line

8130

88°+2°-240

240 Sec. Post w.P.P.T.

2/18/37

Sec 9 T38N R5E

Starting at So. 1/4 Post of Sec.

9. W.P., IR, 1/8 T, 12" Pw 10' West.

358°+2°-130

B^m

20 ent. A83-6³

50 ent. G.M.

74 ent. A83-6³

88 ent. G.M.

130-10 chain line

358°+2°-260

144 ent SB1-3²

197 ent Ag1-3³, PN11-15¹

260 app 1/8 line

Starting at app. 1/8^{west} post post stake. Dec 9. 2/19/37

88°+2°-260

268°+2°-260

G.M.

25 ent. A83-6³

183 ent. G.M. S⁸1-3²

260 app 1/8 line

268°+2°-260

82 ent. A83-6³, B^m1-3'

104 ent. G.M., S⁸1-3²

Ag1-3²

128 ent SB

148 ent of 1-3², PN11-15²

172 ent SB1-3²

260 app 1/8 line

88°+2°-260

SB1-3²

105 ent Ag1-3²

196 ent SB1-3'

9

220 ent Ag1-3²

244 cross proj #2

(178°+2°
358°+2°)

260 app 1/4 line

88°+2°-260

Ag1-3³

41 ent Bw1-3², M1-3'

Ag1-3¹

86 ent F6-9³, C3-6²

SB3-6², T1-3'

88°+2°-260

260 app. E Sec. line of Sec. 9 T38N R5E

178°+2°-130

SB6-9⁴

100 ent Bw3-6², Ag1-3¹ 358°+2°-130

130-10 chain line

268°+2°-260

Bw3-6² Ag1-3¹

44 SB1-3²

117 ent Bw1-3² Ag1-3¹

164 ent C3-6², F3-6³

SB3-6²

260 app 1/8 line

268°+2°-260

C3-6², F3-6³, SB3-6²
T1-3'

20 ent Bw1-3¹ Ag1-3¹

32 ent BM

60 ent Bw1-3²
Ag1-3²

135 ent SB3-6², C3-6²
F3-6³

205 ent Bw1-3³

Ag1-3² Pm3-6²

252 cross proj #2

(358°+2°
178°+2°)

270 to 1/4 line

358°+2°-25 faced

88°+2°-260

260 app. 1/8 line Starting 10 chains No. of So. 1/8 line on 1/4 line

260 app. E Sec. line of Sec. 9 T38N R5E

Renovating Shells 2/19/37

13 paces 1 ch.

178°+2°-130

100 ent Bw3-6², Ag1-3¹ 358°+2°-130

130-10 chain line

268°+2°-260

Bw3-6² Ag1-3¹

44 SB1-3²

117 ent Bw1-3² Ag1-3¹

164 ent C3-6², F3-6³

SB3-6²

260 app 1/8 line

268°+2°-260

C3-6², F3-6³, SB3-6²
T1-3'

35 cross proj #2

Ag1-3³ Bw1-3¹ (170°+2°)
PJ1-3¹

130 10 chain line

88°+2°-260

Ag1-3¹ Bw1-3¹ PJ1-3¹

88 ent SB3-6², F3-6³
C3-6²

217 Ag1-3² Bw1-3¹
F3-6¹

260 app 1/8 line

88°+2°-260

157 SB3-6¹ F3-6³ C3-6²

177 Ag 1-3² Bw 1-3'
F 3-6'244 F 3-6³ Sb 3-6'
C 3-6'

260 app F Sec line

358°+2°-127

37 Ag 1-3² Bw 1-3'

P x 12-15' F 3-6'

127 cross 1/4 line

27 feet W to post

Wp. 1P, BT, Pw 4"
E 5 feet

B.T. M. 3' N 4 feet

Starting at 1/4 post on E

Sec line of Sec 9 T 38 N

P 5 E

268°+2°-260

Ag 1-3² Bw 1-3²

260 app 1/8 line

268°+2°-260

158 cross proj. #2
(360°+2°)169 Sb 1-3² (180°+2°)
P 1-3'

260 app 1/4 line

268°+2°-260

Sb 1-3² P 1-3'65 Ag 1-3³

117 Sb 3-6'

130 Ag 1-3³186 Sb 3-6²209 Ag 1-3² Bw 1-3'

260 app 1/8 line

268°+2°-260

16 G M

21 Ag 1-3, Bw 1-3

39 Sb 1-3²45 Ag 1-3² Bw 1-3'166 Sb 3-6³195 Ag 1-3²

260 app. Sec. line.

1/4 post 26 feet N., Wp.

178°+2°-130

Ag 1-3³, Bw 1-3²

130 10 ch. line

88°+2°-260

Ag 1-3³ Bw 1-3²184 Sb 1-3²253 Ag 1-3² P x 6-9³

88°+2°-260

62 Sb 1-3²180 Ag 1-3³249 cross Proj. #2
(12°+2°)

257 app 1/4 line (94°+2°)

358°+2°-23 to original 10 ch. for East. 1/4 post. short of post.
line on 1/4 line 360-130

Starting 10 ch. No. of 1/4

Bw 1-3² Ag 3-6³

line of Sec 9 on 1/4 line

130 N 1/8 post on E line.

Schaller - Kennedy 2/24/37 270°-260

13 feet 1 ch.

6 Sb 1-3²

360°-130

13 Ag 3-6²92 P x 12-15³ Sb 6-9³43 Sb 3-6³123 Sb 6-9³187 Ag 3-6³

130 app. 10 ch. line

213 cross proj. #2
(180°+2°)40°-260 Sb 6-9³

(360°+2°)

10 Ag 3-6⁴ F 3-6²241 Sb 3-6³43 cross proj. #2
(345°+2°)

260 app 1/4 line

(165°+2°) 270-260

50 Sb 1-3²10 Ag 3-6³77 Ag 3-6³57 Sb 6-9³ C 3-6'
A 3-6-9'94 Sb 1-3²182 Ag 1-3² Bw 1-3'167 Ag 3-6⁴

260 app 1/8 line

260 app 1/8 line 270-260

40°-260

68 Sb 3-6³ T 1-3²Ag 3-6⁴ Bw 1-3²240 Ag 1-3² Bw 1-3'

221 L B

260 app Sec line

258 Bw 1-3²

180-130

260 app Sec line

15 Sb 3-6² T 1-3²

260 app Sec line

131 Ag 1-3² Bw 1-3'

Checked to 1/4 post 1 ch. too

Checked to $\frac{1}{4}$ post 56 paces Starting 10 ch. N. of
 too few West. 1 ch. N. of N. $\frac{1}{8}$ line on $\frac{1}{4}$ line of
 post Sec. 9 2/25/37
 Schaller & Hernandez Schaller & Ferguson
 Starting on the app. $88^{\circ}+2^{\circ}$ 260
 N. $\frac{1}{8}$ cov. on N. Sec. 56 3-6', C 3-6'
 line of Sec. 9 T 38 N R 33 cross proj. # 2
 5 E 13 paces 1 ch. $(115^{\circ}+2^{\circ})$
 $(95^{\circ}+3^{\circ})$
 $360^{\circ}-130$ 55 Ag 3-6' Sb 1-3'
 31 Sb 3-6' 112 cross trail
 97 Ag 1-3' Bw 1-3' 260 app. $\frac{1}{8}$ line
 130 10 ch. line. $88^{\circ}+2^{\circ}$ 260
 90' + 260 Ag 1-3' Bw 1-3' 260 app. Sec. line.
 46 Sb 3-6' 178' + 20 199
 95 Ag 1-3' Bw 1-3' 268' + 20 48
 185 Sb 3-6' Starting at the app. N.
 234 Ag 1-3' Bw 1-3' E. Sec. Cov. of Sec. 9.
 260 app. $\frac{1}{8}$ line Schaller & Ferguson 2/25/37
 90' 260 268' + 20 260 Ag 3-6'
 39 Sb 3-6' T 1-3' 260 app. $\frac{1}{8}$ cov.
 86 Ag 1-3' Bw 1-3' 268' + 20 260
 150 Sb 3-6' 115 BM
 147 Ag 1-3' 145 cross proj. # 2
 217 Sb 1-3' 147 Sb 1-3' $(200^{\circ}+3^{\circ})$
 $(25^{\circ}+2^{\circ})$
 246 to $\frac{1}{4}$ line 185 cross creek

260 app. $\frac{1}{4}$ cov. 89 cross trail
 $268^{\circ}+2^{\circ}$ 260 135 Sb 1-3'
 26 Ag 3-6' 261 cross $\frac{1}{4}$ line
 256 Sb 1-3' $1\frac{1}{2}$ ch. too few
 260 app. $\frac{1}{8}$ cov. So. of corner.
 $268^{\circ}+2^{\circ}$ 260 Sec. 16 of 38 N P 5 E
 12 cross lake Starting at $\frac{1}{4}$ post
 111 Sb 1-3' of Sec. 16. W.P., I.P., P.W.,
 145 Ag 3-6' B + stump $2\frac{1}{4}$ paces W
 255 Sb 1-3' Ag., B.T., 1 ft. E of $\frac{1}{4}$ post
 260 app. Sec. Cov. Krause & Steink 2/18/37
 Starting 10 chains So. $268^{\circ}+2^{\circ}$ 260 BM
 of N. $\frac{1}{8}$ Sec. Cov. of Sec. 9. 26 Ag 1-3' Bw 1-3'
 Schaller & Ferguson 2/25/37 78 BM, Sb 1-3'
 $88^{\circ}+2^{\circ}$ 260 Ag 3-6' 88 Ag 1-3' Ch 1-3'
 23 Sb 1-3' 166 Ag 1-3'
 81 Ag 3-6' 205 L Bon N
 101 Sb 1-3' 260 app. $\frac{1}{8}$ post
 135 Ag 3-6' L B, Sb 1-3'
 163 Sb 1-3' $268^{\circ}+2^{\circ}$ 231
 177 Ag 3-6' 34 Ag 1-3' Bw 1-3'
 205 cross trail 81 Sb 1-3' T 1-3'
 260 app. Sec. $\frac{1}{8}$ line 196 Pw 1-3' Sb 1-3'
 $88^{\circ}+2^{\circ}$ 260 231 W sec. line in
 8 cross trail swamp.

358°+2°-15
 15 NW Sec. Cov.
 W.P. 6" B. ^{W. of post} ~~Stump~~
 8" P.I., B.T., SW ^{post}
 10" B. SW 8 ^{post}
 178°+2°-130
 94 Ag 1-3⁵
 130 app. 10 ch. line
 88°+2°-260
 556 1-3², T1-3²
 156 Ag 1-3⁵ Pw 1-3⁶ N
 180 LB
 238 Ag 1-3⁴ Bw 1-3² 358°+2°-136
 260 app. 1/8 line
 88°+2°-260 Pw 9-12¹
 Ag 1-3¹
 104 Ag 1-3¹ Ch 1-3¹
 163 G.M.
 225 B.M. Bw 1-3¹
 56 1-3¹
 247 Cross [#] ~~proj.~~ ²
 (2.12.2°)
 (183°+2°)
 260 app. 1/4 line
 88°+2°-260
 47 Bw 1-3² Ag 1-3²

86 B.M.
 141 Bw 1-3⁴ to S
 158 Ag 3-6³ Bw 3-6¹
 141 B.M.
 260 app. 1/8 line.
 88°+2°-260
 47 56 1-3²
 156 Bw 1-3³ F1-3¹
 Pw 1-3¹ Ag 1-3¹
 217 Ag 3-6⁴ Bw 1-3
 Pw 3-6¹
 260 app. F. Sec. line
 358°+2°-136
 33 Pw 1-3¹ M 1-3¹
 Bw 1-3¹
 112 56 1-3⁴ T1-3¹
 130 app. NE Sec. Cov.
 268°+2°-260
 45 Ag 1-3² Bw 1-3⁴
 F1-3²
 170 B.M.
 201 Bw 1-3³ Ag 1-3²
 F1-3¹
 225 B.M. 56 1-3².
 C 1-3²

260 app. 1/8 line
 268°+2°-260
 66 Ag 1-3⁶ F1-3²
 120 Ag 3-6² Bw 1-3⁴ 88°+2°-260
 Pw 3-6¹ F1-3¹
 Pw 3-6¹
 156 F 3-6⁴ 6 N
 208 Ag 1-3⁵
 237 ⁵⁰⁺¹⁵⁰ ~~Cross~~ ^{proj.} #2
 (185+150)
 258 app. 1/4 line
 178°+2°-15
 15 1/4 post
 Starting 10 Ch. Soft N
 1/4 post of Sec. 16
 Krause + Steink
 2/19/37 178°+2°-260
 178°+2°-130
 112 Bw 3-6²
 130 app. 1/8 line
 81°+2°-260
 10 B.M.
 149 56 1-3¹
 177 Bw 1-3¹ F1-3¹
 island
 193 B.M.
 254 Cross stream
 56 1-3¹ (10°+2°)
 F1-3¹ (212°+2°)
 260 app. 1/8 line
 63 Ag 1-3¹ Bw 1-3²
 F1-3¹
 117 LB 1 ch. S.
 232 56 1-3¹ T1-3¹
 LB
 251 Ag 1-3³ Bw 1-3²
 260 app. 1/8 post
 258°+2°-142
 24 LB
 71 Ag 3-6⁴ Pw 3-6¹
 Bw 1-3¹
 142 10 ch. line
 130 app. 1/8 post
 148 56 1-3¹ T1-3¹
 LB
 260 app. 10 ch. line
 261°+2°-260
 55 Ag 3-6⁴ Pw 3-6¹
 Bw 1-3¹ to N
 90 Pw 3-6² Pw 3-6²

128 F3-6² Pw3-6² 50 Ag 1-3⁴
 Ag 3-6² Bw1-3¹ 61 Sb 1-3² BM
 157 Sb 1-3³ T1-3² 72 Ag 1-3⁵
 198 Ag 1-3⁴ F1-3¹ 160 LB 2 ch. N
 260 app 1/8 line 260 W sec. line
 268¹+2⁰-260 358⁰+2⁰-252
 9 Sb 1-3³ C1-3¹ 49 Pn 9-15¹
 61 Bw1-3¹ Sb1-3² Bw 1-3² Ag 1-3²
 108 BM Sb1-3¹ 43 LB
 T1-3¹ 130 app. W 1/8 post
 198 Bw1-3¹ island 151 Ag 1-3⁵ Pn 12-15¹
 222 T1-3¹ Sb1-3¹ 199 Sb 1-3² T1-3²
 BM 252 10 ch. line
 260 app 1/4 line 268⁰+2⁰-55
 268⁰+2⁰-260 55 W sec. line
 66 F1-3² Sb1-3² 178⁰+2⁰-130
 121 Ag 1-3² 130 app 1/8 post
 133 Cross trail (60⁰+2⁰)
 (31⁰+2⁰) 88⁰+2⁰-260 Ag 1-3⁵
 Cabin 2 1/2 ch. S. 20 LB
 159 Cross post #2 25 Ag 1-3³ Sb 1-3²
 (215⁰+2⁰) Pn 12-15¹ island 65
 (35⁰+2⁰)
 208 Ag 1-3³ Bw1-3² 75 Ag 1-3² Pn 9-12¹
 260 app 1/8 line 171 LB
 268⁰+2⁰-260 204 Ag 1-3³
 38 BM 260 app 1/8 line

88⁰+2⁰-280 186 Bw 3-6³ Ag 3-6³
 3 LB 227 Sb 1-3⁵ BM
 16 Ag 1-3³ 260 app 1/8 line
 87 Ch 1-3² Bw1-3² 88⁰+2⁰-260
 Ag 1-3² 57 Ag 1-3⁶ Bw1-3¹
 150 Ch 1-3¹ Ag 1-3¹ Pn 6-9²
 234 Cross post #2 219 Sb 1-3³ LB
 BM Sb 1-3¹ (18⁰+2⁰) (198⁰+2⁰) 260 app Sec. line
 T1-3¹ 178⁰+2⁰-130
 274 Bw 3-6² 40 Ag 1-3⁴ Bw 3-6³
 280 app 1/4 line Pn 6-9¹ Pn 6-9¹
 Starting point 130 to app 10 ch.
 line
 Olesjowski + Steink
 Starting 10 ch. W + 10 268⁰+2⁰-260
 Ch. N of center of Sec. 16 32 LB Sb 1-3²
 2/24/37 T0-1¹
 178⁰+2⁰-130 123 Ag 1-3⁶ Pw 9-15¹
 53 Ag 0-1¹ Willow Pn 9-15¹
 130 app 1/4 line 206 Sb 6-9⁶ F6-9²
 88⁰+2⁰-130 260 app 1/8 line
 6 Sb 6-9⁵ BM 268⁰+2⁰-260
 130 app sec. center 32 Ag 3-6⁶ Sb 1-3²
 88⁰+2⁰-260 130 Pw 6-9² Pn 3-6²
 19 T1-3² BM Ag 6-9³
 61 island Ag 3-6⁴ 184 Sb 3-6⁵

Olagunski + Steink

C3-6⁴ T1-3¹ Starting app. 10 Ch. So.
 260 app. $\frac{1}{4}$ cov. of $\frac{1}{4}$ cov. between sec. 15 & 16
 268°+2°-260 2/25/37
 62 T1-3¹ 178°+2°-130
 153 Pw 9-15² 130 app. $\frac{1}{8}$ line
 Pw 9-15² Bw1-3¹ 88°+2°-260
 237 T1-3² Sb3-6⁶ Ag 1-3⁵ Bw1-3³
 260 app. $\frac{1}{8}$ line 63 Road (12°+2°)
 268°+2°-260 113 Sb 3-6³ F3-6³
 11 Sb 3-6⁵ C3-6³ Pw + Pw to proj.
 57 Ag 1-3⁴ Bw1-3³ 150 cubs
 126 Sb 3-6⁴ 260 app. $\frac{1}{8}$ line
 148 road (213°+2°) 88°+2°-260
 157 Ag 1-3⁶ 125 F1-3² Ag 3-6⁵
 260 app. sec. line 260 app. $\frac{1}{4}$ line
 358°+2°-130 Sb 3-6⁷
 130 app. $\frac{1}{4}$ cov 88°+2°-260
 88°+2°-260 34 Pw 9-15⁷
 229 Sb 1-3¹ BM 64 Sb 3-6⁵ C3-6²
 260 app. $\frac{1}{8}$ line 116 Ag 3-6⁵
 88°+2°-161 131 Sb 3-6⁶
 22 cov. of Ag 150 Ag 3-6⁶ Pw 6-9¹
 Road (226°+2°) 260 app. $\frac{1}{8}$ line
 57 Ag 1-3⁷ 88°+2°-260
 161 to Starting point. Ag 1-3² Pw 6-9¹ Pw 6-9¹

Pw 6-9² 137 Ag 1-3³ Bw1-3³
 192 Sb 1-3² L B Pw 6-9¹
 260 app. sec. line 234 road (198°+2°)
 358°+2°-128 260 app. sec. line
 128 10 Ch. line 178°+2°-148
 88°+2°-18 63 road (198°+2°)
 18 feet to sec. line 148 picket line
 178°+2°-260 88°+2°-30
 260 10 Ch. line 30 to sec. foot W.P.
 268°+2°-260 3 F. B.T.W
 Pw 6-9³ Pw 13-18³ Sec. 31 T38 N P5 E
 Ag 3-6⁴ Pw 15-18⁴ Starting at the New
 110 Sb 1-3⁴ Cov. of Sec. 31 2/26/37
 187 Ag 3-6⁴ Pw 15-18⁴ Olagunski + Steink
 P5 Pw 12 feet 1 Ch.
 260 app. $\frac{1}{8}$ line 177°+3°-120
 268°+2°-260 12 Bw 3-6⁴ F1-3¹
 164 C3-6⁵ Sb 3-6³ 60 Sb 3-6⁵ T1-3²
 260 app. $\frac{1}{4}$ line 90 Bw 3-6⁴ F1-3¹
 268°+2°-260 120 app. 10 Ch. line
 175 Ag 3-6⁴ F3-6³ 87°+2°-240
 260 app. $\frac{1}{8}$ line 12 T1-3⁴ Sb 3-6⁴
 268°+2°-260 28 Bw 3-6⁴ Ag 3-6²
 72 Sb 1-3² T1-3² F1-3²
 120 cubs 170 road (26°+2°)
 (313°+2°)

201563-6² F3-6² 267°+3°-240
 235 F -56 22 C3-6² S63-6'
 240 app. 1/8 line 162 F3-6¹ Pw 9-12'
 87°+3°-240 H12-15²
 8 S63-6² F3-6² 234 Bw3-6⁴ F1-3²
 C6-9³ Ash6-9² 240 app. 1/4 line
 192 Bw3-6⁴ F3-6¹ 267°+3°-240
 240 app. 1/4 line 25 BM S63-6²
 87°+3°-240 107 S63-6³ Ash6-9
 40 C6-9⁵ S63-6 C6-9⁵ H6-9'
 F3-6 155 Ag3-6² Bw3-6²
 165 Pw3-6⁴ Bw1-3² 240 app. 1/8 line
 222 S63-6¹ 267°+3°-240
 scattered Pw3-6 23 road (335°+3°)
 240 app. 1/8 line 120 S63-6² F3-6²
 87°+3°-288 T1-3'
 205 flowage of 151 F3-6⁶ Ag3-6²
 dead snags 187 BM
 288 app. sec. line 240 app. sec. line
 177°+3°-120 357°+3°-143
 130 app. 10 ch. line 143 to 10 ch. line
 267°+3°-288 267°+3°-22
 F3-6⁶ Ag3-6² 22 to sec. line
 Pw6-9² Starting 10th So. of the
 288 app. 1/8 cov No. 1/8 line between sec. 31+36

Okegemaki + Helony 3/1/37 288 app. sec. line
 87°+3°-240 357°+3°-126
 3 BM 126 to 1/8 line
 67 S6 1-3³ Ag1-3² 87°+3°-133
 184 C6-9⁵ T1-3⁴ 133 ped. in flowage
 234 F3-6⁴ Bw3-6³ 177°+3°-240
 Pw1-3¹ 240 app. 1/4 line
 240 app. 1/8 line 267°+3°-133
 87°+3°-240 133 to sec. line
 13 road (353°+3°) S63-6⁴ F3-6²
 134 BM C6-9³ Pw9-12'
 180 Bw3-6⁴ S61-3³ T1-3'
 Ag3-6⁵ 267°+3°-288
 240 app. 1/4 line 124 Ash
 87°+3°-240 215 F3-6⁷ H6-9²
 97 S63-6⁴ 238 ridge of Bw3-6²
 130 F1-3³ Swt-3² 288 app. 1/8 line
 Bw3-6² 267°+3°-240
 193 S6 1-3³ C3-6³ 21 S63-6⁶
 BM 90 Bw3-6² Sw3-6²
 240 app. 1/8 line 131 S63-6³
 87°+3°-288 C6-9⁵ 150 Ag3-6⁷ Bw3-6²
 87 F6-9⁶ Pw12-15² 240 app. 1/4 line
 H9-12¹ 267°+3°-240
 204 S63-6⁴ T1-3² 5 C6-9³ S63-6⁵

53 Ag 3-6³ Sw 1-3³F 1-3¹78 Sb 3-6⁷207 Ag 3-6⁴ Bw 3-6³F 3-6²

240 app 1/8 line

267°+3°-240

39 road ^(52°+3°)
_(182°+3°)120 C 6-9⁵ T 1-3²F 3-6²

240 app sec. line

357°+3°-132

132 10 ch. line

267°+3°-43

43 to sec. line

Starting on 10 ch. line

S. of 1/4 line between

Sec. 31-36 3/3/37

177°+3°-120

120 app. 10 ch. line

87°+3°-240 C 6-9³F 3-6²177 Pw 1-3⁵ F 1-3⁴

240 app 1/8 line

87°+3°-240

4 road ^(177°+3°)
_(357°+3°)36 Sb 3-6⁷66 Ag 3-6⁵ Sw 1-3³87 Sb 3-6⁷115 Ag 3-6⁴ Bw 3-6¹F 1-3¹

240 app 1/4 line

87°+3°-240

214 Ag 3-6¹ Bw 3-6¹Ch 1-3¹ F 1-3¹

240 app 1/8 line

87°+3°-288

59 Cw 6-9⁵ T 1-3²Sb 3-6²120 F 6-9⁵ Pw 9-12³H 12-15¹ Sb 3-6¹204 C 6-9⁵ F 3-6²Sb 3-6¹ T 1-3¹

208 old line N+S

288 app. sec. line

177°+3°-120

120 app 1/8 line

267°+3°-288

127 trail

204 F 1-3¹ snags

288 app 1/8 line 357°+3°-127

267°+3°-240

13 C 6-9⁵ Ash 6-9³104 Ag 3-6⁶ F 1-3³134 BM Sb 1-3²C 3-6¹179 Ag 3-6⁷ Bw 3-6³

240 app 1/4 line

267°+3°-240

52 LB

97 Ag 3-6⁶ Bw 3-6³F 1-3¹140 T 1-3¹ Sb 3-6⁴181 Ag 3-6⁴ Bw 3-6³F 1-3²

240 app 1/8 line 90°+0°-204

267°+3°-236

29 road ^(3°+3°)
_(60°+3°)68 C 6-9⁶ Sb 3-6²F 3-6²132 Bw 3-6⁵ F 1-3³208 Sb 3-6⁵ F 3-6¹C 6-9⁴

236 app. sec.

line

357°+3°-127

127 to starting

point on 10 ch. line

Starting at the SW

Cor. of Sec. 31 T 38 N R

5 E

3/4/37

12 per. 1 ch. Ollengumbek + Wolong

90°+0°-240

21 Sb 3-6³50 Bw 3-6³Ag 3-6³ Sw 1-3¹100 Sb 3-6³ Ash 6-9²200 Ag 3-6² Pw 9-12³Sw 1-3²

240 app 1/8 line

20 Ag 3-6³ Bw 3-6⁵Sw 1-3¹126 C 6-9⁴ Sb 3-6⁴F 1-3²

204 app 1/4 line W.P.

Sb + BT 3 per. S

of blazed line

90°+0°-240

50 BM

89 Ag 1-3' Bw 1-3'

F 1-3'

203 F 1-3' C 1-3'

240 app 1/8 line

90°+0°-288

24 flowage

288 app. sec.

line in flowage

No post.

360°+0°-120

120 app. 10 ch. line

270°+0°-288

266 F 1-3' Bw 3-6'

Sw 3-6'

288 app 1/8 line

270°+0°-240

12 Sb 3-6' T 1-3'

133 Ag 3-6' Bw 3-6'

240 app 1/4 line

270°+0°-240

208 wood ^{340°+0°}
_{160°+0°}

227 C 6-9' H 6-9'

F 1-3' H 3-6'

240 app 1/8 line

270°+0°-240

108 Ag 3-6' Bw 1-3'

F 1-3'

140 Sb 3-6'

240 app. sec. line

180°+0°-132

132 app. sec. line

40°+0°-22

22 to sec. post

Sec. 19 T 38 N 1/4 SE

Starting at W 1/4 post

of Sec. 19 T 38 N 1/4 E

W.P. 6" C, B.T. 8 per. NE

Krause & Ferguson

3/4/37

12 per. 1 ch.

88°+2°-120

BM Sb 1-3'

61 Ag 1-3' Bw 1-3'

P 3-6'

120 app 10 ch. line

178°+2°-240

127 P 3-6'

Ag 1-3'

183 LB

209 P 3-6'

Ag 1-3'

218 Sb 1-3' + LB

240 app 1/8 line 358°+2°-240

Ag 1-3' P 3-6'

P 3-6'

178°+2°-240

69 Sb 1-3'

185 Creek ^(327°+2°)
_(171°+2°)

209 Sb 0-1'

240 app S. Sec.

line

268°+2°-172

95 BM

100 Creek ^(200°+2°)
_(240°+2°)

172 app S. Sec.

Sec. Cor.

358°+2°-88

88 app N.E. Sec.

Cov. of ²⁵⁻²⁴
19-30

88°+2°-240

172 app 10 ch. line

198 trail ^{35°+2°}
219°+2°

Sb 3-6' Sb 1-3'

208 trail ^{178°+2°}
_{358°+2°}225 trail ^{178°+2°}
12°+2°

240 app S. 1/8

post

10 Ag 1-3' P 12-15'

Pw 12-15' P 3-6'

103 Sb 1-3'

149 BM

158 Creek ^(150°+2°)
_(236°+2°)

182 Ag 1-3' P 3-6'

225 Proj. 29 ^(356°+2°)
_(159°+2°)

240 app 1/8 line

358°+2°-240

21 Ag 1-3'

109 Sb 1-3'

132 P 3-6'

Ag 1-3' P 3-6'

213 Proj. 29 ^(305°+2°)
_(93°+2°)

Ag 1-3'

240 app 1/4 line

358°+2°-240

74 Sb 3-6' Sb 1-3'

Ag 1-3'

133 Ag 1-3'

Planting Area

240 app 1/8 line

358°+20-240
 14 LB Sb1-3'
 79 T1-3² Sb1-3'
 136 BM
 150 Ag1-3³ Bwt1-3'
 220 BM
 230 Ag1-3³ Bwt1-3'
 240 app N. 1/2³ of sec. W.P. 6" C.B.T. 9 feet N.E.
 Bw position Krause + Holmes
 Hill 12 feet ch. 3/8/37
 268°+20-240
 130 app 10 ch. line
 186 Pw 6-9' Pn 9-12'
 Ag1-3² Bwt1-3'
 240 app N.W.
 sec. Cov.
 16" Pw 9 feet N.W.
 88°+20-120
 52 Ag1-3³ Bwt1-3'
 120 app 10 ch. line
 178°+20-260
 207 LB T1-3'
 Sb1-3'
 240 app 1/8 line
 178°+20-213
 116 Ag1-3³ Bwt1-3'
 192 Prof. #2 ^(137°+20) _(307°+2)
 213 app 1/4 line
 88°+20-11
 11-10 ch. line.
 Starting at N. 1/4 post
 19 T 38 N H 4 E
 12 feet ch. 3/8/37
 88°+20-120
 BM Sb1-3'
 60 Ag1-3'
 Pn 3-6' Bwt1-3'
 120 edge of Prof. #2
 178°+20-240
 120 P1 3-6'
 Ag1-3²
 176 LB Sb1-3'
 194 Ag1-3²
 Ch1-3'
 240 app 1/8 line
 LB Sb1-3'
 178°+20-240
 17 Pw 3-6' Ag1-3'

P1 1-3'
 150 Sb1-3³
 180 BM
 207 Curb ^{85°+20} _{225°+20}
 226 Sb0-1³
 240 app S. Sec.
 line.
 268°+20-148
 60 BM
 70 Curb ^(185°+20) _(25°+20)
 148 app S.W. sec.
 Cov.
 358°+20-53
 53 to app Sec. Cov.
 88°+20-268
 148 app 10 ch. line
 Sb0-1³
 208 Sb3-6⁵
 trail ^(210°+20) _(30°+20)
 216 trail ^{175°+20} _{10°+20}
 229 trail ^{170°+20} _{5°+20}
 Sb0-1³
 256 Ag1-3⁴
 Pn 12-15²
 268 app S. 1/8 post
 358°+20-240
 54 Sb0-1³ ^(193°+20) _(12°+20)
 74 trail
 97 BM
 114 Curb ^{60°+20} _{210°+20}
 133 Ag1-3³
 162 Sb1-3²
 P1 1-3³ Ag1-3³ N.E.
 193 Prof. #2 ^(310°+20) _(150°+20)
 240 Ag1-3⁶
 app 1/8 line
 358°+20-240
 68 LB Sb1-3'
 92 P1 1-3²
 Ag1-3²
 165 Prof. #2 ^(90°+20) _(220°+20)
 240 app 1/4 line
 268°+20-120
 117 Prof. #2
 120 app 10 ch. line
 88°+20-6
 6 starting point.
 Starting 10 Ch. E of

$\frac{1}{4}$ post of Sec. 19 12 p. 1 ch. 3/9/37
 T 38 N 74 E 88°+2°-120
 Ferguson + Steink 21 Sb 1-3'
 13 p. 1 ch. 3/8/37 Ag 1-3' Sb 3-6'
 358°+2°-260 79 Bw 1-3' Ag 1-3'
 2 prof. #2 (314°+2°) 56 1-3' Pw 1-3'
 (134°+2°) 120 10 ch. line.
 260 app. 1/8 line 178°+2°-240
 358°+2°-260 25 Ch 1-3'
 33 Ag 1-3' Ag 1-3'
 260 app. sec. line 55 Ag 1-3'
 178°+2°-260 84 Prof. #2 (270°+2°) (70°+2°)
 Ag 1-3' BM
 18 BM 127 Ag 1-3' Pw 1-3'
 106 BM Bw 1-3'
 160 Sb 1-3' 229 BM Sb 1-3'
 258 Ag 1-3' 240 app. 1/8 line
 260 app. line 178°+2°-240
 178°+2°-260 61 Creek (60°+2°) (235°+2°)
 150 Sb 1-3' 70 GM
 260 app. line 88 BM
 Starting 20 ch. E of 146 Ag 1-3' Pw 1-3'
 $\frac{1}{4}$ post Sec. 19 240 app. So. Sec.
 T 38 N 74 E line.
 Krause + Helwig 268°+2°-140

Bw 1-3' Ag 1-3' 240 app. 1/4 line
 85 Pw 9-12' Pw 358°+2°-240
 9-12' Pw 1-3' Pw 1-3' Bw 1-3' Ag 1-3'
 92 Prof. #2 (750°+2°) (360°+2°) 140 Ag 1-3'
 Pw 9-12' Pw 9-12' Bw 1-3' C 1-3'
 140 app. 1/8 post 182 Ag 1-3' Pw 1-3'
 88°+2°-240 217 BM Sb 3-6'
 140 app. 10 ch. line 240 app. 1/8 line
 213 F 3-6' Sb 3-6' 358°+2°-240
 56 1-3' Ag 1-3'
 224 Ag 1-3' 240 app. 1/4 post
 240 app. 5/4 post 268°+2°-239
 358°+2°-240 34 Blotch line
 93 Sb 1-3' T 1-3' (360°+2°) (180°+2°)
 135 BM 115 Bw 1-3' Ag 1-3'
 140 Creek (50°+2°) (260°+2°) 120 10 ch. line
 163 Ag 1-3' Bw 1-3' 188 BM
 Pw 1-3' 215 Bw 1-3' Ag 1-3'
 240 app. 1/8 line 239 app. 1/8 post
 358°+2°-240 358°+2°-240
 31 BM Sb 1-3' 24 N. 1/8 post
 48 Ag 1-3' C 1-3' 88°+2°-120
 125 Ag 1-3' 120 10 ch. line
 144 BM 178°+2°-240
 164 Prof. #2 (100°+2°) (250°+2°) Bw 1-3' Ag 1-3'

25 Ag 1-3'
 98 LB 561-3'
 F1-3'
 240 app 1/8 line
 Ag 1-3'
 178°+2°-223
 150 Ag 1-3'
 Bwt-3' Pn-3'
 561-3'
 223 app 1/4 line
 88°+2°-22
 22 app 10 Ch. line
 Starting point
 Starting at S 1/4
 post of Sec. 197 35N
 F 1/4 E 3/4 137 358°+2°-240
 Hand + Helong
 88°+2°-120
 561-3' TI-3'
 107 Ag 1-3'
 115 561-3' TI-3'
 120 10 Ch. line 358°+2°-240
 358°+2°-240
 53 Ag 1-3' Pn-3-6'
 105 563-6'

F 3-6' 561-3'
 BM
 134 Ag 3-6' F1-3'
 183 BM
 186 Creek 110°+2°
 240 app 1/8 line
 358°+2°-240
 Ag 1-3' Bwt-3'
 96 BM
 128 Ag 1-3
 137 BM 561-3'
 176 Proj. #2
 (215°+2°)
 (65°+2°)
 (150°+2°)
 (350°+2°)
 197 Creek
 240 app 1/4 line
 37 563-6' F3-6'
 BM
 121 Ag 1-3' Bwt-3'
 Pn-3'
 240 app 1/8 line
 358°+2°-240
 81 BM 563-6'
 TI-3'
 132 edge of Creek

143 Creek 180°+2°
 5°+2°
 165 Ag 1-3'
 240 app N. Sec. line
 268°+2°-133
 133 app N 1/4 post
 88°+2°-240
 120 app 10 Ch. line
 150 BM
 172 Ag
 227 Bw 1-3'
 Ag 1-3'
 240 app 1/8 post
 178°+2°-240
 189 LB
 199 Ag 1-3' Bwt-3'
 Pn 1-3'
 240 app 1/8 post
 178°+2°-240
 561-3' Ag 1-3'
 Pn 3-6'
 38 Bwt 1-3' Pn 1-3'
 140 563-6' 561-3'
 154 Ag 1-3'
 240 app 1/4 line
 178°+2°-240

14 Proj. #2 (272°+2°)
 (92°+2°)
 45 Old Post (112°+2°)
 (292°+2°)
 112 563-6' F3-6'
 F1-3' 561-3'
 164 Creek (320°+2°)
 (200°+2°)
 (305°+2°)
 170 Creek (185°+2°)
 (120°+2°)
 188 Creek (265°+2°)
 (198°+2°)
 235 Creek (270°+2°)
 240 app 1/8 line
 178°+2°-240
 6 Creek (285°+2°)
 (187°+2°)
 73 Ag 3-6'
 130 561-3'
 160 Ag 3-6' Bwt-3
 220 Pn 3-6' Pw 3-6'
 Ag 1-3'
 240 app 5 1/8 post
 268°+2°-142
 85 561-3'
 113 Ag 1-3'
 126 561-3'
 142 app 10 Ch.
 line.
 Starting point

Starting 20 Ch. E
 of Center of Sec. 19 241 So. Sec line
 of Center of Sec. 19 268°+20'-104
 T 38 N 75° E 104 app. S 1/8 post
 Krause + Healey 88°+20'-160
 12 pos. 1 Ch. 3/11/37 120 Ag 1-3³ Bw
 88°+20'-120 1-3³ Sw 1-3'
 Ag 1-3⁴ 160 app. Sec. Cor
 120 app. 10 Ch. line 358°+20'-36
 178°+20'-240 10 BM
 46 Prof. #2 (105°+20') 36 Sec. post
 86 F 1-3' Ag 1-3³ 2 W.P. + 1.P.
 131 Old Road (295°+20') 18" B.T. stump 4
 171 F 3-6² Pn 3-6² pos. S.E.
 Ag 3-6¹ 358°+20'-240
 240 app. 1/8 line 6 cross Curb
 178°+20'-241 358°+20'
 69 F 6-9³ Sb 3-6³ 135°+20'
 56 1-3¹ 310°+20'
 83 BM 54 Beam & Nails
 89 Curb (320°+20') 85 Pn 1-3² F 1-3'
 94 F 6-9³ Sb 3-6³ Bw 1-3' Ag 1-3'
 56 1-3¹ 136 Sb 3-6³ F 3-6³
 112 Ag 1-3³ 150 Sb 3-6³ F 6-9³
 170 Pn 3-6¹ Pw 1-3¹ 56 1-3¹
 Ag 1-3² 202 Ag 3-6² Bw 1-3'
 F 1-3³ F 3-6¹ Ag 1-3¹

240 app. 1/8 line 268°+20'-274
 358°+20'-240 124 Bw 1-3²
 F 6-9² F 1-3² Sb 3-6² Ag 1-3⁵ Pn 1-3¹
 C 3-6¹ By 9-12' 274 app. 10 Ch. line
 50 Ag 1-3¹ F 1-3² 88°+20'-120
 F 7 BM 120 app. 10 Ch. line
 106 Curb (87°+20') 178°+20'-240
 125 Prof. #4 (87°+20') 240 app. 1/8 line
 (87°+20') (87°+20')
 Ag 1-3⁶ on E 178°+20'-240
 240 app. 1/4 post 50 F 1-3² Bw 1-3'
 265°+20'-36 Ag 3-6² Pw 6-9'
 36 E 1/4 post W.P. Ag 1-3'
 1.P., M.T. 75 pos 80 C 9-12¹ F 9-12²
 12" T BT 4 pos 10 C 3-6¹ F 1-3²
 358°+20'-240 100 Sb 1-3³ T 1-3³
 94 Curb (930°+20') 225°+20'
 156 T 1-3² Sb 1-3¹ 106 Curb (55°+20')
 188 Curb (288°+20') Curb joins 1 Ch. E
 210 C 4-12¹ F 3-6² 179 Ag 1-3⁴ F 1-3'
 F 1-3² Sb 3-6¹ 256 app. 1/4 line
 240 app. E 1/8 post 88°+20'-13
 358°+20'-240 136 10 Ch. line.
 Starting 48 pos
 20 Ag 1-3⁴ Pn 1-3¹ N of 1/4 post of Sec.
 Pn 9-12' 19 T 38 N 75° E
 240 app. N.E. sec. cor. Krause + Healey

54

19-30

| | |
|---------------------------|-----------------------|
| Traverse of Prof. #2 | 60°+2°-152 |
| 13 p.m. 1 ch. 3/5/37 | 30 Road to |
| 65°+2°-45 | shock (318°+2°) |
| 95°+2°-44 | 72°+2°-45 |
| 126°+2°-51 | 82°+2°-191 |
| 134°+2°-88 | 103 trail (297°+2°) |
| 40 Prof. #29 (165°+2°) | 139 Bridge |
| 88 Junction #29 (260°+2°) | 66°+2°-63 |
| Following Prof. #29 | 60°+2°-209 |
| 260°+2°-20 | 42°+2°-68 |
| 200°+2°-15 Roads join | 30°+2°-159 |
| Following Prof. #2 | 40°+2°-165 |
| 125°+2°-58 | 18°+2°-86 |
| 105°+2°-42 | 62 trail to |
| 42 Old road (270°+2°) | swamp 28.5°+2° |
| 90°+2°-219 | trail to shock |
| 94°+2°-89 | (118°+2°) |
| 78°+2°-75 | 16°+2°-38 |
| 64°+2°-125 | 38 Section 16 |
| 96-148°+2°+3/4 trail | end of traverse |
| 82°+2°-51 | Sept. 30 T 38 N 75 E |
| 104°+2°-362 | Starting at S.W. |
| 2/5 trail (205°+2°) | see post. of sec. |
| 317 Bridge | 30 T 38 N 75 E |
| 78°+2°-82 | Scholar & Ramsey |
| | 13 p.m. 1 ch. 2/20/37 |