

T. 38 N. R. 4 E.

19, 20, 21, 23, 24, 28,

29, 30, 31, 32.

Dewalt # 3

K&E
COLLEGE FIELD BOOK
5609

Hernandez + Steink

May 1. 1921

Sec. 31 T38N R4E 31

Hernandez & Steink 170 M1-3' A9 1-3² Willow 1-3'
 Starting at S. E. Cor^{W.P.} of 240 M1-3'
 Sec. 31 T38N R4E 1/2/37 260 APP 1/8 line
 13 paces to chain
 270°+0°-260 90°+0°-
 M-1-3'-CH-1-3' M1-35
 260 app 1/8 line 193 F3-6²
 270°+0°-260 206 C6-9⁴ HSH 6-9³
 91 willow 260 APP 1/4 line
 147 C. 6-9⁴ 90°+0°-260
 226 H91-3²-M1-3' 120 H91-3' M1-3²
 260 app 1/4 line 225 M1-3² CH-1-3'
 270°+0°-260 260 APP 1/8 line
 90 M. 1-3² ELM 1-3' 90°+0°-
 230 M1-3⁴ ELM 1-3' 136 C6-9⁵
 260 app 1/8 line 155 H 11-15⁴
 270°+0°- 199 to blazed sec
 120 Willow 1-3² line bet. Sec. 31 + 32
 C6-9⁴ ^{H91-3²}
 156 SB 6-9⁴ Starting at So. 1/8 line
 188 T. line 2BT⁵ SB bet. Sec. 31 + 32 1/22/37
 B.T. S. B. So. of ^{W.P.} POSTON 13 paces to ch.
 line 1 ch. Hernandez & Steink
 SB. BT. 6" Dia. 7' EAST 270°+0°-260
 360°+0° 130 C6-9⁴
 90°+0°-260 38 M1-3² CH-1-3'
 SB 6-9⁴ 260 app 1/8 line
 51 C6-9⁴ 270°+0°-260
 96 A91-3² Willow 1-3' 20 Willow 1-3² A91-3²

2

85 C6-9⁴ ASH 6-9⁴ M1-3²
 260 APP. 1/4 line 118 C6-9⁴
 270°+0°-260 121 A91-3² CH1-3'
 52 F3-6⁴ WILLOW 1-3² 23⁶ to T. line
 M1-3² CH1-3' 360°+0°-135 to 1/4 line
 195 M1-3² ELM 1-3' A91-3' 90°+0°-260
 260 APP. 1/8 line A91-3² CH1-3'
 270°+0°-WILLOW 1-3² A91-3² 27 SB 1-3'
 169 SB 1-3' BM A91-3² 92 SB 6-9⁴ C6-9²
 156 cov. 3 ch to right 142 A1-3² CH1-3' WILLOW 1-3'
 200 to T. LINE 260 app. 1/8 line
 Starting at 10 ch. No 90°+0°-260
 8⁴ to 1/8 cov. bet. line 126 BM.
 31+32 T38NR4E 260 APP. 1/4 LINE
^{13006 ch.}
 Hernandez + Steink 1/28/37 90°+0°-260
 270°+0°-360 220 Flow Age
 M1-3² CH1-3' WILLOW 1-3' 239 A91-3' WILLOW 1-3'
 260 APP. 1/8 line 260 APP. 1/8 line
 270°+0°-260 90°+0°-
 50-BM + E.M. 153 M1-3² CH1-3'
 107 C6-9³ ASH 6-9⁵ 258 A91-3² CH1-3'
 260 APP. 1/4 line 3' 270 to E LINE of Sec 31
 270°+0°-260 Hernandez + Steink 1/28/37
 M1-3² WILLOW + CH1-3' Starting 10 ch north
 260 app. 1/8 line of 1/4 cov. bet. line 31+32
 270°+0° T38NR4E - 13 paces to ch.

31

3

270°+0°-260 260 APP. 1/8 LINE
 A91-3² MSI-3² CH1-3' 90°+0°-257
 179 MSI-3' CH1-3' BM. 26 Beaver Flunge
 260 APP. 1/8 line 34 A91-3² CH1-3' MSI-3²
 270°+0°-260 257 Sec. line bet 31+32
 26 BM. 9 No. to app. 1/8 cov.
 39 Cross Beaver Flunge Starting 10 ch No of No
 78 SB 1-3' BM. 1/8 cov. bet. Sec. 31+32
 260 APP. 1/4 LINE T38NR4E Seal 13 paces to ch.
 270°+0°-260 Hernandez + Steink 1/28/37
 96 A91-3² CH1-3' BM. 270°+0°-260
 260 APP. 1/8 line A91-3² CH1-3' BM.
 270°+0°-240 65 BM.
 100 A91-3² CH1-3' BM. 78 Creek
 240 T. LINE 84 A91-3² CH1-3'
 180°+0°-127 to 1/4 cov. 107 Creek + BM.
 (to check accuracy)
 360°+0°-260 167 MSI-3² A91-3² CH1-3'
 90°+0°-260 258 BM.
 A91-3² MSI-3' BM 260 APP. 1/8 line
 260 APP. 1/8 line 270°+0°-260
 90°+0°-260 9 Creek A91-3'
 260 APP. 1/4 line 32 ASH 1-3² C6-9³ ASH 6-9⁵
 90°+0°-260 65 A91-3² CH1-3' BM.
 81 BM ASH 1-3³ 260 APP. 1/4 LINE
 152 C6-9³ ASH 1-3² 270°+0°-260
 211 BM. 3 A91-3' MSI-3⁴ CH1-3'

4

31-30

118 MS-1-3' A91-3' BM Schaller + Ferguson 1/21/37
 260 APP 1/8 LINE 178°+2°-274
 270°+0°-277 BM.
 277 T. LINE 41 creek 338°+2°
 360°+0°-134 NW ^{W.P.} Sec. 30. 215°+2°
 B.F. H. 12" DIA 4 paces S.E. 75 A93-6² CH-3⁴
 90°+0°-255 133 road 281°+2°
 BM. road continues at 115°+2° 115°+2°-10
 40 A91-3² CH-3' BM. 14°+2° road to pit
 255 APP 1/8 LINE 156 trail 58°+2°-3 ch
 90°+0°-260 225°+2°-43 paces
 114 MS-1-3⁴ CH-3' A91-3' 274 APP 1/8 LINE 225°+2°-1 ch.
 260 APP 1/4 cov. 178°+2°-274
 90°+0°-260 25 creek 295°+2°-1 ch
 149 BM 275°+2°-2 1/2 ch
 176 C-3-6³ ASH 3-6² 136°+2°-20 paces
 196 A91-3' CH-3' 147°+2°-13 paces
 260 APP 1/8 LINE 166°+2°-2 ch.
 90°+0°-260 37 A93-6² CH-3⁴
 188 BM. 211 BM.
 155 A91-3' CH-3' 147°+2°-40 paces
 260 APP NE cov of 231 Creek 50°+2°-31"
 90°+2°-3 ch
 305°+2°-26 paces
 316°+2°-3 ch
 235 BM.
 274 APP 1/8 LINE
 Starting at 1/4 cov bet 178°+2°-274
 Sec. 30 + 19 T 38-4 E 92 C-6-9⁵ ASH 3-6²

13.75 paces to ch.

5

30

128 A93-6² CH-3⁴ 108 SB 3-6⁴
 173 BM. 190 SB 0-1⁴
 248 A9 202 A93-6⁴
 274 APP 1/8 LINE 253 SB 1-3⁶
 178°+2°-274 274 APP 1/8 line
 14 MS-1-3⁸ 268°+2°-129 cov 1/4 line
 274 APP 1/4 cov N.P. 358°+2°-20 1/4 part W.P. BT.
 88°+2°-137 Starting E 1/8 cov Bet sec.
 358°+2°-274 30 + 19. 1/22/37 13.75 paces to ch
 CH-31 A91-3' Schaller + Ferguson
 66 C-3-6⁴ 178°+2°-274
 127 CH-3⁴ A91-3² SB 1-3⁶
 274 APP 1/8 LINE 29 A91-3⁵ cov RR bed
 358°+2°-274 72 end of RR bed
 77 BM. 179 P. 57
 124 A91-3² CH-3⁴ 274 APP 1/8 LINE
 202 BM. 178°+2°-274
 218 C-3-6³ 216 A91-3² CH-3⁴
 247 BM. 274 APP 1/8 LINE
 260 Creek 310°+2°-2 ch
 274 APP 1/8 LINE 157°+2°-6 paces 178°+2°-274
 274 APP 1/8 LINE 125°+2°-2 ch
 25 C-6-9² + BM.
 358°+2°-274 93 Creek 104°+2°-14 paces
 6 A93-6² CH-3⁴ 153°+2°-21"
 274 APP 1/8 LINE 127°+2°-15"
 358°+2°-274 164°+2°-33"
 81 road 295°+2°-110°+2°- 310°+2°-19 paces
 335°+2°-24"
 285°+2°-14"

6

30

101-CH1-3⁴ A91-3² 261-C6-92
 274 APP 1/8 LINE 274 APP 1/8 LINE
 178+2°-274 178+2°-274
 5 B.M. 42 A6-9° C6-9' ASH 6-9' BY 9-12
 128 A91-3² CH1-3⁴ 54 C6-9° ASH 6-9²
 221 C6-9⁴ A6-9' ASH 6-9' B.M. 119 M⁵ 1-3³
 274 APP 1/8 cov. + sec. line. 191 M⁵ 1-3⁹
 Starting 10 ch W. of 238 CH1-3⁶ A93-6'
 1/4 cov. Bet sec 30 + 191384 274 APP 1/8 line
 Schaller + Ferguson 178+2°-274
 1/25/37 13.75 p. to ch. 32 M⁵ 1-3² A93-6²
 178+2°-274 212 M1-3⁵ A93-6²
 A93-6³ CH1-3³ 274 APP Sec. line
 89 Proj. 57 297+2 Starting 10 ch W. of W
 128 B.M. 1/8 cov. Sec. 30 T58NR4E
 182 A93-6² CH1-3³ Schaller + Ferguson
 230 B.M. 1/27/37 13.75 p. to ch.
 274 APP 1/8 line. 178+2°-274
 178+2°-274 ASH 6-9' CH1-3⁴ A91-3'
 14 A93-6² CH1-3³ 93 M⁵ 1-3³ ASH 6-9' A91-3'
 157 B.M. 274 app 1/8 line
 181 Creek 325+2-15 p. 178+2°-274
 336+2-15" 224 A91-3² ASH 6-9'
 288+2-2 1/2 ch 274 app 1/4 line
 147+2-12 p. 274 app 1/4 line
 72+2-5" 178+2°-274
 20+2-16" 71 cross Willow creek
 104+2-15" 92+2-294
 123+2-13" 140+2-12"

30

7

96+2°-16 p. 15+2°-68 p.
 12+2°-31" 115+2-13"
 81+2°-47" 108 E6-9'
 329+2°-31" 196 ASH 6-9' A91-3'
 48+2°-27" 249 A6-9'
 276+2°-32 p. 274 app 1/4 line
 285+2°-42" 85 A91-3³
 297+2°-13" 358+2°-274
 218 A91-3⁴ M⁵ 1-3¹ 42 A91-3² ASH 6-9'
 274 app 1/8 line 274 app 1/8 cov
 178+2°-274 358+2°-198
 144 A91-3⁴ M⁵ 1-3¹ 4 ASH 6-9'
 274 app 1/8 sec. line 104 ASH 6-9' A91-3' CH1-3⁵
 268+2°-155 p. cross 193 sec cov. WP
 T line BT ASH 8" SE 4 p. cov
 358+2°-50 to sec. cov. BT H 8" E 6"
 1 BT 12" H SE 4 p. cov WP
 358+2°-274 Starting at 10 ch W of sec
 cov 30, 29, 19, 20 Bet sec.
 19 + 30 T58NR4E
 Schaller + Ferguson
 A91-3' C-3-6³ B.M. 193 creek 235+2-274
 1/28/37 P.M. 13.75 p. to ch
 437+2-13 p. 178+2°-274
 187+2-12" 6 Proj. 57 50+2°
 320+2°-22" 227+2°
 49+2°-15" 53 B.M.
 19+2°-13" 104 A93-6⁴ CH1-3⁵
 352+2°-56" 274 app 1/8 line
 303+2°-13" 358+2°-274
 274 app 1/8 line 18 creek 337+2° 178+2°-274
 65 creek { 260+2-7 p. 45 A93-6⁴ SB1-3'
 10+2-20" 274 app 1/4 line
 85 creek 223+2-6 p. 86+2°-28" 178+2°-274

8

30-19

40 SB 3-66

358°2'-274

114 A9 3-65 SB 1-3'

274 app 1/4 cov

273 BM.

358°2'-274

274 app 1/8 line

46 BM.

178°2'-274

75 creek 340°2'-31m.

14 creek 269°2'-8 paces

307°2'-13"

344°2'-16"

314°2'-34"

323°2'-13"

105°2'-12"

74°2'-22"

63°2'-24"

97°2'-13"

109 A9 3-65

161 A9 1-34

274 app 1/8 cov

358°2'-274

17-BM.

32 A9 1-34

183-SB 0-1'

261-A9 1-3' CH 1-32

274 app 2/10th E cov

274 app Sec. Cov. Post

cov No post

Starting at S.E. cov

268°2'-154 to 10 ch line

of Sec. 30 T38R4E

358°2'-9 cross sec line

Ferguson + Schaller

Sec. 19 T38N R4E

1/28/37 P.M. 13.75 paces

Starting 10 ch. S.E. Sec.

358°2'-274

corner Sec. 19. 13.75 paces per

57 A9 3-64 CH 1-3'

chainy 2/1/37.

205 BM.

Schaller, Ferguson

265 creek 330°2'-18 paces

320°2'-39"

215°2'-13"

213°2'-19"

283°2'-13"

132°2'

358°2'-274

39 ent. SB 1-35

99 ent. C. 6-95 SB 1-3

F 3-6'

187 cross creek

123°2'-10

147°2'-13

83°2'-13

38°2'-3 ch

273 A9 3-64 SB 1-3'

274 app 1/8 cov

324°2'-36

296°2'-20

266°2'-12

304°2'-2 ch

274 app 1/8 Line.

358°2'-274

81 cross trail 110°2'-23

142°2'-30

126°2'-28

Branches

36°2'-1 chain

167°2'-1 chain

325°2'-12 paces

358°2'-2 chain

181 cross creek

271°2'-6

313°2'-11 paces

265°2'-36"

172°2'-40"

183°2'-1 chain

104°2'-25 paces

358°2'-1 chain

274 app 1/4 line

358°2'-277

219 ent. B m

240 cross creek 63°2'-79 paces

162°2'-1 ch.

16°2'-2 1/2 ch.

274 app 1/8 line

358°2'-274

31 cross creek

153°2'-2 ch.

273°2'-3 ch.

9

100 cross creek

225°2'-10 paces

200°2'-16 paces

265°2'-2 ch.

10°2'-16 paces

346°2'-6 chains

126 cross creek

182 cross creek 76°2'-33 paces

347°2'-12"

20°2'-5 chains

237 ent. C. 6-95

274 app Sec. line.

Starting at the app. C. 6-95 on S. line

T38N. R. 4E. 13.75 paces 1 chain

Schaller, Ferguson 2/1/37

178°2'-274

A8-3-63, CH 1-3, S 0-1-3

62 ent. C. 6-95, F 3-62

238 ent. A8 1-34

274 app 1/8 line

178°2'-277

60 ent. C. 6-95, F 3-62

217 ent. CH 1-32

274 ent. C. 6-95

274 app 1/4 line

178°2'-274

24 ent. CH 1-3'

45 trail 347°2'-5 chain

214°2'-6"

ent. C. 6-95

274 app 1/8 line

10

178°2' - 274

55' ent F o-1⁵85' ent S⁰1-3⁶

274 app sec. line

90°+2' - 55' paces to 1/2 line

358°+2' - 58' paces to sec. line

Starting at So. 1/4 cor. of
Sec. 19 T38 N.R. 4E 13.75 paces ch.

Schaller, Ferguson 2/2/37

358°+2' - 274

Bm

35' ent. A83-6², S⁰1-3¹CH1-3¹243' ent. C6-9⁵, F3-6¹B76-9¹, H6-9¹

274 app 1/8 line

358°+2' - 274

29' ent. A81-3¹CH1-3³, F3-6¹162' ent. C6-9⁵, F3-6¹B76-9¹, H6-9¹

274 app 1/8 line

358°+2' - 274

29' ent. Ch. 1-3¹

274 app 1/8 line

358°+2' - 274

43' ent. A83-6², CH1-3¹

19

196' ent. C6-9⁵, H6-9¹

274 app 1/4 cor. No Post

Starting 10 chains E. of the N.

1/4 cor. of Sec. 19. T38 N.R. 4E

13.75 paces 1 chain 2/2/37

Schaller, Ferguson

178°+2' - 274

104' ent. C6-9⁵245' ent. A81-3³, CH1-3²

274 app 1/8 line

178°+2' - 274

34' ent. C6-9⁵140' ent. CH1-3¹234' ent. C3-6²

274 app 1/8 line

178°+2' - 274

44' ent. CH1-3¹

138' cross road 32°+5' - 70'

140' ent. C6-9⁵

274 app 1/8 line

178°+2' - 274

44' ent. F o-1³69' ent. S⁰1-3⁵

274 app sec. line

358°+2' - 20 paces cross sec. line

268°+2' - 11 1/2 paces cross road line

19

Starting at the app. 1/8 cor. No

sec. line of sec. 19

T38 N.R. 4E

Starting 10 chains W. of the S. 1/4

Cor. of Sec. 19 T38 N.R. 4E

13.75 paces 1 chain, 2/3/37

Schaller, Ferguson

358°+2' - 274

A83-6², CH1-3³

159' ent. Bm

800' cross road 95°+2' - 10 paces

134°+2' - 18"

55°+2' - 22"

113°+2' - 21"

152°+2' - 42"

342°+2' - 16"

315°+2' - 21"

277°+2' - 20"

335°+2' - 22"

300°+2' - 1 1/2 ch

218' ent. C6-9⁵, F3-6¹267' ent. Ch. 1-3³, F3-6¹, A91-3¹

274 app 1/8 line.

358°+2' - 274

190' ent. A91-3¹, CH1-3¹

274 app 1/4 line.

358°+2' - 274

16' ent. A91-3¹, CH1-3¹71' ent. Ch 1-3²

274 app 1/8 line.

358°+2' - 274 ent

81' ent. A93-6¹, CH1-3¹

177' ent. Bm

274 app Sec. line.

11

Starting at the app. 1/8 cor. No

sec. line of sec. 19

T38 N.R. 4E

Schaller & Ferguson

Scale 13.75 to ch 2/3/37

178°+2' - 274

CH1-3³98' CH1-3¹, 141-3¹A5H 9-12¹, H6-9¹274 H6-9¹, B76-9¹, 12-15¹A5H 9-12¹, 141-3¹

274 app 1/8 line

178°+2' - 274

140' Bm.

155' C6-9⁵, H6-9¹, F3-6¹226' A91-3², CH1-3¹

274 app 1/4 line

178°+2' - 274

137' C3-6², F3-6²

207' cross 247°+2' 20 paces

266°+2' 18"

230°+2' 8"

240°+2' 15"

212°+2' 1 1/2 ch

153°+2' 14 paces

188°+2' 20 paces

78°+2' 32"

145°+2' - 2 ch

12

19

211 BM.
 220 F3-62 ASH⁰⁶⁻⁹²
 1346-92
 258 BM.
 274 app $\frac{1}{8}$ line
 178 \pm 2^o - 274
 23 H9 3-62 CH1-33
 240 Proj. 57th
 274 app sec. line
 88 \pm 2^o - 123 10 ch line
 358 \pm 2^o - 65 sec line
 Starting 10th E of SW
 cor of Sec. 19 T35N R4E
 Schaller-Ferguson 2/4/37
 13.75 paces to ch.
 358 \pm 2^o - 274
 H9 3-62 CH1-33
 65 Proj. 57th
 106 CH1-34
 160 BM.
 239 H91-32 CH1-32
 274 app $\frac{1}{8}$ line
 358 \pm 2^o - 274
 70 BM.
 110 F3-62 ASH⁰⁶⁻⁹²
 9'C-6-92
 130 creek 323 \pm 2^o - 13 pc
 310 \pm 2 - 16 paces

290 \pm 2 - 3 $\frac{1}{2}$ ch130 \pm 2 12 paces145 \pm 2 - 9"135 \pm 2 - 4 ch

163 H91-32 CH1-3'

274 app $\frac{1}{4}$ line358 \pm 2^o - 274102 ASH⁰⁹⁻¹² 46-9' BY 12-15'
MS1-3'

195 MS1-32 H91-3' CH1-3'

274 app $\frac{1}{8}$ line358 \pm 2^o - 274

274 app sec line

358 \pm 2^o - 85 to sec point268 \pm 2 - 88 to sec line

WP + No BT.

12" BY SE 3 paces.

Starting at NW cor of

SW 19 T35N R4E 2/4/37

Schaller-Ferguson 137578.000

180 \pm 0^o - 274

M. 1-25

12 Road

33 \pm 2^o 42 paces95 \pm 2 - 42 "Branch at 30 \pm 2^o85 \pm 2 - 31 paces

19-32

13

105 \pm 2 - 14 paces

135 CH1-34

90 \pm 2 - 22"267 Proj 57th55 \pm 2 - 62"

274 app sec line

49 \pm 2 - 40"180 \pm 0^o 74 to sec point63 \pm 2 - 58."

W.P. + BT.

71 \pm 2 - 49"Sec. 32 T35N R4E104 \pm 2 - 19"

Starting at S.W cor

125 \pm 2 - 2"

of Sec. 32 1/24/37

Branch 105 \pm 2 - 4 ch.

Oleguashi + Walong to ch

157 \pm 2 - 2 $\frac{1}{2}$ ch.90 \pm 0^o 24064 \pm 2 - 1 ch

MS1-32 CH1-32

213 \pm 2^o - app 15 ch.

26 C6-96

274 app $\frac{1}{8}$ cor92 Ridge 340^o 96 paces180 \pm 0^o - 274

108 C6-97

38 CH1-3' H91-3' M1-32

199 BM.

274 app $\frac{1}{4}$ cor to point240 app $\frac{1}{8}$ line180 \pm 0^o - 27490 \pm 0^o - 240166 F3-62 C6-92 ASH⁰⁶⁻⁹²141 River 50 \pm 0^o 318 \pm 0^o211 creek 129 \pm 2^o - 8 paces240 app $\frac{1}{4}$ cor to Post95 \pm 2 3 $\frac{1}{2}$ ch90 \pm 0^o - 240290 \pm 21 ch

BM.

216 CH1-34 to Bridge

5 H90-17

274 app $\frac{1}{8}$ cor

100 BM.

180 \pm 0^o - 274

136 H91-35

120 BM.

205 BM.

130 creek

240 app $\frac{1}{8}$ cor to point

14

90°0' - 240

26 BW1-36

133 BM.

230 BW1-36

240 app ^{to post} sec cov

360°0' 120 to app

10 ch line

270°0' - 240

BW1-36

41 BM.

103 BW1-37

168 BM.

230 BW1-36

240 app 1/8 line

270°0' - 240

36 BM.

96 BW1-37

168 BM.

192 A91-37

240 app 1/4 line

270°0' - 240

30 BM.

240 app 1/8 line

270°0' - 240

40 River.

60 C6-97

32

192 PW15-18'

216 C6-97

240 Blazed line

360°0' - 156 to 1/8 cov

Starting at app 50. 1/8

cov bet. sec. 31 + 32

T38NR4E 1/22/87

Olayoshi + Wolong

90°0' - 240

H & C.

78 Road 150°0' - 36°

15 to post 125°

165°0' - 24°

215°0' - 38"

351°0' - 13°

29°0' - 51"

32°0' - 36"

27°0' - 36"

350°0' - 50"

6°0' - 75"

82°0' - 26"

55°0' - 27

70°0' - 32

26°0' - 27

60°0' - 48 to

bridge.

132 BM.

32

199 River ^{193°0'}_{15°0'}

240 app 1/8 line

208°0' - 240

240 app 1/4 cov to post

90°0' - 240

94 A91-37

240 E.M. at left

app 1/8 line

90°0' - 240

M.M. to Mo.

74 BM.

120 A91-36

240 app sec line

360°0' - 240 to app

10 ch line

270°0' - 240

A91-34

28 BM.

162 A91-36

177 M.M.

207 A91-38

240 app 1/8 line

270°0' - 240

240 app 1/4 line

270°0' - 240

BM.

15

240 app 1/8 line

270°0' - 240

54 River ^{150°0'}_{194°0'}

107 C6-97

123 Road

201 H12-154

240 app sec line

180°0' - 124 to 1/8 line

270°0' = 12 to 1/8 cov

Starting at 1/4 cov

bet. 31 + 32 T38NR4E

Olayoshi + Wolong

1/25/87 12 to to ch

90°0' - 240

CH1-36

67 C6-96

126 CH1-36

192 BM. T to 503-64

240 app 1/8 line

BM.

90°0' - 240

64 Road ^{210°0'}_{45°0'}

152 River 291°45'

240 app 1/4 line

90°0' - 240

64 A91-36

16

174 C 3-67
 226 A91-36
 240 app 1/8 line
 90°+0°-240
 96 B.M.
 114 A91-36
 240 app sec line to post
 360°+0°-120 to app 1/8 ch
 line
 270°+0°-240
 240 app 1/8 line
 270°+0°-240
 79 Road ^{321°+0°-}
^{153°+0°-}
 180 B.M. C to S. 3-6'
 SB 3-6' F 3-6'
 240 app 1/4 line
 270°+0°-240
 in B.M.
 34 Road ^{196°+0°-}
^{20°+0°-}
 62 River ^{165°+0°-}
^{2°+0°-}
 240 app 1/8 line
 270°+0°-240
 72 CH-1-36
 130 C
 170 B.M. to S.
 240 app 1/8 line in CH
 180°+0°-125 1/8 line

32

270°+0°-36 to sec line
 Starting at No. 1/8 cor
 bet. Sec. 31+32 T38
 NR4E 2/1/37 12 to ch
 Olywaki + Wolog
 90°+0°-240
 112 B.M.
 143 Ridge
 103 B.M.
 181 C 6-95
 240 app 1/8 line
 90°+0°-240
 24 C 6-94
 84 ASH° 6-95 C 6-95
 115 B.M.
 163 River ^{162°+0°-}
^{310°+0°-}
 240 app 1/4 line
 90°+0°-240
 7 A90-18
 12 Road ^{115 to}
 115 Road ^{360°+0°-}
^{183°+0°-}
 187 A90-18
 240 app 1/8 line
 90°+0°-240
 240 app sec line
 360°+0°-120 to 10 ch line

32-29

270°+0°-240
 A90-18
 168 Pond 3 ch wide
 240 app 1/8 line
 270°+0°-240
 158 road
 240 app 1/4 line
 270°+0°-240
 94 B.M.
 240 app 1/8 line
 270°+0°-240
 52 River ^{272°+0°-}
^{139°+0°-}
 91 edge of C 6-9'
 120 CH-1-35
 139 C 6-9'
 173 B.M.
 203 CH-1-34
 240 app sec line
 360°+0°-120 to app sec cor
 270°+0°-240
 SEC 29 T38 NR4E
 Starting at SW cor
 of Sec. 29 2/2/37
 Olywaki + Wolog
 12 p to ch.
 90°+0°-240
 58 A91-32
 72 B.M.
 79 River ^{348°+0°}
 144 A90-18
 240 app 1/8 line
 90°+0°-240
 198 road
 240 app 1/4 line
 90°+0°-240
 240 app 1/8 line
 90°+0°-240
 29, 28, 32, 33
 240 app sec cor to post
 360°+0°-120 to app.
 10 ch line
 270°+0°-240
 90 Willow
 106 A90-18
 188 B.M. to S.
 240 app 1/8 line
 240 app 1/4 line
 270°+0°-240
 60 to road
 Starting at app 7 ch
 W of 1/4 line 10 ch
 No of S. Sec line
 Sw 29 T38 NR4E

17

18

29

Oleguwski + Wolay 184 road
 2/3/37 12 paces to ch. 240 app 1/4 line
 270°+0° - 240 90°+0° - 240
 144 BM to So. A90-18 + WILLOW
 156 A90-18 240 app 1/8 line
 240 app 1/8 line 90°+0° - 240
 270°+0° - 240 119 BM.
 98 Willow 200 SB3-67
 121 A90-18 240 app sec line
 156 BM. 360°+0° - 120 to app
 173 River 192°+0° - 200°+0° - 10 ch line
 240 app sec. line 270°+0° - 240°
 360°+0° - 120 to app 1/8 SB3-67
 line 71 C3-62
 90°+0°+0° - 240 85 BM.
 14 mice turns 131-A90-15
 into sec. 30 240 app 1/8 line
 320°+0° - 148°+0° - 270°+0° - 240
 37 SB3-64 F3-62 A90-15 240 app 1/4 line
 152 BM. 270°+0° - 240
 160 creek 83 to road
 166 A90-18 Starting at app 8 ch
 240 app 1/8 line E of 1/4 line No 4
 BM So 8 line Sec 29 T38N R4E
 90°+0° - 240 2/4/37 Oleguwski + Wolay
 14 A90-15 270°+0° - 240

29

19

120 BM 270°+0° - 240
 160 creek 166°+0° 325°+0° T3-65 SB3-63
 197 SW1-3 + A91-34 57 C6-95
 225 T3-64 SB1-33 78 BM
 240 app sec line 98 A90-18
 360°+0° - 120 to app 240 app 1/8 line
 1/4 line 270°+0° - 240
 24 SW T. to W. 240 app 1/4 line
 90°+0° - 240 270°+0° - 2
 1 BM 76 to road
 46 creek Starting 10 ch to +
 54 A90-17 1 1/2 ch E from center
 240 app 1/8 line of Sec 29 T38N R4E
 90°+0° - 240 Oleguwski + Wolay
 164 to road 2/5/37 Scale 12 to ch
 240 app 1/4 line 76 paces at road
 90°+0° - 240 270°+0° - 240°
 CH + A91-36 A90-18 + WILLOW
 240 app 1/8 line 240 app 1/8 line
 90°+0° - 240 270°+0° - 240
 104 BM. 180 BM.
 140 E 3-65 204 Creek
 152 SB3-65 T3-63 240 app sec line
 240 app sec line 360°+0° - 120 to app
 360°+0° - 120 to app 1/8 cor
 10 ch line 90°+0° - 240

20

240 app 1/8 line

90°+0°-240

140 to road

240 app 1/4 line

90°+0°-240

240 to app 1/8 line

90°+0°-240

240 app sec line

Starting N.W. cor of
Sec. 29 2/9/37 126 ch

Olayoshi + Wolong

90°+0°-240

A91-34 + Willow

103 road ^{114°+0°-}
290°+0°-

240 app 1/8 line

90°+0°-240

240 app 1/4 line

90°+0°-240

105 B.M.

128 SB3-67 T1-3²

228 Willow F90-18

238 beam B.M.

240 app 1/8 line

90°+0°-240

128 road ^{55°+0°-}
230°+0°-

240 app sec cor

29-20

Buick Start with catch

1 ch H.F.

180°+0°-~~240~~ 120

app 10 ch line

270°+0°-240

A90-17 + Willow

193 road ^{205°+0°-}
28°+0°-

240 app 1/8 line

270°+0°-240

27 T1-3⁴ SB3-6²

72 B.M.

112 A90-18 Willow

240 app 1/4 line

270°+0°-240

166 road ^{322°-}
142°-

240 app 1/8 line

270°+0°-240

240 app sec line

360°+0° 120 app sec line

90°+0°-60 to app

sec. cor.

SEC. 20 T38 N1 R4 E

Starting at S.W. cor

of Sec. 20

Hernandez + Stankle

2/1/37 13 posts to ch.

20

358°+2°-260

A91-3²35 Proj. 57⁷ ^{60 paces}
278°+2°
108°+2°120 trail ^{45°+2°-}
215°+2°-135 C6-9⁴ ASH6-9³260 1/8 line ^{BYC-9²}

358°+2°-260

223 trail ^{142°+2°-}
228°+2°

260 app 1/4 line

358°+2°-260

28 A93-65 F3-6³136 trail ^{8°+2°-}
182°+2°

260 app 1/8 cor

358°+2°-260

6 B.M.

16 A93-65 F3-6²220 trail ^{318°+2°-}
138°+2°260 app sec cor ^{post}

88°+2°-130 to app 10 ch line

178°+2°-260

A93-6³ F3-6²69 B.M. T1-3²163 A93-6³ F3-6²

260 app 1/8 cor

178°+2°-260

21

24 B.M.

85 A93-65 F3-6²

126 B.M.

180 A93-6³-F3-6²

260 app 1/4 cor

178°+2°-260

9 B.M.

102 F3-6² SB3-6¹230 A91-3³ Willow

260 app 1/8 line

178°+2°-260

22 trail ^{128°+2°-}
350°+2°

68 trail 66°+2°

258°+2°

238 Proj. 57⁷ 228°+2°

260 sec. line 108°+2°

Starting at No 1/8

post So. line of sec.

20 Ferguson + Stankle

2/5/37 13 posts to ch

358°+2°-260

A91-3³ Willow221 ASH6-9³ C-6-9⁴260 app 1/8 line ^{BYC-9²}

358°+2°-260

102 A93-6²

22

179 C-6-9³ F3-6³244 A93-6⁵ F3-6³

260 app 1/4 cor

-358⁺2°-260A93-6⁵ F3-6³

90 BM

125 A93-6³

178 BM

220 A93-6³ F1-3²

260 app 1/8 cor

358⁺2°-26039 T1-3³81 LB T1-3² PW3-6' S83-6'

260 app sec line

88⁺2°-130 to 10 ch line178⁺2°-260

SB3-6' PW3-6' T1-3'

100 BM

159 A93-6³

186 BM

154 A93-6³

260 app 1/8 line

178⁺2°-260243 A91-3³ WILLOW

260 app 1/4 line

178⁺2° 260

20

260 app 1/8 line

178⁺2°-260

260 app sec line

Starting at S. 1/4 cor

So line of sec 20 38-4

Ferguson & Steudl

2/9/37 13 paces to ch.

358⁺2°-260A91-3³ WILLOW

260 app 1/8 line

358⁺2°-260

13 M.

48 A91-3³ WILLOW257 A91-3⁴

260 app 1/4 cor

358⁺2°-260120 A93-6³

260 app 1/8 line

358⁺2°-260

234 BM.

260 app 1/4 sec cor

262 blazed tree

88⁺2°-130 app 10 ch line178⁺2°-260A91-3³

20-24

260 app 1/8 line

178⁺2°-260

260 app 1/4 line

178⁺2°-26073 A93-6⁷

156 BM.

260 app 1/8 line

178⁺2°-26040 SB1-3⁶ T3-6² B

260 app sec line

Starting at E 1/8 line

So. line of sec 20 38-4

Ferguson & Steudl

2/11/37 12 paces to ch

358⁺2°-260A91-3⁷ WILLOW

107 LB

240 app 1/8 cor

358⁺2°-240150 SB1-3⁶ T3-6¹

240 app 1/4 line

358⁺2°-240175 A91-3³

240 app 1/8 line

358⁺2°-249

249 app sec cor

M.T.

23

88⁺2° 120 app 10 ch line178⁺2°-240175 A93-6¹233 A91-3³

240 app 1/8 line

178⁺2°-240

55 BM

240 app 1/4 cor

178⁺2°-240

29 LB

79 A91-3³

240 app 1/8 line

178⁺2°-243156 road ^{68⁺2°} 248⁺2°

249 app sec line

SEC 24 T38 NR 4 E

Starting at E 1/4 post

B.T. C 6" NE. 10 paces

Krause & Pfister 2/1/37

12 paces to chain

358⁺2°-24015 A91-3⁵470 Pj. 2[#] ^{60⁺2°} 235⁺2°

96 SB to E

120 BW1-3³ PN1-3²165 A91-3³ BW1-3³

24

177 L.B. to left 220 creek fork
 240 app $\frac{1}{8}$ line 15 \pm 2°
 358 \pm 2° - 240 195 \pm 2°
 177 PN6-9' PW6-9' BW1-3 310 \pm 2°
 240 app sw. cor part 240 app $\frac{1}{8}$ line
 263 \pm 7° - 120 178 \pm 2° - 240
 50 BW1-3³ A91-3³ 17 edge of creek
 100 LB 3B1-3³ 175 \pm 2°
 120 app 10 ch line 36 BM on E 302 \pm 2°
 creek - Flouage 185 \pm 2° 181 creek 277 \pm 2°
 178 \pm 2° - 240 190 creek 145 \pm 2°
 15 spring 240 app sw line 210 \pm 2°
 110 creek 307 \pm 2° + 247 \pm 2° 83 \pm 7° - 120 60 \pm 2°
 188 SB1-3³ to E 89 R.R. mid
 240 app $\frac{1}{8}$ line PW1-3² 355 \pm 2°
 178 \pm 2° - 240 120 app sw cor 175 \pm 2°
 47 A9 3-6² BW1-3² 358 \pm 2° - 240
 180 A91-3⁴ 81 BW1-3' PW1-3²
 190 F3-6³ left 240 app $\frac{1}{8}$ line
 240 app $\frac{1}{4}$ line 358 \pm 2 - 163
 178 \pm 2° - 240 1 BM
 36 BM F3-6' 40 \pm 2° 5 PN1-3² BW1-3'
 92 Pj: 2[#] 220 \pm 2° 96 SB1-3' BM
 106 creek 272 \pm 2° 163 app $\frac{1}{4}$ part
 134 F3-6⁴ on E 83 \pm 7° - 12 to $\frac{1}{4}$ part
 179 creek 345 \pm 2° + 190 \pm 2° WPCBT.

24

24

25

Starting 10 ch son 10 ch 223 app $\frac{1}{8}$ Post
~~W~~ $\frac{1}{4}$ Post of Dec. 24 83 \pm 7° - 115 to creek
 T38NR4E 2/2/37 accuracy
 Krause + Pfister ch. 50 LB
 263 \pm 7° - 120 115 10 ch line creek
 1 creek 210 \pm 2° 350 \pm 2° 263 \pm 7° - 240
 34 F1-3³ 65 A9 3-6⁴
 98 A91-3³ BW1-3³ 120 app $\frac{1}{8}$ Post
 120 app $\frac{1}{8}$ line 228 A91-3³ PW1-3' F1-3²
 358 \pm 2° - 120 240 app 10 ch line
 BW1-3³ A91-3³ 178 \pm 2° - 240
 120 app $\frac{1}{4}$ line 89 BW1-3² A91-3² F1-3'
 358 \pm 2° - 240 240 app $\frac{1}{8}$ line PW1-3'
 50 A91-3³ BW1-3³ 178 \pm 2° - 240
 118 LB 32 LB to W
 130 SB1-3⁴ 96 A91-3⁴
 164 LB 132 SB1-3 on W/PW1-3'
 240 app $\frac{1}{8}$ line F1-3' A91-3⁴
 358 \pm 2° - 223 216 Pj: 2[#] 255 \pm 2°
 75 \pm 2° -
 A91-3⁴ on W. 240 app $\frac{1}{8}$ line
 25 LB 178 \pm 2° - 240
 45 A91-3⁴ 45 BM.
 76 LB 210 SB1-3' T1-3'
 105 A91-3⁴ 240 app sw line
 200 LB 178 \pm 2° 240
 216 A91-3⁴ 20 LB

26

50191-35
 163 BW1-33 A91-3² 358+2°-240°
 240 app 1/4 line
 83+7°-120
 120 app 1/8 ^{conv} post
 358+2°-240
 28 BM.
 131 SB1-33 T1-3'
 240 app 1/8 line
 358+2-139
 32 A91-33 PW1-3'
 81 Proj: 2[#] ⁴⁷⁺² 227+2
 BW1-33 A91-3³
 139 10 ch line
 Starting 10 ch E of 1/4
 line on So. 1/8 line
 Krause & Pfeister 2/3/37
 12 paces to chain
 263+7°-120
 63 A91-3³
 98 SB1-35 BM.
 120 app 1/4 line
 358+2°-240
 53 Proj: 2[#] ³¹⁰⁺² 155+2
 A91-33 BW1-3'
 170 M4-3'

24

240 app sec. center
 60 BW1-33 A91-3³
 112 trail
 240 app 1/8 line
 358+2°-240
 64 PW1-3' BW1-3'
 100 BW1-3'
 240 app 1/4 cov
 83+7°-108
 79 PW1-3' A93-6³ F1-3'
 108 app 10 ch. line
 268+7-240
 42 BW1-3'
 108 app 1/4 post
 208 PW1-3' F1-3' A93-6
 240 app 10 ch line
 178+2°-240
 179 BW1-33 A91-3³
 240 app 1/8 line
 178+2°-240
 195 A91-3⁴ SW1-3'
 240 app 1/4 line
 178+2-240
 39 Proj: 2[#] ^{307+2°} 130+2°
 PW1-3' BW1-3' PW1-3'
 SW1-3'

24

126 F1-3' SW1-3' A91-3³ 358+2°-240
 170 F2-64 on W1
 240 app 1/8 line
 178+2°-240
 89 BM.
 113 A91-3³ F1-3'
 240 app sec line
 83+7°-120
 104 SB1-33 T1-3'
 120 app 1/4 cov
 358+2°-216
 A91-34 F1-3'
 59 BM F1-3'
 101 SB1-3⁵
 125 A91-3⁴ on W1
 216 app 1/8 line
 83+7°-12
 126 app 1/8 line
 Starting on app 1/4
 line 10 ch E of W 1/8 line
 Krause & Pfeister Feb 4/4/99 178+2°-240
 12 paces to ch
 263+7°-120
 43 Proj: 2[#] ^{310+2°} 150+2°
 120 app 1/8 line

27

358+2°-240
 SW1-3' A93-6² F1-3'
 75 Proj: 2[#] ^{315+2°} 150+2°
 137 BW1-33 A91-3³
 240 app 1/8 line
 358+2°-250
 41 A91-3² BW1-3² F1-3'
 250 app 1/8 cov
 83+7°-150
 49 A93-6³ PW1-3' F1-3'
 150 app 10 ch line
 263+7°-240
 72 BW1-3² F1-3'
 A91-3² PW1-3'
 120 app 1/8 cov
 240 app 10 ch line
 178+2°-240
 150 PW12-15³ F1-3'
 PN12-15³ A91-3'
 240 app 1/8 line
 178+2°-240
 36 F1-3² A91-3²
 72 Proj: 2[#] ^{125+2°} 300+2°
 109 SB3-67
 143 E-3-63 SB1-3⁴
 205 F1-33 E3-63

28

24

240 app 1/4 line
 178+2°-240
 165 F1-3⁵ SBI-3⁷-3'
 240 app 1/8 line
 178+2°-240
 72 F1-3⁶ PW12-153
 240 app sw. line
 83+7°-120
 100 SW1-3² SBI-3⁴
 120 app 1/8 line
 358+2°-240
 27 A91-3³ F1-3'
 188 SW1-3¹ A91-33
 240 app 1/8 line
 358+2°-200
 50 PN3-6² A91-3³ SW1-3
 84 BW1-3¹ A91-33 SW1-3'
 190 PW1-3¹ A91-3³ PN1-3'
 200 app 1/4 line
 83+7-30
 30 to 1/8 line
 Starting 10 ch. E of ~~the~~
 Sw line on 1/4 1/8 line
 Krauss + Pfeister 2/9/37
 263+7°-120
 60 F1-3² SW1-3² A91-3²

120 sw line 23-24
 Center of Coy 2nd
 115+2°+295+2°
 358+2°-240
 86 BW1-3² A91-3²
 F1-3¹ PW1-3'
 182 A93-6³ F1-3⁵ SW1-3'
 240 app sw cor
 14, 13, 23, 24
 83+7°-135
 72 BW1-3² A91-3²
 F1-3¹ PW1-3'
 135 10 ch line
 263+7°-120
 48 A93-6³ F1-3'
 SW1-3'
 120 app N.W cor
 of Sw. 24
 268+2-120
 120-10 ch line of Sect 13
 178+2-960 to app
 S sw line
 88+2°-120 app sw
 cor 23 24 20 25
 358+2°-240
 175 SW3-6² SB3-6'
 F1-3⁴ PW12-153

24-28

29

158 E6-9¹ F3-6⁴ SBI-3'
 ASHB3-6'
 240 app 1/8 line
 358+2°-240
 183 SB2-6³ H4-10¹ F1-3'
 BY 6-9¹ E3-6²
 240 app 1/4 line
 358+2°-246
 216 A91-3² F1-3² SW1-3² 90+0°-240
 246 app 1/8 line
 268+2-26 to app 1/8
 line starting point.
 Dec. 28 738 N R 4E 360+0-120 app sw cor
 Starting at ^{app} 1/4 cor Starting at app 1/4 cor
 9 Sw 25 Bet 28, 21 of sw 28 Bet 28+21
 Olegunshi + Woloz Olegunshi + Woloz
 2/10/37 12 posts ch. 2/11/37 12 posts ch
 270+0°-240
 1790-16 Willow
 240 app 1/8 line
 270+0°-240
 240 app sw cor
 stubb 2 ch W
 180+0°-120
 1790-16 Willow
 90+0°-240
 105 BM to So-

240 app 1/8 line
 90+0°-240
 240 app 1/4 line
 90+0°-240
 82 BM.
 180 T1-3⁴ SBI-3²
 240 app 1/8 line
 216 A91-3² F1-3² SW1-3² 90+0°-240
 286±00
 130 creek 314+0°
 175 A93-67
 240 app sw line
 Starting at app 1/4 cor Starting at app 1/4 cor
 9 Sw 25 Bet 28, 21 of sw 28 Bet 28+21
 Olegunshi + Woloz Olegunshi + Woloz
 2/10/37 12 posts ch. 2/11/37 12 posts ch
 90+0°-232
 1790-16 Willow
 101 R.R. Bld 360+0°
 176+0°
 122 E3-6⁴ BM
 145 BM
 161 A90-16
 183 E6-9⁴ SBI-3³
 252 app 1/8 cor 9
 @ land E's
 90+0°-240

30

28

70 BM. $15^{\circ}+0^{\circ}$ -
 95 River $141^{\circ}+0^{\circ}$ -
 141 A93-67
 162 BM SB0-12
 220 A93-67
 240 app sw cor $\frac{1}{2}$ point
 180 70° - 240 to app
 $\frac{1}{8}$ line
 270 70° - 240
 108 BM.
 137 River $35^{\circ}+0^{\circ}$ -
 $146^{\circ}+0^{\circ}$ -
 165 CH1-3² A91-3²
 227 BM 0-1'
 240 app $\frac{1}{8}$ line
 270 70° - 240
 29 A93-67
 80 BM.
 120 A93-66
 146 BM.
 205 0-1' Willow
 240 app $\frac{1}{4}$ line
 270 70° - 240
 240 app $\frac{1}{8}$ line
 270 70° - 240
 43 BM.
 106-SB3-67

201 A90-18 Willow
 240 app sw line
 180 70° + 120 app lock.
 90 70° - 240
 SB3-68
 108 BM
 180 A91-18 Willow
 240 app $\frac{1}{8}$ line
 90 70° - 240
 122 BM SB 0-14
 240 app $\frac{1}{4}$ line
 90 70° - 240
 52 CH1-36 A91-3²
 240 app $\frac{1}{8}$ line
 90 70° - 240
 62 F1-3'
 114 BM.
 186 River $338^{\circ}+0^{\circ}$
 $145^{\circ}+0^{\circ}$
 240 app sw line
 36 $0^{\circ}+0^{\circ}$ - 132 app $\frac{1}{8}$
 cor &
 270 70° - 12 to app $\frac{1}{8}$ cor
 Starting at app $\frac{1}{4}$
 cor bet. 28 + 21-38 H
 Olszewski - Woloz 2/12/37
 12 ps to ch
 app $\frac{1}{4}$ cor near since in
 BM.

28

31

270 70° - 240
 48 A91-3' BW1-34 A93-4
 142 SB1-38
 240 app $\frac{1}{8}$ line
 270 70° - 240
 6 E6-96 SB3-63
 20 trail
 75 CH1-37
 167 E6-98 SB3-62
 240 app $\frac{1}{4}$ line
 270 70° - 240
 14 trail
 118 A90-17 Willow
 240 app $\frac{1}{8}$ line
 270 70° - 240
 98 BM
 1363-67
 240 app sw line
 180 70° - 120 to app lock
 line
 90 70° - 240
 77 A90-17 Willow
 240 app $\frac{1}{8}$ line
 90 70° - 240
 95 SB1-32 E6-98
 209 trail
 240 app $\frac{1}{4}$ line

90 70° - 240
 189 BM. SB0-1'
 230 River
 240 app $\frac{1}{8}$ line
 90 70° - 240
 54 River
 87 "
 111 "
 158 "
 240 app sw line
 360 70° - 112 to app $\frac{1}{4}$ cor
 60 cross river
 Starting at so $\frac{1}{8}$ cor
 bet sw. 28 + 27 $\frac{12 ps}{to ch}$
 Olszewski - Woloz 2/15/37
 270 70° - 240
 SB
 9 A91-3² RW1-3³
 SB road $155^{\circ}+0^{\circ}$
 $325^{\circ}+0^{\circ}$
 107 road $55^{\circ}+0^{\circ}$
 $210^{\circ}+0^{\circ}$
 A93-67 CH1-32
 171 BM.
 240 app $\frac{1}{8}$ line
 270 70° - 240
 47 to river
 75 E3-66 SB3-63

32

225 trail
 240 app 1/4 line
 270°0' - 240
 182 A90-17 Willow
 240 app 1/8 line
 270°0' - 240
 223 SB3-67
 240 app SW line
 180°0' - 120 app 1/4 line
 90°0' - 240 A91-15
 240 app 1/8 line
 90°0' - 240
 6 SB 0-12 C1-3' F0-1'
 120 SB1-33 C3-6' F0-1'
 140 F0-17
 240 app 1/4 line
 90°0' - 240
 47 ASH B3-65
 88 trail
 117 BNI
 136 Penn
 112 Penn
 240 app 1/8 line
 90°0' - 240
 12 A93-6³ BW3-6³
 28 road 175+0

28²³ Sec 23 T38N R4E

77 wire
 188 Long Lake
 240 app SW line
 36°0'0" - 100 to app
 1/8 line
 56°0'0" 277+0 -
 70 road 65+0 -
 270°0' - 60 to app
 1/8 cor.
 Sec 23 T38N R4E ^{12 Penn -} _{1 Ch.}
 Krause, Pfister, and
 Steink. 2/9/37
 Starting at app. station
 12 p.m. to 1 p.m.
 358°+2' - 240
 Ash-B 26
 SB3-6', F1-3', PW12-15³
 158 ent C6-9'
 F3-6', SB1-3', Ash 3-6'
 240 app 1/4 line
 358°+2' - 240
 137 ent SB3-6³
 A9-12', F1-3', BY6-9', C3-6²
 240 app 1/4 line
 358°+2' - 240
 216 ent A91-3²
 F1-3' SW1-3²
 240 app E. 1/4 road
 Center of Proj #2 118°+2'
 28°+2'

23

358°+2' - 246
 86-ent BW1-3²
 A91-3² F1-3'
 PW1-3'
 182-ent AP3-6³
 F1-3' SW1-3'
 246-App NE Sect. Co.
 83°+7' - 13 (To check accuracy)
 72-ent BW1-3² F1-3'
 A91-3² PW1-3'
 135 10 Chain line of Sect
 24
 263°+9' - 120
 48-ent A93-6³ F1-3'
 SW1-3'
 120-App Sect Cr of
 Sects 14-13-23-24
 268°+2' - 120
 120-Center of Proj #4
 67°+2' - 240+2
 App. 10 Ch. line.
 178°+2' - 240
 84-ent BW1-3² A91-3²
 F1-3' PW1-3'
 108-Cross old trail 140°+2'
 320°+2'
 140-Cross Proj #2
 338°+2'
 145°+2'
 156-ent A91-3² F1-3'
 SW1-3'
 176-ent G.M.

33

106-ent A91-3² F1-3'
 SW1-3'
 214-ent C1-3² + BM
 240-App 1/4 line
 178°+2' - 240
 34-ent SB3-6³ C1-3² BM
 94-ent F1-3' SB3-6³
 H9-12' C3-6²
 BY6-9' ASH B6-9'
 240-App 1/4 line
 178°+2' - 240
 106-ent highland timber
 H12-15² PW12-15²
 PV12-15² ASH B9-12²
 200-ent ASH B6-9²
 BY6-9² H9-12²
 240-App 1/4 line
 178°+2' - 240
 40-ent SB3-6² C3-6²
 BY6-9² H6-9²
 ASH B6-9²
 226-ent SB6-9² + BM
 240-App So. Sect. line
 88°+2' - 120
 ent PW12-15³ F1-3'
 SB3-6' ASH B3-6²
 120-App SE Sect. Cr.
 Sect. Cr. 23-24-25+26.

Kranz, Steink & Pfister

- Starting 10 Ch. So + 10 Ch. ent 6 B
- W. of app NE Sect. Cr. 1/2 Sect. 23
268° ± 130 13 paces = 1 Ch.
- 13 - Cross proj #2 248° ± 2
148° ± 2
- 27 - ent C3-6³ SB1-3²
F3-6² BY9-12¹
- 98 - ent A91-3⁴ F1-3¹
SW1-3¹
- 180 - app 1/8 line
178° ± 260
- 308° ± 2 - 130
- 168 - Cross proj #2 260° ± 2
108° ± 2
ent BM
- 130 - app N 1/8 part.
- 88° ± 2 - 130
ent A91-3⁴ F1-3¹ SW1-3¹
- 104 - ent A93-6³ F1-3¹ SW1-3¹
- 180 - Center of proj #4 67° ± 2
248° ± 2
10 Ch. line
- 268° ± 2 260
- 26 - ent A91-3⁴ F1-3¹ SW1-3¹
- 130 - app N 1/8 part
ent BM
- 164 - ent A91-3⁴ F1-3¹ SW1-3¹
248° ± 2
- 182 - Cross trail 308° ± 2 125° ± 2
- 230 - ent SB1-3¹ + 4 B
- 260 - app 10 Ch. line
- 178° ± 2 - 260
- 21 - Cross Proj #2 68° ± 2
238° ± 2
- 231 - ent SB1-3¹ island
- 260 - app 1/8 line.
- 64 - ent A91-3⁴ F1-3¹ BW1-3¹
- 127 - C3-6³ SB3-6³ + F3-6³
ON East.
SB1-3³ on West.
- 219 - ent C3-6³ SB3-6³ F3-6³
- 260 - app 1/4 line
- 178° ± 260
ent BY6-9² C3-6²
SB3-6² F1-3³
- 110 - BW1-3² PN6-9² +
A91-8² on West.
ent F1-3² C3-6² + BM
- 163 - ent BW1-3² A91-3²
PN6-9²
- 188 - ent C1-3¹ + BM
- 248 - ent SB1-3³
- 260 - app 1/8 line
178° ± 260
- ent BW1-3³ A91-3³ F1-3³
- 142 - ent F3-6³ SB3-6⁴
PN9-12³ PW9-12² on West
- 260 - app So Sect. line.
268° ± 7 - 130
- ent PN12-15² PW12-15²
F6-9² + SB1-9²
- 21 - ent SB3-6³ + F3-6³
- 50 - ent PW12-15³ F6-9³
- 95 - ent SB6-9⁴ F6-9³
- 130 - app So 1/8 part
358° ± 2 - 260
- ent SB6-9² + BM
- 12 - ent PW12-15³
PN12-15³ F9-12³

- 69 - ent F3-6³ SB3-6³ 268° ± 130
- 80 - ent SB1-3² + BM 4 B
- 163 - ent PW12-15⁴ F1-3²
BY12-15²
- 202 - old log shaft 178° ± 260
1 Ch East
- 233 - ent C3-6⁴ SB3-6²
- 260 - app 1/8 line
- 358° ± 2 - 260
ent PW12-15⁴ F1-3²
BY12-15²
- 58 - ent C3-6⁴ SB3-6²
A86B3-6²
- 107 - ent highland
PW12-15² PN12-15²
H12-15² A86B6-9²
BY9-12¹
- 157 - ent C3-6² SB3-6³
F1-3¹ BY6-9¹
H9-12¹
- 215 - Cross old trail 240° ± 2
287° ± 178° ± 2
- 260 - app 1/4 line
- 308° ± 2 - 260
- 140 - ent F1-3¹ SB1-3¹
C1-3²
- 246 - ent A91-3⁴ F1-3³
SW1-3¹
- 260 - app 1/8 line
- 358° ± 130 178° ± 260
- 130 - beginning of trav-
erse
- 88° ± 7 - 12 (To check accuracy)
- 12 - app 1/8 line.
- Kranz Steink & Pfister
- 12 paces = 1 Ch. Feb. 15/37
- Starting 10 Ch. E of N 1/4 part 88° ± 2 - 135
- 61 - ent A91-3³ BW1-3³ SW1-3¹
- 130 - app N 1/4 part.
- 92 - Cross proj #2 58° ± 2
228° ± 2
- 137 - ent A91-3⁶
4 B on east
- 246 - ent F3-6³ AS4B6-9²
C1-3² BM
- 260 - app 1/8 line.
- 178° ± 260
- 82 - A91-3⁴ BW1-3² F1-3³ on East
- 98 - ent F1-3³ SW1-3²
A91-3²
- 195 - ent C3-6³ F1-3³
BY9-12²
- 260 - app ent Center
- 260
- 32 - C1-3¹ + BM on West
- 48 - ent C1-3¹ + BM
- 115 - ent SB1-3³
- 130 - ent A91-3³ BW1-3³
- 200 - ent SB1-3³
- 260 - app 1/8 line
- 10 ent A91-3³
- 49 SB1-3³ on West
- 60 SB1-3³ + BM
- 110 SB1-3³ + F3-6²
- 147 F6-9² BY12-15²
C6-9² AS4B12-15²
- 220 BM BW1-3¹
- 260 app So 1/4 part

49 P₁ 9-12³ PW 9-12²64 SB 1-3³ F 1-3²82 P₁ 6-9³ PW 6-9²115 F 3-6³SB 3-6⁴

135 app 10 ch. line

268°+2°-260

130 app 1/4 post

188 SB 3-6⁴ F 6-9²214 P₁ 12-15² PW 12-15²SW 1-3² F 1-3¹Ag 1-3²

260 app 10 ch. line

Krause + Stinkle

2/16/37

Starting 30 ch. E of NW

section Ranney of Sept 23

13 feet to Crown

268°+2°-130

On trail (328°+2°)

Ag 1-3⁶ (124°+2°)

104 cross trail 275°+2°

130 app N 1/8 post 78°+2°

178°+2°-260

9 cross trail (65°+2°)

121 cross trail (136°+2°)

130 Ag 1-3⁶ (323°+2°)174 G M F 1-3²

236 edge of creek 195°+2°

259 cross proj. #2 308°+2°

260 app 1/8 line 70°+2°

178°+2°-260 758°+2°

14 cross creek 158°+2°

52 cross creek 15°+2°

94 Ag 1-3⁶ 278°+2°260 app 1/4 line SW 1-3¹

260 app 1/4 line

178°+2°-260

43 SB 1-3¹ Ag 3-6³Ch 1-3¹116 Ag 1-3⁵ Ch 1-3¹201 BM C 1-3¹

260 app 1/8 line

178°+2°-260

SB 1-3³ BM50 T 1-3² SB 1-3² B 192 P₁ 9-12² Ag 1-3⁴

interd 1 ch. west

154 P₁ 12-15² Bw 1-3³Ag 1-3³ on west211 SB 1-3⁸250 Ag 1-3⁴ P₁ 12-15²

260 app S 1/8 post

88°+2°-130 (to check accuracy)

30 SB 1-3³ BM41 Ag 1-3⁴ P₁ 12-15¹66 SB 1-3³ F 1-3²Bw 1-3² BM

358°+2°-260 app 10 ch. line.

260 too far S of Sub. line

268°+2°-260

130 app S 1/8 post

SB 1-3⁵160 SB 1-3² T 1-3²220 Ag 1-3⁵ F 1-3²PW 1-3¹ Bw 1-3¹

260 app 10 ch. line

358°+2°-260

46 SB 1-3² T 1-3²72 Ag 1-3² Bw 1-3²SB 1-3²132 SB 1-3² T 1-3²203 SB 3-6³ on west

260 app 1/8 line.

358°+2°-260

22 Ag 1-3⁵95 Ag 1-3²115 Ag 3-6³ Bw 1-3¹ 358°+2°-13Ch 1-3¹

13 app 1/8 post

197 BM

Krause + Stinkle 2/17/37

207 Cross Creek

Starting 10 ch. E of NW

238 G M

Section Cor. 13 feet to Ch.

260 app 1/4 line 268°+2°-130

358°+2°-260

18 trail 128°+2°

65 Ag 1-3³40 Ag 0-1² Ch 1-3¹123 SB 1-3¹ BM

130 app NW sec.

152 Ag 0-1⁴

Cor.

241 Cross proj. #2 178°+2°-260

(280°+2°)

(65°+2°)

Ag 1-3³ 2 ch. West

260 app 1/8 line

260 app W 1/8 post

358°+2°-260 G M 178°+2°-260

66 road (330°+2°)

78 cross proj. #2

184 SB 1-3⁴ BM 6 E

256°+2°

246 Bushy Road

72°+2°

260 app. N sec. line

244 G M

388°+2°-241

178°+2°-260

18 Cabin 1 ch. S

260 app W 1/4 post

29 BM SB 1-3²74 Ag 1-3³

42 cross creek (178°+2°)

112 B M

60 Ag 1-3⁶

131 cross Creek 202°+2°

107 cross trail (310°+2°)

147 creek 88°+2°

141 app 1/8 post

158 Ag 1-3⁵ Ch 1-3¹246 T 1-3¹ LB

278°+2°

260 app $\frac{1}{8}$ cov.
 178°+2°-260
 16 Ag 1-3⁵
 91 Sb 1-3² T 1-3²
 128 Ag 1-3² Bw 1-3²
 F 1-3² P 4-12'
 155 BM
 168 Ag 1-3² Bw 1-3² 178°+2°-240
 260 app S.W. sec.
 Cov. edge of S.W. swamp
 88°+2°-109 (to check accuracy)
 Ag 1-3⁵
 56 BM
 69 Ag 1-3³ Pw 1-3' 178°+2°-240
 Bw 1-3' F 1-3²
 109 app 10 ch. line
 358°+2°-14
 14 app. sec. line. 178°+2°-213
 Sec. 21 T 38 N 19 E
 Starting at the app.
 N $\frac{1}{4}$ ch. of Sec. 21.
 Shallow
 12 ped. ch. 2/5/37
 178°+2°-240 T 1-3' Starting at W $\frac{1}{8}$ covy
 Sb 1-3' Sb 3-6' sec. 21 T 38 N 19 E 2/11/37

12 Ag 1-3³
 $\frac{278^\circ+2^\circ 5' 2''}{110^\circ+2^\circ 20''}$
 60 trail
 120 BM
 156 Ag 1-3²
 186 BM
 216 Ag 1-3²
 240 app. $\frac{1}{8}$ line
 60 C 1-3'
 186 BM
 235 cross creek
 240 app. center of
 sec. 21

134 trail $\frac{104^\circ+2^\circ}{280^\circ+2^\circ}$
 240 app. $\frac{1}{8}$ line
 21 BM
 36 Ag 1-3'
 70 cross proj. #2
 $\frac{247^\circ+2^\circ}{45^\circ+2^\circ}$

213 cross sec. line
 on No. line

Shallow + Offset 358°+2°-264 Ag 1-3⁴
 178°+2°-264 102 Ag 1-3⁵
 Ag 3-6' Ag 1-3'
 136 BM 168 cross proj. #2
 264 app. $\frac{1}{8}$ line
 264 app. $\frac{1}{8}$ line 358°+2°-264
 178°+2°-264 264 app. $\frac{1}{4}$ line
 37 F 3-6² H 3-6² 358°+2°-264
 C 3-6' 108 BM
 107 BM 132 cross creek
 158 Ag 1-3' 143 Ch 1-3'
 211 Ag 1-3⁵ 243 BM
 264 app. $\frac{1}{4}$ line 264 app. $\frac{1}{8}$ line
 178°+2°-264 358°+2°-241
 6 cross trail 2 Ag 1-3'
 $\frac{135^\circ+2^\circ}{295^\circ+2^\circ}$ 36 BM Sb 1-3'
 264 app. $\frac{1}{8}$ line 118 Ag 1-3'
 178°+2°-234 241 cross trail
 69 cross proj. #2 241 sec. line
 $\frac{237^\circ+2^\circ}{45^\circ+2^\circ}$ 268°+2°-100
 234 app. sec. line 100 ped. to $\frac{1}{8}$ cov.
 Starting 10 ch. W of Starting N.E. sec. cov.
 the $\frac{1}{4}$ line of Sec. of Sec. 21
 21. Starting from
 proj. #2 2/11/37 178°+2°-240 Ag 1-3'
 Shallow + Offset 132 ped. ch. 51 BM

90 Ag 1-3 ¹	181 point road
112 trail ^{40°+2°} _{230°+2°}	10 Ch. shack 1 ¹ / ₂
154 trail ^{178°+2°} _{200°+2°}	Ch. east
240 app. ¹ / ₈ line	Checked back to
178°+2°-240	10 Chain line
43 BM	127 to line.
64 road ^{349°+2°} _{176°+2°}	Starting 10 Ch. E of 4
95 road ^{192°+2°} _{176°+2°}	Cor. of Sec. 21
133 BM 563-6 ²	✓
169 fire gate ¹ / ₂ ch W	258°+2°-240
175 Ag 3-6 ³	Ag 1-3 ³
240 app. ¹ / ₄ line	39 BM
178°+2°-240	113 proj. # ^{105°+2°} _{280°+2°}
15 road ^{140°+2°} _{340°+2°}	176 Ch 1-3' F 1-3'
19 old fire gate	210 T 1-3 ²
96 C 6-94 F 3-6 ²	240 app. ¹ / ₈ line
Ash 6-9'	358°+2°-240
127 Shack on	25 Ag 1-3 ¹
West	94 BM
161 trail ^{318°+2°} _{41°+2°}	142 Ag 1-3 ¹
180 road ^{237°+2°} _{340°+2°}	180 BM
181 Ag 3-6 ³	240 app. ¹ / ₄ line
240 app. ¹ / ₈ line	358°+2°-240
178°+2°-240	20 cross creek ^{150°+2°} _{310°+2°}
Ag 3-6 ³	67 C 6-9 ³ 563-6 ¹

continued in next book.