

A. J. LYTLE

U. S. No. 506^{1/2}
1928

FIELD BOOK
FIELD NOTES

Town's

35 N

RANGE 9-10E

A. J. LYTLE #14

RETURN THIS BOOK IF FOUND TO

A. J. LYTLE

DEPUTY COUNTY SURVEYOR OF ONEIDA Co. WIS.

RHINELANDER, WISCONSIN.

NATIONAL
CIVIL ENGINEERS'

FIELD, LEVEL, TRANSIT

AND

CROSS SECTION BOOKS



COPYRIGHTED 1914

BY

NATIONAL BLANK BOOK CO.

Sat. July 22-1933

CULVERTS

SEC. NO.	QUANTITY	BEARING	LENGTH	WIDTH	REMARKS
SEC. NO. 1-	1	N 55° E	100'	.3	LOW
SWING DITCH E	2	N 77° E	200'	.6	"
SEC. 2-CULVERT	1	S 10° E	100'	.3	"
SEC. 3 "	1	S 20° W	200'	.5	"
SEC. 4 - "	1	N 60° E	250'	.4	"
SEC. 7 - "	1	N 25° W	100'	.4	"
" " - "	2	S 70° W	200'	.5	"
SEC. 8 - "	1	S 40° E	200'	.5	"

065

111

081

79

29/156 290

13

26

12

13

79

BIRCH-10 S 25 E 10	}	19/20
" - 8 S 72 W 35		30/29

1/4P Hem 9 N 53 E 15	}	20
Sugar 6 S 41 W 10		29

Hem 10 N 24 W 9	}	20/21
IRONWOOD 8 S 65 E 25		29/28

1/4P BIRCH 12 S 15 W 7	}	21
Hem 8 N 30 W 7		28

BIRCH 14 N 11 E 40	}	21/22
" 16 N 62 W 25		28/27

1/4 FIR-12 N 20 E 20	}	22
B-RSH 12 S-14 W 18		27

Hem 20 N 22 E 12	}	22/23
" 10 N 37 W 30		27/26

1/4 Hem 8 N 35 W 20	}	23
" 11 N 60 E 15		26
Hem 20 N 22 E 12	}	23/24
" 10 S 37 W 30		26/25

1/4P Birch 15 S 45 E 15	}	24
" 20 N 70 W 8		25

34-9

Hem 6-S 12 W 10	}	19/20
" 12-S 30 E-15		30/29
" N-NW		
" 12-W		

1/4 HEM 13 S 72 E 50	20
" 12 N 82 W 25	29

Hem 12-S 23 1/2 E 40	}	20/21
SPRUCE 6-N 36 W-10		29/28
Birch 10-S 24 W 15		
Hem? N 41 E 43		

1/4-Birch 10-N 37 E 12	}	21
" 11-S-3		28

ELM 12 N 67 W 50
Ham 10 N 40 E 38

21/22
28/27

New Road E from sec. cor 19+20
30+29

Come at 3rd pole on Highway H - then

Easterly - N 27° E 55 steps

N 45 E 90

N 118 E 125

N 70 E

27

11-T'S - 65 steps end of Beckwith

common where Ted stopped

S 68° E

S 79° E - 33 steps

S 76 E 21
S 73 E 90
S 68 E 111
S 63 E 100

25 | 323 | 66
25 | 25 | 13
72 | 198
66
858

Subdivision of
Township 35 N, Range 10 E.

By: James L. Nowlin

Deputy Surveyor

Commenced Sept. 22 1865

Finished Oct. 2. 1865

Town lines and range lines
were run by H. C. Fellows

Finished Oct. 1865

North bet. 35 & 36. Var 7° E.

40.00 Set 1/4 Post } Sugar 125 54 W 13
 } Linden 165 71 E 15

80.00 Cor + 25-26-35-36

(Found on D.H.V. } Birch 24 N 71 E 42

Nov, 1907

5/62

 } Sugar 30 N 29 W 25
New (HCH) hole drilled in flat rock)

East on Rand bet. 25 & 36 Var 7° E.

80.20 fell 18 north of rock

Corrected West.

16.00 Leave swamp

40.10 Set 1/4 post } Cedar 125 33 E-20
 } Birch 11 N 46 W 18

80.00 Cor. to 25-26-35-36

2
North Bet 25 & 26 Var 7° E.

2200 Pelican Lake } Cedar 255 31 E 15
 } Horn 175 27 W 16

Balance of line in lake

East Random 24 & 25 all in lake

North bet. 23 & 24 all in lake

East Rand. bet 13 & 24 all in lake

* D.H.V. in 1907 found Dorr's post and
made new big } Cedar stp 14° N 75 W .07 1/2
 } no other

5/62

dist 21.94 var 3°-41' E - 1907

- 2.00

1.41' 1931

1.49 by Dorr

North bet. 13 & 14 Var. 7° E.

180 Over Lake } B. oak 35 89 E 20

} Birch 12 N 40 E 50

4000 Set 1/4 post } " 8 N 25 E 30

} " 45 39 W 15

8000 Corner to sec 11-12-13-14

Birch 6 N 75 W-13

" 5 N 35 E-20

East Random bet 12 & 13 Var 7° E.

8080 Fell 1/4 north of Post.

West corrected

4020 set 1/4 post } Tam 8 N 40 E 18

} " 10 S 30 E 9

5050 Leave swamp

8040 Sec. corner

North bet. Sec 11 & 12 Var 6° 40' E.

4000 set 1/4 post } Birch 10 S 11 W 15

} Sugar 9 N 54 E 20

4250 Swamp

8000 Cor. to 1-2-11-12

East Random bet. 1 & 2 Var. 6° 30' E.

8050 Fell 1/4 N of Post.

Corrected West.

4025 set 1/4 post } Sugar 10 N 32 W 7

} Maple 12 S 5 E 15

5700 Enter swamp

8050 Sec. corner.

North Random bet 1 & 2 Var 6° 30' E

7680 fell 40 E of post.

South corrected

3680 set 1/4 post } W. Pine 11 N 20 W 15

} " " 10 N 51 E 4

4400 Enter swamp

7680 Sec. corner

North bet. 34*35 Var 7°E

40.00 Set 1/4 post Sugar 12N 35W 15
 " 8N 10E 30
 8000 Cor. to 26-27-34-35 W. Pine 15N 25W 10 - DK 1931
 Birch 12N 27E 27

East Random bet 26-35 Var 7°E.

8080 Fell 64 south of Post.
 S 89° 33' West corrected (V 7°E)
 4010 Set 1/4 post. Hem 12N 5W 20
 (N 11 1/2° W. 52 3/4) " 14S 15E 33
 7400 Trail NE-SW
 8080 Sec. corner

North bet 26*27 Var 7°E.

3250 Enter Swamp Sw-NE
 4000 set 1/4 post Birch 8S 20E 15
 Hem 8N 15W 20
 6450 Pelican Lake W. Pine 20S 25W 14
 set meanders J. Pine 15S 76E 15 - DK 1931
 8000 Sec corner in lake

E. bet 23-26 in lake

North bet 22*23 Var 00

Line all in lake
 West on true line bet 14*23 Var 7°E.
 390 over lake and W. Birch 4N, 24E 25
 set meander " " 5S 50W 30
 2765 Pelican Lake and Elm 15S 72E 850
 set meander post, no others near

In line of Lake Base West 7.63 ch. Angle S 3° E.
 North bet 14*15 Var 7°E ^{Dist over lake 45.50}
 145.09 calc.

5000 Over Lake and Aspen 4N 30W 31
 set meander post " 8N 67E 30
 8000 Corner to 10-11-14-15
 W. Pine 8N 10W 20
 " Birch 6N 66E 15

East bet 11*14 Var 7°E.

8000 Fell 16 North of Post
 N 89° 53' W on true line V. 7° E.
 1715 Pelican Lake x Tam 15N 34W 55
 set meander Post Aspen 8S 83E 50
 4575 Over Lake and Tam 5S 70W 38
 set meander post " 12N 55W 35
 7000 Leave swamp N*5
 8000 Sec. corner

Offset N 10.00 W. 28.60 S 10.00

North bet 10+11 Var 70°E.

3825 Enter Swamp NW-SE.

4000 Set 1/4 post | Tam 12S 5E 150
" 5S 15W 200

4150 Pelican runs 50NW

7600 Leave swamp NW SE

8000 Set post cor. to 2-3-10-11

Birch 12N 14E 24

Aspen 10N 55W 50

East Random bet. 2+11 Var 70°E.

8000 fell 30S of Post.

Corrected West.

2700 Leave Swamp

4000 Set 1/4 post | Y Pine 11N 18E 4
" 12S 34E 25

8000 Cor. to 2-3-10-11

North Random bet. 2+3 Var. 70°E

7550 Fell 60 West of Post.

Corrected South

3550 Set 1/4 post | Aspen 6S 54E 12
" 9N 14W 5

7550 Sec. corner.

North bet. 33+34 Var 70°E.

4000 Set 1/4 post | Lind 16N 15E 25
Birch 10N 37W 30

5400 Enter Swamp E+W

7700 Leave Swamp E+W.

8000 Set Post cor. to 27-28-33-34

Hem st. 24N 11 1/2 W 35 | Sugar 18N 45W 25

Birch st. 24N 57W 46 1/2 | Hem. 24N 31E 40

East Random bet. 27+34 Var 70°E.

7940 fell 24N of Post.

Corrected west

3970 Set 1/4 post | Hem 20S 62W 10
Birch 18N 24E 20

7940 Sec. corner.

North bet. 27+28 Var 70°E.

4000 Set 1/4 Post | Sugar 20N 26W 4
" 10S 16E 15

8000 Set post cor. to 21-22-27-28

Hem. 10N 20E 15
" 16N 33W 20

East true line bet. 22 & 27 Var. 7° E.

4000 Set 1/4 post | Birch 20 S 20 E 15
 " 15 N 36 W 35
 5370 Pelican Lake and | " 8 S 20 W 10
 set meander post | " 7 N 33 W 5
 8000 Sec. Corner in lake

North bet. 21 & 22 Var 7° E.

3600 Enter Swamp SW-NE.
 4000 Set 1/4 post. | Tam. 12 S 23 E 20
 " 14 N 27 W 18
 5000 Leave Swamp SW-NE.
 6700 Enter Swamp E-W
 8000 Set Post cor. to 15-16-21-22
 | Tam 12 S 56 W 100
 " 8 S N 70 E 50

East true line bet. 15 & 22 Var 7° E.

350 Pelican Lake & set meander post.
 | Cherry 4 S 82 W 15
 " 5 N 68 W 16

North bet. 15 & 16 Var 7° E.

2500 Leave Swamp E & W
 4000 Set 1/4 post | Hem 18 N 9 W 20
 Elm 15 S 55 E 3
 8000 Set post cor. to 9-10-15-16
 (Sept. 26) | Birch 15 N 52 E 25
 Spruce 12 N 14 W 22

East Random bet. 10 & 15 Var 7° E.

8000 Fell 15 North of Post
 N 89° 54' W. on true line
 3900 Enter Swamp SW-NE
 4000 Set 1/4 Post | Tam 8 N 53 E 15
 " 6 S 15 W 12
 5000 Leave Swamp SW-NE.
 8000 Cor. to 9-10-15-16

North bet. 9 & 10 Var 7° E.

4000 Set 1/4 post | W. Pine 20 S 53 E 20
 Birch 8 N 49 W 8
 4800 Enter Swamp NW-SE.
 5650 Stream 30 SW Leave swamp E & W
 8000 Set Post cor to 3-4-9-10
 | Tam. 12 N 29 W 6
 " 16 N 57 E 35

East Random bet. 3+12 Var 7°E.

8040 fell 40 North of post.

Corrected West.

4000 Set 1/4 post

Tam 20N 30E 30

Spruce 55 88W 22

8040 Sec corner

North Random bet 3+4 Var 7°E.

7750 fell 60 E of Post

Corrected South

2100 Pelican River

3750 Set 1/4 Post

Y. Pine 20N 34W 4

W. " 16S 10E 9

7750 Sec. corner

North bet. 32+33 Var 7°E.

4000 Set 1/4 post

Hem 10S 21E 30

" 11N 48W 20

8000 Cor. to 28-29-32-33

Birch 15N 15W 20

Sugar 16S 60E 6

East Random bet. 28+33 Var 7°E.

8060 fell 80 North of Post.

Corrected West

550 Leave Swamp

4030 Set 1/4 Post

Cedar 8S 73W 6

Tam 12N 16W 10

4650 Stream 10 NE.

6050 Leave Swamp

8060 Sec. corner

North bet. 28+29 Var 7°E.

100 Enter Swamp

3200 Stream 8 E

4000 Set 1/4 Post

Tam 12N 55E 6

" 10S 55W 4

6500 Stream ~~SE~~ 20 NW

7500 Leave Swamp

8000 Cor. to 20-21-28-29

Hem. 7N 42E 45

" 24N 24W 30

East Random bet 21x28 Var 70°E.

8040 fell 40 South of Post.

Corrected West

4020 Set 1/4 Post | Hem 9N8E5
| " 8S65W12

8040 Sec Corner

North bet. 20x21 Var 6°40'E.

3700 Stream 25 East

4000 Set 1/4 Post | Fir 5S70W25
| " 9N73E125

8000 Set Post Cor. Sec. 16-17-20-21

| Fir 4N60E4
| Spr. 3N40W5

East Random bet. 16x21 Var. 7°20'E.

8030 fell 64 North of Post

Corrected West

3050 Stream 50 NE.

4000 Set 1/4 Post | Aspen 6N48W18
| Birch 8S16W6

8030 Sec. corner

North Bet. 16x17 Var 6°40'E.

3950 Stream 75NE.

4000 Set 1/4 Post | Elm 9N30E4
| Fir 9N85W10

8000 Cor. Sec. 8-9-16-17

| Hem 24N34W20
| " 12N25E25

East Random bet 9x16 Var 7°20'E.

8030 fell. 20 South of Post

Corrected West (S59°51'W Var 7°20'E.)

550 Stream 50 North

4015 Set 1/4 Post | Aspen 9N6E8
| Birch 8S28W12

8030 Sec. corner

North bet. 8x9 Var. 6°40'E.

3000 Enter Swamp

4000 Set 1/4 Post | Tam 6N5W5
| Spr. 8S87E10

4850 Leave Swamp

8000 Cor. Sec 4-5-8-9 | Spr. 10N25W20
| Tam. 12N32E10

East Random bet. 4x9 Var 6°40'E.

8000 fell 2d South of Post

West Corrected

4000 Set 1/4 Post | W. Pine 6 N 10 E 3
" | " 12 N 20 W 4

5700 Stream 25 N W

8000 Sec. Corner.

North Random bet. 4x5 Var 7°E

7850 fell 40 East of Post

Corrected South

3100 Leave Swamp

3850 Set 1/4 Post | Aspen 20 S 72 W 10
" | Birch 10 N 73 E 15

7850 Sec. Corner.

North bet 31x32 Var. 7°E.

400 Leave Swamp.

4000 Set 1/4 Post | Lind. 20 S 49 E 10

| W. Ash 12 N 30 W 23

8000 Cor. Sec. 29-30-31-32 | Sugar 8 N 32 E 10

| " 18 S 43 W 20

East Random bet. 29x32 Var 7°E.

8000 fell 33 North of Post.

Corrected West.

4000 Set 1/4 Post | Maple 9 S 14 W 6

| Hem 24 N 61 E 15

8000 Sec. corner.

West Random bet. 30x31 Var 7°E.

8210 Range Line 100 North of Post.

Corrected East.

4210 Set 1/4 Post | Tem 12 S 42 E 22

| Sugar 8 N 82 W 60

5000 Enter Swamp

6300 Leave Swamp

8210 Sec. Corner.

North Bet. 29x30 Var. 7°E.

1500 Enter Swamp
 2500 Leave Swamp
 4000 Set 1/4 Post | Sugar 18N 58E 6
 " 12N 81W 8
 4600 Enter Swamp
 6200 Leave Swamp
 8000 Cor. Sec. 19-20-29-30 | Sugar 12N 7W 10
 W. Pine 24S 29E 8

East Random bet. 20x29 Var. 6°40'E

7940 Fell 10 south of Post.

Corrected West

1100 Stream 15N

3990 Set 1/4 Post | Hem. 15N 10W 20
 " 12S 20W 12
 Sugar 12S 46W 28

9940 Sec. Corner

West Random bet. 19x30 Var 7°E

8230 Fell 15 South of Post.

Corrected East.

2900 Leave Swamp

4230 Set 1/4 Post | Birch 15N 30E 30
 " 72S 41W 28

5500 Enter Swamp

6000 Leave Swamp.

8730 Sec. Corner.

North bet. 19x20 Var. 7°E.

3000 Enter Swamp
 4000 Set 1/4 Post | Cedar 15S 81E 20 (10)
 Hem 12N 60W 25
 8000 Cor. Sec. 17x19x20 | Tam. 12N 15E 30
 " 8N 60W 18

East Random bet. 17x20 Var 6°40'E.

7950 Fell 30N of Post.

Corrected West.

3975 Set 1/4 Post | Lind 10S 45W 10
 Elm. 20N 31E 40

4900 Enter Swamp

7950 Sec. Corner.

West Random bet. 18x19 Var 6°30'E

8190 Range line 78 South of Post.

Corrected East.

275 Stream 10 NW

2500 Enter Swamp

4190 Set 1/4 Post | Tam 10-40W 8
 " 12S 15E 10

8190 Sec. Corner.

North bet. 17 & 18 Var. 7° E.

4000 Set 1/4 Post | Hem 105 13 E 13' 0k.
| Birch 20 N 29 W 33

5200 Leave Swamp.

6475 Stream 20 E

8000 Corner Sec. 7-8-17-18 | Spr. 125 60 E 5
| Tam 14 N 47 W 30

East Random bet. 8 & 17 Var 6° 30' E

7910 Fell 100 North of Post.

Corrected West.

3955 Set 1/4 Post. | Tam 10 N 32 E 5
| " 85 66 W 4

7910 Sec. corner.

West Random bet. 7 & 18 Var. 6° E.

8175 Fell 60 south of Post.

Corrected East.

2000 Enter Swamp.

4175 Set 1/4 Post | Fir 65 53 W 12
| Tam 12 N 52 E 15

6150 Leave Swamp

8175 Sec. Corner.

North bet. 7 & 8 Var. 7° 10' E.

4000 Set 1/4 Post. | Birch 125 75 W 22
| Fir 10 N 25 E 30

6300 Enter Swamp

8000 Cor. Sec. 5-6-7-8 | Tam. 14 N 43 E 15
" 12 N 45 W 23

East Random bet. 5 & 8 Var 6° E.

7950 Fell 44 South of Post.

Corrected West.

3975 Set 1/4 Post | Sugar 125 40 W 20
| Spruce 12 N 37 E 18

4125 Enter Swamp

7950 Sec. Corner

West Random bet. 6 & 7 Var 6° 30' E

8200 Fell on the Post.

Corrected East.

550 Leave Swamp

3000 Enter Swamp

4000 Leave Swamp

4200 Set 1/4 Post | Lind 8 N 31 W 30
| Fir 65 65 E 33

5500 Leave down timber & enter Swamp

8200 Sec. corner.

North Random bet. 5x6 Var 7°E

7982 fell 90 East of Post.

Corrected South

3300 Enter Swamp

3400 Stream 10 SE.

3982 Set 1/4 Post. | Tam 15N 75E 20
" 20S 87W 32

7982 Cor. Sec 5-6-78

Bet. Townships 34x35 N R 10 E.

West bet. 1x36 Var. 6°40'E.

4000 Set 1/4 Post. | Sugar 85 40W 10
" 10N 50W 25

8000 Cor. Sec. 1-2-35-36

Sugar 8N 54W 57 | Linden 23S 30E 7
" 20N 20E 28 | Hem. 10S. 40W 11

West. bet. 2x35 Var. 6°23'E.

800 Enter Tam. Swamp

3650 Leave Tam. Swamp

4000 Set 1/4 Post ~~Cor. Sec. 2-3-34-35~~
| Sugar 10N 10E 12
| Sugar 12S 35W 50

8000 Set Post Cor. Sec. 2-3-34-35

Tam 7N 14W 10 | Hem. 8S 11E 18
Fir 14N 75E 22 | Aspen 9S 50W 17

West Bet 3x34 Var 6°50'E.

700 Enter Tam Swamp N-S

4000 Set 1/4 Post | Pine 10S 20W 10
| Birch 8N 5E 6

4650 Leave Swamp NE

8000 Cor. Sec. 3-4-33-34 | Sugar 20N 45W 8
| Hem. 10N 43E 18
" 8S 12E 47
| Fir 6S 50W 20

West bet 4433 Var. 6°30'E.

950 Enter Tam. Swamp NW
 1975 Creek 10 NW
 4000 Set 1/4 Post. | Hem 12S 15E
 " 10N 17E 10
 4900 Leave swamp NE.
 8000 Cor. Sec. 4-5-32-33 |
 Sugar 7N 47W 6 | Aspen 14S 32E 28
 Aspen 9N 10E 28 | " 12S 51W 17

West bet. 5432 Var 7°15'E.

4000 Set 1/4 Post | Pine 20S 73E 10
 4300 Enter Swamp | Tam 12N 45W 7
 8000 Cor. Sec. 5-6-31-32
 Spr. 10N 60W 80 | Tam 10S 15E 40
 Tam. 8N 30E 25 | " 8S 15W 15

East bet. 6431 Var 7°20'E.

4000 Set 1/4 Post | Tam 6S 15W 75
 6900 Leave Tam Swamp | " 7N 30W 80
 8211 Range line 103S of temp Post & Set Post
 Cor. Townships 34x35 N Ranges 9x10 E.
 Pine 10S 55W 29 | Fir 12N 83E 27
 Fir 10N 26W 31 | Spr 9S 25E 17

Bet. Townships 35x36 N Range 10 E.

West bet. 1436 Var. 6°30'E
 4000 Set 1/4 Post | Pine 10N 30W 15
 Spr. 8S 10W 10
 8000 Set Post Cor Sec 1-2-35-36
 Pine 6N 15W 15 | Spr. 6S 60E 20
 Fir 8N 55E 15 | Oak 12S 60W 10

West bet. 2435 Var 6°E.

1000 Enter Tam Swamp.
 2600 Leave Tam Swamp
 4000 Set 1/4 Post | Birch 12N 30W 8
 5400 Enter Cedar Swamp Sugar 10S 70W 15
 8000 Set Post Cor. Sec. 2-3-34-35
 Birch N 5W 14 | Cedar 10S 75E 20
 Cedar N 30E 12 | " 12S 55W 14

West bet 3434 Var 6°10'E.

2550 Leave Cedar Swamp
 4000 Set 1/4 Post | Spr. 8S 30E 17
 4050 Creek 70 NE. | " 6N 20E 25
 8000 Cor. Sec. 3-4-33-34
 Pine 16N 85W 85 | Birch 5S 30E 17
 Aspen 15N 33E 75 | Spr. 6S 45W 65

West bet 4433 var 6°05'E.

4000 Set 1/4 Post | Y Pine 12N 31W 932

5100 Enter Tam Swamp. | no others Near

8000 Set Post Cor. Sec. 4-5-32-33

Tam 10S 20W 10 | Tam 8N 87E 70

" 5S 65E 30 | " 7N 55W 35

West bet 5432 Var 6°6.30'E

4000 Set 1/4 Post | Cedar 14S 50W 20

" 10N 5E 12

8000 Set Post Cor Sec. 5-6-31-32

Spr 10N 45W 12 | Spr 8S 48E 15

" 7N 50E 11 | " 8S 75W 20

West bet 6431 Var 6°15'E

3050 Leave cedar Swamp

4000 Set 1/4 Post | Aspen 16S 20W 20

4500 Enter Tam Swamp. | " 12N 20W 25

5117 Range line 1105 of Temp corners & Set Post

Corner to Townships 35+36N Ranges 9+10E

Tam 7N 40W 13

" 6N 70E 6

" 7N 60E 7

" 8N 75W 17

Township 35N bet. Ranges 9+10E.

North bet 31+36 Var 7°10'E.

4000 Set 1/4 Post | Tam 7S 70E 9

7500 Enter Cedar Sw. | " 10S 80W 10

8000 Set Post corner 25-30-31-36

Cedar 10S 42E 12 | Cedar 7N 30W 8

" 8S 40W 9 | Birch 9N 20E 20

North bet 25+30 Var. 7°E

900 Leave Cedar Swamp.

1500 Enter Tam Swamp

4000 Set 1/4 Post | Cedar 8S 85E 10

Hem. 7N 80W 12

8000 Cor. 19-24-25-30 | Tam 5S 80W 9

" 8N 30W 20

Spr. 10N 60E 30

Tam 8S 55E 25

West(?) bet. 19+24 Var 7°E

2000 Leave Swamp.

4000 Set 1/4 Post | Tam 10S 80E 5

" 12N 80W 15

8000 Set Post Cor. Sec 13-18-19-24

Birch 10N 86W 50 | Fir 8S 70E 75

" 10S 35W 45 | Pine 13N 72E 300

North bet. 13 & 18 Var. 7° E.

450 Enter Tam Swamp.
 1725 Brook 10 SE.
 4000 Set 1/4 Post | Tam. 10N 65W 11
 7000 Leave Swamp. | " 9S 53E 14
 8000 Cor. Sec 7 & 12 - 13 - 18
 Sugar 7N 55E 10 | Sugar 15S 80W 30
 Birch 30S 35E 20 | Lind 14N 35W 25

North bet. 7 & 12 Var 7° E.

2100 Enter Tam. Swamp
 4000 Set 1/4 Post | Hem 12N 45E 5
 " 9N 20E 12
 Set Post Cor. Sec 1-6-7-12
 8000 Spr. 7N 35W 18 | Tam. 8S 55E 18
 Cedar 9S 90W 12 | Spr. 9N 20E 12
 North bet. 14 & 6 Var. 7° E.

2000 Leave Tam Swamp.
 4000 Set 1/4 Post | Hem. 20S 60E 10
 5500 Enter Tam. Swamp. | " 10S 60W 12
 7890 Set Post Cor. Townships 35 & 36 Ranges 9 & 10 E
 Tam 8S 75W 12 | Tam 6N 70E 6
 " 7N 40W 13 | " 7S 60E 7

Township 35N bet. Ranges 10 & 11 E

North bet 31 & 36 Var 6° 50' E.

2050 Enter Cedar Swamp.
 4000 Set 1/4 Post | Cedar 10N 65W 5
 Birch 12S 86E 7
 8000 Cor Sec 25-30-31-36
 Tam 10S 67W 8 | Tam 10N 57E 11
 " 10N 29W 10 | " 8S 79E 12

North bet. 25 & 30 Var 7° E.

4000 Set 1/4 Post | Tam 6S 45W 10
 5050 Leave Swamp. | " 10S 47E 19
 6416 Lake & Set Meander | Aspen 12S 44E 13
 W. Pine 10S 62W 19
 8000 Sec Corner in Lake

North bet. 19 & 24 Var -
 Line all in Lake

North bet. 13 & 18 Var 7° E.

1846 Over Lake and	Red Oak 6N 31E 13
Set meander	Aspen 6N 52W 24
3000 Enter Tam Swamp	Tam. 10N 43E 27
4000 Set 1/4 Post	" 12 S 67E 19
8000 Corner Sec. 7-12-13-18	

Tam 10 84W 10	Tam 10 57E 25
" 12 49W 56	" 10 73E 12

North bet. 7 & 12 Var 8° E.

3450 Leave Swamp.	
4000 Set 1/4 Post.	Maple 10N 64W 14
4300 Enter Windfall	Sugar 8N 7E 12
6700 Leave Windfall	
8000 Cor. Sec 1-6-7-12	

Birch 10 S 60W 14	Birch 10 N 25E 12
Sugar 6N 37W 12	Fir 10 S 27E 30

North bet. 1 & 6 Var 7° 25' E.

4000 Set 1/4 Post	Birch 10 N 73W 9
	Hem. 6 S 31E 5

7664 Set Post Cor Townships 35 & 36 Ranges 10 & 11 E

Birch 10 S 20W 10	Birch 12 N 20E 20
" 10 N 10W 6	Pine 8 S 50E 18


Set Post Cor. to Townships 34 & 35 N
Ranges 10 & 11 E

Birch 10 S 70W 10
" 8 N 77W 25
Aspen 10 N 50E 6
Fir 10 S 77E 14

This is the S.E. corner of
Township 35 N Range 10 East.

W¹/₂ NE¹/₄ SEC. 5
T 34N-R10E

Township No. 34 N
Range No. 10 E



North bet. 35 & 36 Var. 7°E (7°8'E)

450	Enter Swamp	E-W					
700	Leave Swamp	" "					
1050	Enter Swamp	NE-SW					
1500	Leave Swamp	" "					
4000	Set 1/4 Post.		Aspen	8	N 35	E 11	
7000	Enter Swamp.		Birch	8	S 12	W 10	
8000	Cor. Sec. 25-26-35-36		Pine	6	N 77	W 7	
			Tam	6	N 22	W 8	
			"	6	-	-	
			"	10	-	-	
	East on Rand bet 25-36						
	(Var. 7°20'E)						
4000	Set temp 1/4 Post						
8080	Fell 33 North of Post.						
	West Corrected (88°47')						
2150	Leave Swamp	N-S					
3400	Enter Cedar Swamp	N-S					
4040	Set 1/4 Post		Ash	8	S 21	W 4	
4300	Stream	8 NW					
4400	Leave Swamp	N-S	Aspen	8	N 21	E 5	
7400	Enter Swamp	N-S					
8080	Cor Sec. 25-26-35-36						

North bet. 25 & 26 Var 7°E

1000	Leave Swamp	E-W					
2100	Enter Swamp	E-W					
4000	Set 1/4 Post		Tam	4	N 12	W 15	
5300	Leave Swamp	E-W	"	5	S 36	E 47	
7200	Enter Swamp	NE SW					
8000	Cor Sec 23-24-25-26		Tam	6	N 33	E 15	
	(Tam 5----- Tam 7-----)		"	4	S 70	W 71	

(N89°33')

East on Rand bet. 24 & 25 Var 7°3'E

4000	Set temp 1/4 Post						
8080	Fell 63 N. of Post.						
	Corrected West 7°30'E						
1000	Enter Cedar Swamp	N-S					
2000	Stream	15 N					
3000	Leave Swamp	N-S					
4040	Set 1/4 Post.		Birch	18	N 30	W 40	
			Hem	7	S 56	E 20	
7050	Enter Swamp	N-S					
8080	See Corner						
	(Oct 5, '64)						

North bet 23x24 Var. 7°E.

2400	Leave Swamp NW-SE				
3700	Enter Swamp E-W				
4000	Set 1/4 Post	} Tam	7	S	38 W 12
8000	Cor. Sec 13-14-23-24		"	10	N 78 E 18
	{ Tam 12 S 77 E 12		"	7	- - - -
	" 10 N 56 W 16	"	7	- - - -	

N 89° 33'

East Hand bet 13x24 Var. 7°E

8080 fell 43 S. of Post.

589° 57' Corrected West Var 7°E

1450 Enter Swamp NW-SE.

4040	Set 1/4 Post	} Tam	8	N	6 W 39
	"		"	8	N 78 E 32

8080 Sec. Corner

North bet. 13x14 Var. 7°E.

4000	Set 1/4 Post.	} Cedar	12	S	11 E 8
	"		"	8	N 85 W 12
5300	Leave same Swamp NE-sw	Cedar	12	S	33 E 12
8000	Cor. Sec 11-12-13-14	} Fir	8	N	70 W 50
	"		Hem	18	N 18 E 18
	Oct. 6, '64	"	10	- - - -	

N 89° 033'

East Hand bet. 12x13 Var 7°E

4000 Set Temp. 1/4 Post at Average dist.

8070 fell 23 N. of Post

589° 43' Corrected West Var 7°E

1000 Enter Swamp NW-SE.

3800 Leave Swamp NE-sw

4035	set 1/4 Post	} Hem	9	S	30 W 25
	"		Birch	10	N 69 W 10

8070 Sec. Corner

35-9

North Bet. 34+35 Var. 7°20'E.

4000	1/4 Post set	}	Hem	10	S	37	W	8	
4350	Enter Tam. Swamp E-W		"	12	S	69	E	17	
4950	Leave Tam. Swamp " "								
6650	Enter Tam. Swamp NE-SW								
7750	Leave Tam. Swamp. " "								
8000	Cor. Sec. 26-27-34-35	}	Birch	8	N	36	W	10	
			"	8	S	84.5	E	10	
			"	5	-	-	-	-	-
			Hem	6	-	-	-	-	-

N 89° 33'

East Rand. bet. 26+35 Var 7°30'E.

8000 fell 63 N. of Post

Corrected West. (on True line Var 7°20'E)

500 Leave Swamp N-S.

3425 Enter Tam. Swamp N-S

4000 Set 1/4 Post.

}	Tam	6	S	2 1/2	W	12
	"	4	N	30	E	18

6150 Leave Swamp N-S

6450 Enter Swamp. " "

6700 Leave Swamp " "

8000 Sec. Corner.

35-9.

North bet. 26+27 Var 7°20'E.

4000	Set 1/4 Post.	}	W. Ash	4	N	55	W	5	
			Sugar	17	N	66	E	16	
4600	Tam. Swamp NE-SW								
5200	Leave Tam. Swamp " "								
8000	Cor. Sec. 22-23-26-27	}	Hem	8	N	30	E	8	
			Sugar	15	N	15 1/2	W	15	
			Hem	8	-	-	-	-	-
			"	6	-	-	-	-	-

N 89° 33'

East Rand. bet 23+26 Var. 7°20'E.

8020 fell 63 N. of Post

Corrected West on true line Var. 7°20'.

740 Leave Swamp NE-SW

3680 Enter Swamp N-S

4000 Leave Swamp. " "

4010 Set 1/4 Post.

}	Tam	3	S	70	W	49
	"	4	N	71	E	43

8020 Cor. Sec. 22-23-26-27

Oct. 9, '64

35-9.

North bet. 22x23 Var. 7°20'E.

2300 Enter Cedar Swamp. E-W.

4000 Set 1/4 Post. | Tam 45 33 1/2 W 30
" 85 74 E 25

4400 Leave Swamp E-W

6800 Enter Tam. Swamp NE-SW

7500 Leave Tam Swamp. " "

8000 Cor. Sec. 14-15-22-23 | Pine 18 N 72 W 15

Birch 10----Tam 12---- | Birch 15 N 45 E 38

N^{89°33'}

East Random bet. 14x23 Var. 7°20'E

4000 Set Temp 1/4 Post.

8040 fell 13 N. of Post.

S^{89°33'}

Corrected West Var 7°20' E

1250 Stream 8 N

1500 Leave Swamp. N-S.

3800 Enter Tam Swamp N-S.

4020 Set 1/4 Post - | Spr. 11 N 66 W 16
| Tam 12 N 27 W 35

6000 Leave Swamp N-S

8000 Cor. Sec. 14-15-22-23

North bet. 14x15 Var. 7°10'E.

2000 Enter Cedar & Tam Swamp NW-SE.

4000 Set 1/4 Post | Tam 10 S 69 E 16 *
" 12 N 75 W 12

8000 Cor. Sec. 10-11-14-15 | Tam 8 S 35 W 18

Tam. 6----Tam 6.... | " 10 N 22 E 11

N^{89°33'}

East Random bet. 11x14 Var. 8° E.

8074 fell 63 North of Corner.

Corrected West on True line Var. 8° E.

575 Enter Swamp N-S

4037 Set 1/4 Post. | Tam 8 N 27 E 36
" 4 S 13 1/2 W 6

6000 Stream 60 N

8074 Cor. Sec 10-11-14-15 | X

* While deer hunting I found an orig. cor. just S. of Creek, on E edge old winter road which crosses on old corduroy bridge.

A post 12 or 15 yrs old, and old B.T on Tam NE about 10 lks ±. Did not have notes.

(D.H.V.?)

35-9

North bet. 10x11. Var $7^{\circ}10'E$.

- 450 stream 30 west.
 4000 Set $\frac{1}{4}$ Post | Tam $7N42E40$
 " $6S12W17$
 5500 Leave Swamp. E-W
 6500 Enter Swamp. E-W
 8000 Cor. Sec. 2-3-10-11 | Tam ~~$8S30W15$~~
 " $7N42E30$
 Tam. 5----Tam. 6----

East Rand. bet 2x11 Var. $8^{\circ}E$.

- 8060 fell 53N of Post.
 $589^{\circ}56'$ Corrected West - Var $8^{\circ}E$.
 4030 $\frac{1}{4}$ Post. | Tam. $6S65E8$
 " $6N61W50$
 8060 Sec. corner.

North Rand. bet. 2x3 Var. $7^{\circ}10'E$.

- 8010 fell 10 w. of Post
 $50^{\circ}4'W$ Corrected South Var. $7^{\circ}10'E$.
 3700 Enter Tam. Swamp. E-W
 4000 Set $\frac{1}{4}$ Post. | Hem $10S58E6$
 " Pine $18N58W23$
 4600 Enter Tam. Swamp. E-W
 8010 Sec. Corner.

35-9.

North bet 33x34 Var. $7^{\circ}10'E$.

- 4000 Set $\frac{1}{4}$ Post. | Birch $16N71\frac{1}{2}E2$
 " Ironwood $8N28W16$
 4240 Indian Trail NE-SW
 4250 Lake
 Offset ^{west.} 13.50 ch 1150 Backset 3.50 ch E.
 5400 Dist across 11.50 ch
 7950 Marsh NW-SE.
 8000 Cor. Sec. 27-28-33-34 | Pine $14S37W75$
 " $8S27E60$
 No other Near.

 $N89^{\circ}33'$ East Rand. bet. 27x34 Var $7^{\circ}20'E$.

- 8040 fell 23N. of Post
 $589^{\circ}43'$ Corrected West.
 850 Tam. Swamp. NE-SW
 2000 Leave Tam Swamp.
 3000 Enter Swamp NW-SE.
 4020 Set $\frac{1}{4}$ Post | Tam $5S52W7$
 " $4N4W15$
 7000 leave Swamp ^{N-3} | " $4N4W15$
 7800 Enter Swamp NE-SW
 8000 Sec. Corner.

North bet. 27x28 Var. 7°E.

- 700 Leave Marsh E-W.
- 4000 Set 1/4 Post. | Tam 6 E - 28
- 4020 Enter Tam Swamp E-W | Pine 20 W - 48
- 6750 Lake & Set Meander | Tam 7 S 50 E 110
" 6 S 60 W 110
- Offset W. 1000 ch, Thence N 1000 ch, Thence E 1000 ch
- 7750 Over Lake & Set Meander | Birch 12 N 24 E 50
Spr. 7 N 9 W 55
- 8000 Cor. Sec. 21-22-27-28. | Sugar 6 N 39 E 10
Tam. 12 --- Pine 10 --- | Birch 12 S 42 W 39

^{N 89° 33'} East Rand bet. 22x27 Var. 7°20'E.

8038 fell 63 N of Post.

Corrected West. on True line Var. 7°20'E.

- 2000 Enter Tam. Swamp N-S.
- 2800 Leave Tam. Swamp. N-S.
- 4019 Set 1/4 Post | Hem. 10 N 9 E 10
" 12 S 35 E 17
- 4814 Lake & Set Meander | Tam 6 S 8 E 50
" 7 N 7 S E 65

Offset N 1000 ch, Then W 2974, Then S 1000 ch

- 7788 Set meander on } Tam. 15 N 79 E 38
W. Shore of Lake } " 8 S 65 W 35
- 8038 Sec. Corner.

North bet. 21x22 Var. 7°E.

- 3000 Enter Cedar Swamp. E-W.
- 3600 Stream 8 W.
- 4000 Set 1/4 Post. | Cedar 12 S 44 W 8
" 10 N 49 E 14
- 8000 Cor. 15-16-21-22 | Cedar 10 N 33 E 17
Cedar 7-Tam. 8 | " 6 S 8 W 18

^{N 89° 33'} East Rand bet 15x22 Var. 7°20'E.

8042 fell 23 N of Post

^{S 89° 43'} Corrected West

- 1420 Enter Swamp N-S.
- 4021 Set 1/4 Post | W. Ash. 7 S 25 W 4
Cedar 10 N 38 E 7
- 8042 Sec. Corner.

North bet. 15x16 Var. 7°E.

- 1500 Leave Swamp. NE-SW.
 3200 Enter Cedar Swamp E-W.
 4000 Set 1/4 Post. } Cedar 7 S 23 E 7
 } Tam 10 S 60 W 4.
 8000 Cor. 9-10-15-16 } Spr. 7 N 47 E 25
 } Tam. 6. Tam 5. } Tam. 8 S 51 W 6

N 89° 33'

East Rand. bet. 10x15 Var. 7° 20' E.

8042 fell 63 N. of Post.

Corrected West. True line Var. 7° 20'

- 600 Stream 40 SE.
 1115 " 40 NW
 1800 " 40 SW
 3500 " 40 NW
 4071 Set 1/4 Post. } Tam. 8 N 2 E 7
 } Fir 6 S 3 E 16
 6750 Leave Swamp. N-S.
 7450 Enter Swamp. N-S.
 8042 Sec. Corner

Oct. 17, '64

North bet. 9x10 Var. 7° 10' E

- 300 Leave Swamp. E-W.
 950 Stream 50 W.
 1000 Leave Swamp. E-W.
 4000 Set 1/4 Post } Maple 7 S 48 E 12
 } Birch 6 S 69 W 10
 4500 Enter Swamp NE-SW.
 7300 Leave Swamp E-W.
 8000 Cor 3-4-9-10 } Birch 10 S 54 W 10
 } W. Pine 7 --- Aspens --- Hem. 9 N 53 1/2 E ---

N 89° 33'

East Rand bet. 3x10 Var. 7° 20' E

8030 fell 63 N. of Post.

Corrected West. Var. 7° 20'

- 4015 Set 1/4 Post } Tam. 6 S 68 E 48
 } " 7 N 75 E 54.
 5500 Leave Swamp. NE-SW.
 6100 Enter Swamp. N-S
 6450 Leave Swamp. N-S
 8030 Sec. Corner.

35-9.

North Rand bet. 3+4 Var. 7°E.

8090 Fell 20 E. of Post.

Corrected South (S 8°E Var)

4090 Set 1/4 Post. } W. Pine 8 55 SW 8

" 7 S 33 E 25

4800 Leave Swamp. E-W.

6800 Enter Swamp. E-W.

7800 Leave Swamp.

8090 Cor. 3-1-9-10

Oct. 19, '64.

35-9

North bet. 32+33 Var. 7°10'E

450 Enter Open Marsh NE-SW.

1000 Leave Marsh

4000 Set 1/4 Post. } Sugar 12 N 70 W 25

" 13 N 86 E 8

8000 Cor. 28-29-32-33 } Sugar 12 N 47 E 12

" 15 S 47 W 25

Lind 10 ---- Sugar 16 ----

N 89° 33'

East Rand bet. 28+33 Var. 7°20'

4000 Set temp. 1/4 Post.

8048 Fell 63 N of Post.

Corrected West. True line Var. 7°20'

340 Leave Marsh NE-SW.

640 Enter " N-S.

1100 Leave Marsh N-S.

4024 Set 1/4 Post. } Sugar 12 N 3 W 28

Fir 7 S 21 W 7

8048 Back to Corner.

North Bet. 28 x 29 Var $7^{\circ}10'E$.

4000 Set $\frac{1}{4}$ Post. } Birch 12 N $6\frac{1}{2}E$ 10
" 10 S $15\frac{1}{2}W$ 12

8000 Cor. 20, 21, 28, 29. } Lind 22 N $8E$ 55

Sugar 26. Sugar 16. } Sugar 15 S $35W$ 32

Oct. 21, '64

$N89^{\circ}33'$

East Rand. bet 21 x 28 Var. $7^{\circ}20'$

4000 Set $\frac{1}{4}$ Post (Temp.)

8040 fell 39 N. of Post.

Corrected West var. $7^{\circ}20'$

4020 Set. $\frac{1}{4}$ Post } Hem. 7 S $15W$ 12

} Sugar 10 N $37W$ 30

8040 Cor 20-21-28-29.

North bet. 20 x 21 Var. $7^{\circ}10'E$.

4000 Set $\frac{1}{4}$ Post. } Hem. 12 S $62E$ 21
Cedar 7 N $63W$ 10

4050 Enter Cedar Swamp. E-W.

6400 Stream 20 SW x Leave Swamp.

8000 Cor. 16-17-20-21 } Pine 20 S $60E$ 13

Pine 20... Birch 12... } " 20 N $60W$ 25

$N89^{\circ}33'$

East Rand. bet. 16 x 21 Var. $7^{\circ}10'$

8000 fell 56 N. of Post

$S89^{\circ}57'$ Corrected West.

3500 Leave Swamp. NE-SW.

4000 Set $\frac{1}{4}$ Post } Sugar 18 N $25E$ 15

} Pine 20 S $26E$ 16

8000 Sec. Corner

North bet. 16 & 17 Var. 7°10'E

- 3700 Enter Tam. Swamp E-W.
 4000 Set 1/4 Post. | Tam. 12N 32 1/2 W 10
 " 9 S 32 E 9
 4300 Leave Swamp. E-W.
 4300 Open Swamp. E-W.
 6600 Leave Swamp. E-W
 7000 Stream 50 E.
 7850 Enter Cedar Swamp E-W.
 8000 Cor. 8-9-16-17 | Cedar 18N 20E 15
 Cedar 6 Cedar 22 | " 20 S 30 W 17

N89°33'

East Rand. bet. 9 & 16 Var. 7°10'E

- 8040 Fell 83 N of Post.
 N89°52' Corrected West.
 4070 Set 1/4 Post | Tam 8N 20W 20
 Spr. 8 S 5 E 3
 7400 Stream 50 N
 8040 Sec. Cor

Oct. 23, '64.

North bet. 8 & 9 Var. 7°10'E.

- 1500 Stream 50 NW
 2000 Same Stream NE.
 3000 Same Stream N.W.
 4000 Set 1/4 Post. | Spr. 10 S 8 1/2 E 10
 " 12 N 8 1/2 W 9
 5500 Stream 50 NE.
 6300 Stream 50 W
 6500 Stream 40 W Leave Marsh E-W.
 8000 Cor. 4-5-8-9 | Sugar 16 N 40 W 6
 Birch 20 Sugar 22 Birch 27 S 17 E 27

N89°33'

East Rand. bet. 4 & 9 Var. 7°10'E.

- 8070 Fell 63 N. of Post.
 Corrected West True Line
 800 Enter Tam. Swamp N-S.
 2800 Leave Tam Swamp. " "
 4010 Set 1/4 Post. | Aspen 8 S 58 E 7
 Y. Pine 56 N 64 E 38
 4400 Enter Swamp N-S
 5100 Leave Swamp " "
 6600 Enter Swamp " "
 7100 Leave Swamp " "
 8070 Sec. Corner.

North Rand bet 4x5 Var. 7°10'E

710 Hit 1/4 Post (Dama lie)

Corrected South True line

700 Leave Swamp. NE-SW

1400 Enter Swamp. E-W.

4110 Set 1/4 Post. | Tam 85 30 W 33
" 7 S 42 E 44

7000 Leave Swamp. NW-SE.

8175 Sec. Corner.

Oct. 24, '64

North bet. 31x32 Var. 7°10'E

1900 Enter open Marsh E-1.

3400 Leave open Marsh " "

4000 Set 1/4 Post. | Ironwood 8 N 70 E 6
" 7 S 70 W 7
~~6 S 82 W 25~~

8000 Cor. 29-30-31-32 | Birch 6 N 71 E 18

W.P. 10 — Birch 12 — " 6 S 80 W 25

189°33'

East Rand bet 29x32 Var. 8°20'E

8050 Fell 63 N of Post.

Corrected West. True line 8°20'

4025 Set 1/4 Post | W. Birch 10 S 65 W 12

" 10 N 62 W 25

8050 Sec. Corner.

589°033'

West Rand bet. 30x31 Var. 8°10'E

8200 Fell 35 S. of Post.

189°16' Corrected East Var. 8°10'E.

3950 Enter Marsh N-S.

4200 Set 1/4 Post. | Birch 10 N 12 W 18

4400 Leave Marsh N-S. | " 10 S 12 E 26

4800 Enter Marsh N-S

5200 Leave Marsh "

7700 Enter Marsh "

8000 Leave Marsh "

8280 Sec. Corner.

North bet. 29x30 Var. 7°20'E.

900 W. Pine 20
 4000 Set 1/4 Post. | Sugar 15 N48W 18
 " 15 S47E 23
 8000 Set Post to 19-20-29-30 | Ironwood 10 N26E 25
 " 8 S 59W 26
 Oct. 26, 64

East Rand bet. 20x29 Var. 7°20'E.

8000 fell 63 N of Post.

Corrected West. True line 7°20'

4000 Set 1/4 Post | Sugar 12 S 38 1/2 W 8
 Hem 6 N 20 E 13
 8000 Sec. Corner.

^{589°33'}
 West Rand bet. 19x30 Var. 8°10'E

8210 fell 103 S. of Post.

^{589°43'}
 Corrected East.

4210 Set 1/4 Post | Hem 8 S 26 W 8
 " 12 N 28 E 32

4700 Enter Marsh N-S

5100 Leave Marsh "

8210 Sec Corner.

North bet. 19x20 Var 7°20'E

1400 Enter Cedar + Tam. Swamp NE-SW.
 1900 Leave Cedar + Tam. Swamp. " "
 4000 Set 1/4 Post. | Hem. 10 N 81 E 9
 5100 Enter Swamp E-W. " 7 S 81 W 8
 5900 Leave Swamp "
 8000 Cor. 17-18-19-20. | Birch 12 N 21 E 26
 W Birch 12 - - - | Sugar 10 S 31 W 26

^{589°33'}
 East Rand bet. 17x20 Var. 7°20'E.

8000 fell 43 N of Post.

^{589°52'}
 Corrected West.

950 Stream 30 N.
 3200 Enter Swamp. N-S
 4000 Set 1/4 Post. | Fir 12 N 43 E 12
 5300 Stream 8 N | Tam 13 S 60 E 10
 5500 Leave Swamp. N-S.
 8000 Sec. Corner.

^{589°33'}
 West Rand bet. 18x19 Var. 8°10'E.

8185 fell 63 N. of Post.

Corrected East.

400 Pelican River + Jenni Bull Road N-S
 4185 Set 1/4 Post. | Birch 12 N 12 E 10
 " 16 S 3 W 19
 8185 Sec. Corner.

North bet. 17 & 18 Var. 7°10'E

1500 Enter Cedar & Tam. Swamp. E-W.

3500 Tam. 24"

4000 Set 1/4 Post. | Cedar 13 N 22 E 8

6900 Leave Swamp E-W | " 10 N 70 W 15

7900 Enter Cedar Swamp. E-W.

8000 Cor. 7-8-17-18 | Cedar 9 N 71 E 50

Cedar 12 - Cedar 11 - | " 10 S 42 W 55

^{NS⁰³³} East Rand bet. 8 & 17 Var. 7°10'E

8000 Fell 63 N of Post. :: Corrected West. True line

2250 Leave Swamp. NW-SE.

3400 Enter Cedar Swamp Bears round.

4020 Set 1/4 Post. | Cedar 13 S 25

4600 Leave Swamp N-S. | " 15 N 30 W 30

5500 Enter Swamp. NE-SW.

8040 Sec. Corner

Oct. 29, '64

^{SS⁰³³} West Rand bet. 7 & 18 Var. 8°10'E8200 fell 93 S. of Post. :: Corrected East ^{SS⁰⁴⁶}

2000 Leave Swamp NW-SE.

4220 Set 1/4 Post | Spr. 7 N 34 E 25

+ Leave Swamp. | Maple 8 S 12 W 10

5700 Enter Swamp. N-S

6700 Leave Swamp. "

7200 Enter Swamp. NW-SE.

8220 Sec. Corner.

North bet 7 & 8 Var. 7°20'E.

4000 Set 1/4 Post. | Tam. 9 S 60 W 17

7300 Leave Swamp. E-W. | " 7 S 80 E 10

8000 Cor 56-7-8.

Fir 12 -- Hem 9 --

W-Pine	18 S 20 E 19
MAPLE	10 B 25 W 10 - STUMP
Hem	16 N 22 E 23 1/2 STUMP
ASPE	13 S 37 E 28 STUMP

^{NS⁰³³}

East Rand. bet 5 & 8 Var. 7°10'E.

8044 fell 935 of Post. :: Corrected West. ^{SS⁷⁰⁴⁷}

2350 Stream 50 NW.

4022 Set 1/4 Post. | W.P. Stump. 30 N 27 1/2 W 47 1/2

4550 Stream 50 SW | Maple 16 S 63 E 24 1/2

6300 Stream 50 NW

8044 Sec. Corner.

^{SS⁰³³}

West Rand bet. 6 & 7 Var 8°E.

8260 fell 103 S of Post.

^{SS⁰⁴³}

Corrected East.

3050 Open Tam. Swamp. N-S.

3550 Leave Tam. Swamp "

4260 Set 1/4 Post. | Maple 6 N 65 E 10

| Birch. 8 S 65 W 15

7860 Road NE-SW.

8260 Sec. Corner.

North Hand bet. 5 & 6 Var. 7°10'E.

8230 fell 45E of Post.

50°14'E
Corrected South.

2220 Stream 50 W.

4230 Set 1/4 Post. | Birch 12N64W13 (Oak Dec)
Hem. 7N64E15 (1908)

6450 Enter Swamp. NE-SW.

7000 Leave Swamp. N-S.

8230 Sec. Cor. & Road bears NE-SW.

\$

Bet. Towns. 34 & 35 N, Range 9 E.

July, 1859

By H. C. Fellows

West. bet 1 & 36. Var. 7°20'E

4000 Set 1/4 Post. | Pine 8 S 55 W 10

" 16 N 5 E 8

8000 Cor. 1-2-35-36. | Pine 15 N 85 W 18

Sugar 6 N 45 E 18

Spr. 7 N 50 E ~~18~~ 8

Pine 8 S 30 W 8

West. bet. 2 & 35 - Var. 7°20'E

4000 Set 1/4 Post. | Lind 8 N 35 W ----

Hem. 20 S 36 E ----

8000 Cor. 2-3-34-35 | Birch 24 N 85 W 50

Elm. 8 N 20 E 10

Birch 15 S 65 E 70

Sugar 8 S 52 W 65

West bet 3 & 34 Var 7°25'E.

4000 Set 1/4 Post. | Aspen 12 N 5 E 8

Hem. 6 S 45 W 15

8000 Cor 3-4-33-34. | R. Oak. 28 N 82 W 50

Lind 24 N 30 E 9

Sugar 12 S 35 E 16

" 9 S 45 W 12

West bet 4x33 Var. 7°45'E.

4000 Set 1/4 Post. | Birch 7S20W10
 | Sugar 8N12W10
 8000 Cor 4-5-32-33 | Sugar 12N50W35
 | " 11N32E15
 | Aspen 16S62E7
 | Birch 12S69W19

West bet 5x32 Var. 8°E.

4000 Set 1/4 Post. | Birch 10N5W21
 | Sugar 12S12E23
 8000 Cor. 5-6-31-32 | Sugar 7N81W5
 | Birch 8N53E6
 | " 7S14E22
 | " 10S8W5

West bet. 6x31 Var. 8°5'E

4000 Set 1/4 Post | Hem. 7S23W17
 | " 8N38E27
 8112 Range line at Post. | Pine 10S55W29
 | Fir 10N26W31
 | " 10N83E27
 | Spr. 9825E17

S.W. Cor. 35-9E.

| Birch 10S47E74
 | Hem. 12S10W30
 | Birch. 14N65W28
 | " 10N51E15

Township 35N bet. R. 8x9. H.C. Fellows.

North bet. 31x36 Var. 8°25'E.
 2317 Laker Set Meander. | Maple 8S27E18
 | Birch 7S34W27
 4570 Overlaker Set Meander | Pine 14N44W21
 | Hem. 8N83E23
 8000 Cor. 25-30-31-36. | Hem. 6S63W12
 | " 8N35W20
 | Birch. 11N15E11
 | " 7S65E23

North bet. 25x30 Var. 8°25'E

4000 Set 1/4 Post. | Birch 16S32E16
 | Lind. 12N35W15
 8000 Cor 19-24-25-30 | Hem. 8S66W12
 | Birch. 12N65W14
 | Hem. 10N31E16
 | " 7S64E18

North bet. 19x24 Var 8°30'E.

4000 Set 1/4 Post. | Maple 8N65E19
 | Birch. 6S65W7
 8000 Cor 13-18-19-24. | Birch 14S84W25
 | " 10N33W13
 | " 12N35E22
 | Lind. 10S53E15
 | Sugar 26S33W16 1/2

July 3, 1859
 H.C. Fellows

SE. Cor. 35-9E.

North bet. 13x18 Var. $8^{\circ}30'E$.

4000 Set 1/4 Post.

Birch 8N26E5

Hem. 7S30W16

8000 Cor. 7-12-13-18

Birch 12N25E15

Maple 10S70W19

Pine 9N23W25

Birch 10S74E23

North bet. 7x12 Var. $8^{\circ}30'E$.

4000 Set 1/4 Post.

Fir 8S61W7

Aspen 7S74E12

Birch 10S40W20

Sugar. 8N45W10

9N56E6

Aspen. 14S20E7

8000 Cor. 1-6-7-12.

North bet. 1x6 Var. $8^{\circ}25'E$.

500 Enter Windfall

3500 Lake + set Meander. { Tam. 6S70E40

" 8S48W19

4377 Over lake + set Meander Pine 10N73E12

Birch 6N23W19

6500 Leave Windfall

8233 Set Post Cor. Towns 35x36N, R Fx9E.

Birch 12S40W13

" 7N28W9

Sugar. 9N65E20

Pine 11S71E13

Bet. T 35x36 N, R 9 E H.C. Follows-1859

West Bet. 1x36 Var. $6^{\circ}15'E$.

4000 Set 1/4 Post.

Tam. 6S17W12

5700 Leave Tam. Swamp.

" 7N23W5

8000 Cor. 1-2-35-36.

Birch 13N37W14

Hem. 12N12E10

Fir. 6S65E7

Birch. 10S45W12

West bet. 2x35 Var. $6^{\circ}20'E$

1750 Brook 10 SW. Hem. 10S71E23

4000 Set. 1/4 Post. { " 8N35W20

8000 Cor. 2-3-34-35 { Birch 10N35W13

Aspen. 7N37E11

" 12S70E7

Birch. 6S20W10

West bet. 3x34 Var. $7^{\circ}E$.

1200 Enter Tam. Swamp.

3900 Leave Tam. Swamp. Hem 20S35W7

4000 Set 1/4 Post. { " 15N75E10

5450 Enter Tam. Swamp.

7500 Leave Tam. Swamp.

8000 Cor. 3-4-33-34. { Cedar 7N32W7

Birch. 6N50E10

Cedar. 7S45E9

Fir 6S7W6

West bet. 4 & 33. Var. $7^{\circ}35'E$.

- 4400 Enter Cedar Swamp. {
 3800 Leave Cedar Swamp. { Hem. 8 S 10 W 11
 4000 Set 1/4 Post. { Spr. 7 N 8 W 7
 4700 Enter Cedar Swamp.
 6024 Creek 10 NW. { Alder 5 N 37 W 55
 7850 Leave Swamp. { Spr. 9 N 65 E 25
 8000 Cor. 4-5-32-33 { Tam. 7 S 80 E 17
 Spr. 8 S 45 W 15

West bet. 5 & 32. Var. $7^{\circ}30'E$

- 3200 Creek 10 NW.
 3800 Leave Swamp. { Sugar 10 S 10 E 60
 4000 Set 1/4 Post. { Fir 7 N 26 W 7
 4650 Enter Tam. Swamp.
 7600 Leave Tam. Swamp. { Sugar 6 S 12 W 14
 8000 Cor. 5-6-31-32 { Fir 10 N 60 W 9
 Sugar 20 N 70 E 7
 Aspen 17 S 60 E 10

West bet. 6 & 31 Var. $8^{\circ}10'E$.

- 2800 Enter Swamp. { Tam 8 S 60 W 20
 4000 Set 1/4 Post. { Spr 7 N 10 E 35
 6850 Stream 75 NE.
 7800 Leave Swamp. { Birch 7 N 28 W 9
 8269 Fall 233 N. of Temp. Cor. Sugar 9 N 65 E 20
 Established Cor. T 35 & 36 N { Pine 11 S 71 E 13
 Ranges 8 & 9 E. { Birch. 12 S 40 W 13

Town 35N Bet Ranges 8 & 9 E.

Went to cor. 13-18-19-24 Found SE &
SW BT OK but rotten. Set Post & made
new bearing

} Sugar. 26 S 33W 16 1/2

Rm N Var. 40 E.

4000 No 1/4 Post. Trees were cut out. The
trees marked for line U.S. Surveyors
are 40 links west of my line. Have
found them all the way from Cor.

8312 Top of barn at Brazell's Mill

16541 fell 278 E of Cor. ⁶⁻⁷⁻¹²⁻¹ 3 org BT.

Went S & set cor 12-13-7-18

| Hem. 10 S 88 W 77 1/2

| W.P. stamp. 14 S 32 1/2 W 108 1/2

} Set 1/4 Post bet. 6 & 7 - 35-9
" W 1/8 "
" E 1/8 "

35-9

Meanders

Meander of lake in Sec. 27-27-28
 Beg. on E. side at M.C. bet 27+27

- ① Var. 7° 10' E.
- | | | |
|------------|-----|-------------------|
| N 27 1/2 W | 900 | (Sec 27) |
| S 71 W | 450 | |
| N 27 W | 300 | to outlet 50 wide |
| S 55 W | 350 | |
| N 65 W | 600 | |
| S 5 W | 600 | |
| N 75 W | 750 | |
| S 32 W | 665 | To M.C. bet 27+27 |
- ② W. side
- | | | |
|--------|-----|---------------|
| S 36 W | 380 | To M.C. 27+28 |
|--------|-----|---------------|
- ③
- | | | |
|---------------------|-----|------------------|
| S 85 W | 750 | (in Sec 28) |
| S 25 1/2 W | 550 | |
| S 9 E. | 300 | |
| S 70 E | 400 | |
| East 600 | 600 | to M.C. S. shore |
- ④ bet 27+28
- | | | |
|-------------|------|-------------|
| S 85 1/2 E. | 850 | |
| N 70 E | 500 | Var 7° E |
| S 55 E | 750 | (in Sec 27) |
| N 75 E | 1000 | |
| N 30 W | 500 | |

N 63 E 450
 N 20 W 725 to M.C. P.O.B
 Nov. 2, '64

Meander of part of Lake in
 Sec 31. Beg. at M.C. on R.L
 23.17 N of Temp Cor. Thence

- ⑤
- | | | |
|--------|-----|--------------------|
| N 40 E | 850 | |
| N 25 W | 500 | |
| North | 750 | Var. 7° E. |
| N 45 W | 475 | to M.C. on N. side |

⑥ Meander of Lake in Sec. 6 Beg on
 S. side at M.C. on R.L.

- ⑦
- | | | |
|---------|-----|--------------------|
| N 40 E. | 500 | |
| North | 300 | Var. 7° E. |
| N 20 W | 300 | |
| S 30 W | 280 | to M.C. on N. side |

⑧

Meanders of lake in Sec. 19.

Commenced at NW cor of sec.

Run $S54^{\circ}E$ 22 ch. & set a M.C. ^{Var. $7^{\circ}30'E$}

{ R. Oak 10 N35W 12
 " 15 S30W 7

①	S 30 W	500
	S 5 E.	500
	S 40 E.	700
	East.	1500
	N. 80 E.	600
	N 10 W	500
	N 20 E.	500
	N 10 E.	500
	N 30 W	1000
	West.	800
	S 85 W	500
	S 43 W	1200 to P O B ②

Margin of Lake low & wet.

Nov. 3, '64

DEC-13-1937

Mag. 3° E. Decl.

Commencing at the intersection of CT-Q and
the E 1/4 W 1/4 line of Section (9) 29,000 ch. W of E 1/4 Cor.

1 S 110° W - 4.14 ENT. LILLY TANK TRAIL

1 S 65° 30' E - 1.05 - R.R.

1 5.46

1 S 85° 30' E 9.38 NEED TO BE STRAIGHTEN

1 S 71° E 11.36

1 S 57° 30' E 7.24 } turn out

1 S 29° E 2.12

1 S 13° E 1.48 ENT. S-E-W 1/4 L - 688 W of Cor

4.56

1 S 44° 30' E 1.89

1 S 79° 45' E .07 LKS - ENT. SEC. 8 W. 9-10, 4.09 S of 1/4 Cor

5.64

1 N 76° E 2.41

1 S 63° 45' E 6.69 culvert

9.81 straighten

1 S 55° E 2.75 ENT. N 1/3 1/2 L - 11,200 N of Cor

3.91 - STRAIGHTEN

1 S. 79° E 4.25

1 N 78° 30' E 4.44

1 N 61° 30' E 5.02 straighten

1 N 76° E 5.21 ENT. N 1/3 1/4 L - 15.12 N of 1/4 P

5.25

82.74 total distance

1 N 60° 30' E 2.17

1 N 24° E 2.11 - TO CULVERT OVER CREEK

3.12

1 N 43° 30' E 2.70

1 N 67° E .39 LKS - TURN OUT

5.16

1 S 79° E 3.46

1 S 53° E 2.37

1 S 75° E 2.02

1 S 15° E 1.63

1 S 110° W 4.77

1 S 140° E 3.97

1 S 6° W 2.29

1 S 31° E 2.74 ENT. N 1/3 1/4 L, 4.48 N of 1/3 P

7.38

1 S 83° E 2.00 T. OUT

2.72

1 S 72° E .23 ENT. S SEC. L - 5.36 E of 1/5 P BUT 10x15

4.07

1 N 79° 30' E 4.74

1 S 62° E 4.16

1 N 61° 30' E 1.06 - C. of R. - BRIDGE .55 WIDE

1.89 - ENT. N 1/3 1/4 L - BUT 2.3, 15.414, 1.58 39 Cor

3.13

59.86 - TOTAL DISTANCE

Continued

✓ S	87° E	4.53	
✓ S	70° 30' E	1.95	STRAIGHTEN
✓ S	76° E	3.84	ENT-TRUCK TRAIL-GOING SOUTH
		7.06	STRAIGHTEN
✓ S	70° 30' E	2.52	"
✓ S	88° 30' E	2.20	ENT-N+S 1/4 L 4.65 S q Cor
		7.83	Straighten
✓ S	59° E	3.43	T-OUT "
		4.26	"
✓ S	54° E	3.44	"
✓ S	66° 30' E	5.27	"
✓ S	49° 30' E	2.21	ENT-N+S 1/4 L-12.07 S q 1/4 P
		4.61	STRAIGHTEN
✓ S	35° 30' E	3.24	"
✓ S	45° E	3.09	✓
✓ S	62° 30' E	5.18	
✓ S	77° E	3.79	
✓ N	66° 30' E	2.50	
✓ N	55° E	1.84	ENT-N+S 1/4 L 20.14 S q 1/8 P
		1.34	T-OUT
		2.54	
✓ N	88° 30' E	6.53	
✓ N	80° E	3.32	
✓ S	81° E	3.57	

77.63 total distance

Continued

78

✓ S	63° 30' E	6.07	- STRAIGHTEN
✓ N	84° E	.51	Culvert
		.77	ENT-SEC. DWE. S. 13+14-2 N 1/2 P. 2.9.9.0
		5.37	Straighten
✓ S	85° 30' E	9.89	"
✓ N	79° E	4.20	ENT 1/4 L 22.16 S q 1/8 Cor-F-OUT
		5.57	
✓ N	80° E	7.09	
✓ S	85° E	4.06	Culvert
		10.67	
✓ N	78° E	2.29	ENT-N+S 1/4 LINE 21.00 S q 1/4 Cor
		3.97	
✓ N	84° 30' E	6.18	
✓ N	71° E	5.20	
✓ N	46° E	5.58	Culvert
		8.35	ENT. E 1/4 LINE 14.00 S q E 1/4 on N. LINE
		8.48	T-OUT
✓ N	33° E	3.33	STRAIGHTEN
✓ N	68° E	5.39	"
✓ N	60° 30' E	1.95	"
✓ N	67° E	5.13	"
✓ S	75° 30' E	3.90	"
✓ N	83°	4.44	"

93.23 total distance

Continued

54 TRUCK TRAIL

80

✓ N 27° E 16-ENT-R.L. 8.57 S of CORNER 12, 13, 15
1.72 Center Bridge - 8-27' LK. Wide
3.81

✓ N 46° E 10.48

✓ N 75° 30' E 6.41

✓ N 94° E 4.96 - T. OUT

7.64 - ENT. NTS 1/4 L. 3.79 N of 1/8 cor
11.28

✓ N 89° 30' E 17.77 ENT. NTS 1/4 L. 4.16 N of 1/4 P.
24.14 T. OUT

✓ S 98° E 11.41 ENT. E. 1/2 LINE 3.59 N of 1/8 cor
20.83

✓ S 69° 30' E 7.22

✓ S 77° 30' E 1.94 - COR. of 7, 8, 18 & 17 - IN ROAD

S 86° E 8.93 ENT. END of TOWN ROAD - at THE
E. of THE OVERSTAD ROAD

GRAND TOTAL 408.50 - CHS. of Kelly Truck trail

Commencing at the Set. of the 56
Truck Trail at H-16.40, N of corner to
Section 19, 20, 29 & 30.

✓ S 54° E 4.16

✓ S 76° E 4.53

✓ N 33° 30' E 3.14

✓ N 63° E 5.81 Culvert

✓ S 36° 30' E 1.54

✓ S 10° 30' E 4.73

✓ S 2° 30' E 1.64

✓ S 22° E 7.98

✓ S 60° E .16 NTS 1/4 L. 2.85 N of Cor.

✓ . 2.24

✓ S 23° E 3.39

✓ S 50° E 4.96

✓ S 77° 30' E .40 Culvert

4.70

✓ N 86° E 1.83 Culvert

8.31 NTS 1/4 L. 3.47 S of Cor.

8.88

✓ S 86° 30' E 3.50 Culvert

6.66

✓ S 78° E 11.82

CONTINUED

✓ S	78° 30'	E	1.06-INT-N+S ¹ / ₈ L, 4.57 S q cor 6.40
✓ N	59°	E	5.09
✓ N	48°	E	4.43
✓ S	73°	E	6.26-INT-S ¹ / ₈ L, BWT. S 28, 21-2.00 S q cor
✓ N	76°	E	3.39 Culvert
✓ N	55° 30'	E	6.12
✓ N	45°	E	2.42 Culvert 5.09
✓ N	61° 30'	E	2.91
✓ S	78°	E	1.59
✓ S	62°	E	2.52
✓ N	89° 30'	E	1.43-INT-N+S ¹ / ₈ L-5.62 N q cor. 7.28
✓ N	86°	E	6.24
✓ N	58° 30'	E	4.00
✓ N	89°	E	.64 Culvert 4.47-INT-N+S ¹ / ₄ L, 9.00 N q cor. 4.68
✓ N	89°	E	3.17
✓ N	53°	E	4.25

CONTINUED

22

✓ N	77°	E	.49 Culvert 3.00
✓ N	27°	E	1.60 Culvert 3.56
✓ N	88°	E	5.14
✓ S	65° 30'	E	3.26-INT-N+S ¹ / ₈ L, 13.97-N q cor. 5.11
✓ S	50° 30'	E	3.07
✓ S	16°	E	2.56 Culvert 6.53
✓ S	46°	E	3.47 Culvert 6.23
✓ S	85° 30'	E	6.15
✓ N	88°	E	3.26-INT-N+S ¹ / ₈ L, 24 N q cor. To S ¹ / ₈ L, 21, 22, 28+27 4.48
✓ N	77°	E	3.45
✓ N	73°	E	2.63
✓ S	54°	E	1.22 Culvert 2.37
✓ S	80°	E	4.00
✓ N	77°	E	✓ 4.18
✓ N	66°	E	.44 Culvert 3.52-N+S ¹ / ₈ L, 20 S ¹ / ₈ q cor. 3.57

CONTINUED

1 S	89° 30'	E	2.56
1 S	61° 30'	E	2.62
1 S	62°	E	2.27
1 S	42°	E	3.18
1 N	89°	E	2.77
1 N	17°	E	4.54
1 N	66°	E	1.80
1 N	85°	E	3.05 - Culvert
			3.64 - INT. N+S 1/4 L - 201 W. N. 9. PAST
			4.81
1 S	35°	E	8.32
1 S	38° 30'	E	3.57
1 S	82° 30'	E	2.55
1 N	71°	E	3.62
1 N	82°	E	5.00 - INT. N+S 1/4 L, 7.51 S. 1/4 Cor.
1 S	89°	E	5.11
1 N	72°	E	5.47 - INT. TRUCK TRAIL ON N. END
			6.17
1 N	44°	E	3.18 - BRIDGE - 14 ft - wide
			4.93
1 N	63°	E	4.68
1 N	84°	E	1.02 - INT. N+S 1/4 L. BWT. SEC. 22 & 23
			.27 W. N. of Sec. Cor.

Continued

84

1 N	89° 30'	E	6.93
1 N	89°	E	5.42
1 S	63° 30'	E	6.77
1 N	88° 30'	E	.80 - T-OUT
			1.83 - INT. 1/4 N+S 207 N. To 1/4 Cor.
			2.64 - INT. TRUCK TRAIL 90 IN. N
			2.84 - Culvert
1 N	82° 30'	E	3.91 - Culvert
			7.20
1 N	72°	E	5.24 - INT. N+S 1/4 L. 71 S. To Cor. 1/4 P.
1 N	69° 30'	E	1.39 - T-OUT
			1.94
1 S	72° 30'	E	2.70
1 N	59° 30'	E	6.88
1 N	79°	E	2.05
1 S	57°	E	3.75
1 S	78°	E	3.60 - INT. N+S 1/4 L - 1.88 S. To Cor.
			10.30
1 S	58°	E	1.50 - Culvert
			2.79
1 S	89°	E	5.24
1 S	60°	E	2.24 - T-OUT
1 S	89° 30'	E	1.91

CONTINUED

√ N 47°	E	2.05-INT NTS-SECL-2.8 N-To Cor
		2.80
√ N 79°	E	8.32
√ S 70°	E	5.70
√ S 69°	E	2.69
√ N 70°	E	2.07-INT-NTS 1/8-2.90 N-To 1/8 Cor
√ N 56°	E	6.23
√ S 80°	E	2.64
√ S 75°	E	3.74
√ N 72°	E	3.59
√ S 88	E	3.12
√ S 78	E	1.10-INT NTS 1/4 L-82 S 2 1/2 Cor
		2.60 T. OUT
		4.27
√ N 66°	E	2.79
√ S 84°	E	2.18
√ S 86° 30'	E	3.89
√ N 84°	E	3.35
√ S 88°	E	2.92
√ S 75° 30'	E	.50 INT-NTS 1/8 L-1.39 S 2 1/2 Cor
		1.89 -
√ N 77°	E	1.45
√ S 73°	E	2.03
√ N 77°	E	4.75

CONTINUED

86

√ N 84°	E	4.31
√ N 71° 30'	E	3.25 T-OUT
√ N 72°	E	1.95 INT-RANGE LINE 15 LSS, NO Cor
		5.10 BWT-SEC-019, 24
√ S 84° 30'	E	2.54
√ S 81°	E	3.26
√ N 69°	E	10.79
√ S 88	E	2.02
√ S 33° 30'	E	4.11
√ S 59°	E	2.07-INT-NTS 1/8 LINE 1.88 S 2 1/2 Cor
√ S 23° 30'	E	2.00
√ S 49°	E	.50 T-OUT
		2.00
√ N 69° 30'	E	4.58
√ S 81° 30'	E	7.28
√ S 67° 30'	E	2.73
√ S 43° 30'	E	3.06
√ S 4° 30'	E	9.41
√ S 52°	E	8.04
S 52° 30'	E	5.67 Culvert
		6.26 INT 2 1/2 DISTANCE TRAIL
S 31°	W	6.41 INT ETW 1/4 L-42.36 W 9 E
TOTAL CHS -		526.48
		14 Cor

119-SET-VP'S

PRAIRIE RIVER TRUCK TRAIL

CONTINUED

commencing at pt. of the Lilly TRAIL

RIVER WEST

				VS 9°	F - .76-INT-ETW. SEC. L. 2.15 W 9/10 Post	6.06
S	20°	W ✓	5.17	VS 44°	E	3.27
S	2°	W ✓	14.89-INT. 1/8 L, 8.32 E of Cor.	VS 69°	E	5.54
			20.04	VS 46°	F	9.00
S	49°	E ✓	8.12	VS 70° 30'	E	3.98
S	1° 30'	E ✓	3.46	VS 35°	E	4.14 - Big TURN AROUND
S	34.45'	W ✓	1.19	VS 7°	E	3.82-INT-ETW. 1/8 L, 37.90 E of 1/4 Cor. or V. Sec. L.
S	53°	W ✓	2.83			6.67
			7.83	VS 8°	W	8.52
S	29°	W ✓	1.70-INT-ETW 1/4 L - 5.00 E of 1/4 P	VS 22° 30'	E	5.93
			9.55	VS 11° 30'	W	1.31-INT-ETW 1/4 L, 39.72 E of 1/4 Cor.
S	1° 30'	W ✓	6.23-INT. NTS. SEC. L. 6.40 N of 1/8 Cor.			1.47 - Culvert
S	20°	W ✓	4.11			4.22
S	33°	W ✓	3.91-INT-ETW 1/8 L, 4.12 W of 1/4 P	VS 51° 30'	W	2.00 Culvert
			4.67			6.93 STRAIGHTEN
S	2° 15'	W ✓	14.69	VS 35°	W	4.22
S	30°	E ✓	3.39	VS 61° 30'	W	8.59 Culvert
S	60° 30'	E ✓	4.70			10.08
S	88°	F ✓	1.23-N of S. SEC. L. 27-N of SEC. Cor.	VS 34° 30'	W	1.11
			8.16	VS 8° 30'	E	.39 Culvert
N	59°	E ✓	5.88			7.92-INT-ETW 1/8 L, 22.29 E of 1/8 Cor.
S	81° 30'	E ✓	3.44			4.50
S	43°	E	2.64	VS 9° 30'	W	4.94

CONTINUED

√ S	8°	E	5.55	STRAIGHTEN
√ S	20° 30'	W	4.05	"
√ S	6°	W	2.33	INT. E+W Sec. 1. 1.05 E W 1/4
			4.74	INT. E of 5 th TRAIL
Total			216.93	Chs. or 2.71-Miles

Commencing at the Jct. of the 5th TRICK TRAIL
+ THE NORTH END of THE S. Branch Prairie River Trail

√ S	17°	E	3.21	
√ S	21° 30'	E	7.41	
√ S	18°	E	2.68	
√ S	40° 30'	E	3.20	INT. E+W 1/4 - .50 W 1/4
			7.20	
√ S	21° 30'	W	17.80	
√ S	7° 30'	E	5.60	INT. E+W 1/4 - .50 W 1/4
			8.38	
√ S	26° 30'	W	1.88	
√ S	30° 30'	W	3.41	
√ S	26°	W	4.84	
√ S	13° 30'	E	8.75	E+W 1/4 - .50 W 1/4
S		E	8.90	
√ S	28°	E	2.39	

CONTINUED

90

√ S	6° 30'	E	3.60	
√ S	39° 30'	W	5.28	
√ S	16°	W	5.43	
√ S	21° 30'	W	4.43	INT. E+W Sec. 1. 8.49 W 1/4 cor To
√ S	12°	W	5.40	
√ S	71° 30'	E	.74	culvert
			6.43	
√ S	59° 30'	E	2.28	
√ S	19°	E	4.67	
√ S	11°	E	3.60	culvert
			6.83	
√ S	11°	W	.81	E+W 1/4 - .50 W 1/4 E To 1/4 Post
			8.93	
√ S	16°	E	4.95	
√ S	7° 30'	F	3.73	INT. N+3, Sec. 1. 2.64 N 1/4 cor
			4.99	
√ S	30° 30'	E	2.20	INT. E+W 1/4 - .50 E 1/4
			9.34	
√ S	4°	W	7.42	
√ S	15° 30'	W	4.83	
√ S	10° 30'	E	1.30	INT. S. E+W 1/4 - .50 E 1/4 cor
			3.66	
√ S	21°	E	4.45	culvert
			5.73	

Continued

√ S 38°	E	3.80	Culvert
		4.31	
√ S 40° 30'	E	1.77	
S 21° 30'	W	7.34	INT-TOWNLINE 5.00 E of Sec Corner
Total Obs.		169.71	HUB IN ROAD

Townline. Bery T33+34. 5.00 E of
 cor to sec - 2, 3, 34+35

√ S 21°	W	5.56	
√ S 10° 30'	E	4.31	
√ S 24° 30'	E	11.18	
√ S 6°	E	.97	E-T W 1/8 L - 10.48 W 1/8 L
		5.40	Culvert
√ S 18° 45'	W	2.49	
√ S 53° 30'	W	13.20	
S 3°	W	4.91	of T. Road W 1/4 of 2
			IN ROAD
		49.52	

Part # 2 - American Land Fair
 Commencing at the 1/4 cor - DWT. SE. 32-33
 & 1/4 cor - T 7-34 N-R 108

√ N 30° E	√	797 ft.		12.05
√ N 56° 30' W	√	859.5		5.44+
√ N 81° W	√	256.5		3.88+
√ S 80° W	√	468	INT NTS 1/8 L 29.32 S of	7.09
		472.5		7.16
√ N 77° W	√	218	Culvert	3.30
		256.5		3.88+
√ N 54° W	√	231	GATE	3.50
√ N 40° 30' W	√	464.6		7.04
√ N 23° W	√	400	Powder House	6.06
		677.5		10.26+
√ N 38° W	√	706	Culvert	10.69.5
		942	INTS-SECL. 100 N 1/4 cor	14.27+
		6208		18.30
√ N 59° 30' W	√	223.4		3.38+
√ N 52° 30' W	√	231	Culvert	3.50
		282		4.27+
√ S 91° 30' W	√	671	Culvert	10.17-
		700	NTS 1/8 L - 5.00 S TO 1/8 L	10.60
		1419		21.50
√ S 76° W	√	216.6		3.28
√ S 51° 30' W	√	162		2.45+
√ S 52° 30' W	√	340	N 45-L 90 N TO SEC. COR	5.15
		751		12.89+

CONTINUED

✓

18	71°	W ✓	189 Culvert	3.00
			230.3	3.49
✓ N	89° 30'	W ✓	191.3	2.89+
✓ N	67°	W ✓	394.4	5.97+
✓ N	65°	W ✓	149 Culvert	2.26-
			214 INT $\frac{1}{8}$ 3.00 N To $\frac{1}{8}$ Cor	^{3.24+}
			679.7	10.30-
✓ N	88° 30'	W ✓	25 Culvert	38
			631.2	9.56+
✓ N	62°	W ✓	284	4.30
✓ N	38°	W ✓	49 INT $\frac{1}{4}$ L - 1.54	^{4.6} 8.10 $\frac{1}{4}$
			210 Culvert	3.13+
			240.4	3.64+
✓ N	17°	W ✓	214.6	3.25
✓ N	2° 30'	E ✓	800 Culvert	13.63+
			1600 T-DOT	24.26-
			2232.4	33.82+
✓ N	20° 30'	E ✓	109 INT E+W $\frac{1}{4}$	^{1.65+} 40.37 W $\frac{1}{4}$ Cor
			216.7	3.28+
✓ N	33°	E ✓	312 INT $\frac{1}{4}$ 5 ^d TRAIL	^{4.92+} W
			1342 " E+W $\frac{1}{4}$ 28.87 W $\frac{1}{4}$ Cor	^{20.33+}
			2056 Culvert	31.15+
			2158 - To Hub on Road	
				32.69

CONTINUED

99

✓ N	44°	✓ E	158.7	2.40+
✓ N	62°	✓ E	281	4.25+
✓ N	65°	✓ E	419.7	6.36-
✓ N	48°	✓ E	100 Culvert	1.51+
			170	1.72+
			175 INT E+W SEC. L. 7.79 W $\frac{1}{4}$ Sec. Cor	^{2.65+}
✓ N	25° 30'	✓ E	272.3 INT $\frac{1}{4}$ 5 ^d TRAIL	^{4.12+}
✓ N	23° 30'	✓ E	624	9.45+
✓ N	4° 30'	✓ E	24 Culvert - GATE	1.36+
			465 T-DOT	7.04+
			652 INT E+W $\frac{1}{4}$ 4.52 W $\frac{1}{4}$ Cor	^{9.98-}
			702.8	10.65-
✓ N	4°	✓ E	954.5 - Handguide	FARM 14.46+
✓ N	15° 30'	✓ W	193	2.92+
✓ N	30°	✓ W	88 INT E+W $\frac{1}{4}$ 6.63 W $\frac{1}{4}$ Cor	^{1.35+}
			447.8	6.78+
✓ N	51°	✓ W	212.6	3.22
✓ N	60°	✓ W	715.6	10.86+
✓ N	55° 30'	✓ W	364.6	5.52+
✓ N	31°	✓ W	112.3	1.70
✓ N	7° 30'	✓ W	348.2	5.85+
✓ N	42°	✓ E	229 INT E+W $\frac{1}{4}$ L - 2.5.67 W $\frac{1}{4}$ Cor	^{3.47-}
			530	8.02+

✓	N	4 $\frac{1}{2}$ 30'	E	✓	533		8.074
✓	N	33° 30'	E	✓	211		3.14+
✓	N	12°	E	✓	226	INT-FW Sec. 4. 1/2 W 7/8	3.42+ 7.77
					540.7		8.19+
✓	N	26° 30'	E	✓	535	Culvert	8.10+
✓					739	Culvert	12.69+
					1,054		15.97-
✓	N	3° 30'	E	✓	136.2		2.06+
✓	N	11° 30'	W	✓	52	1/2 P in E of Road	7.87+ 4.86-
✓	N	13° 30'	W	✓	473	Culvert	7.16+
					513.2		7.77+
	N	2° 30'	W	✓	161	Bridge 12' wide	2.44-
					549	INT-FW 1/2 E of Cor	8.32-
					881.6	GATE	13.35+
✓	N	2°	E	✓	92.8		14.06+
✓	N	1° 30'	E		132	INT-FW 1/4 4/5 W to 1/2 W	2.00
					1509	INT-Lilly Road	22.86+
							8.93 E of Cor

Commencing at the Jct of the 5^d trail
 & instead of 90 ft. ~~to~~ North E & N Sec
 line but section 19430 T34N, R10E

✓	S	56° 30'	E	✓	169		2.56+
✓	S	88° 30'	E	✓	251	Culvert	3.80+
					336	Conto Sec. 19, 20, 21 + 30. 50% 1/2 1/4	5.99+
					712.3		10.79-
✓	S	81° 30'	E	✓	500	Culvert	7.57+
					672		10.18
✓	N	73°	E	✓	265	INT-FW 1/2 L-1.00 N of Cor	4.01+
					657.2		9.95 1/2
✓	S	51° 30'	E	✓	347.5		5.26+
✓	S	80°	E	✓	173		2.62
✓	S	89° 30'	E	✓	116	T-OUT	1.75 1/4
					425.3		6.44+
✓	N	4°	E	✓	99	INT-FW 1/2 L-87 ft. N of 1/4 Cor	1.50
✓	N	30°	E	✓	517.3		7.83 1/2
✓	N	30°	E	✓	573	2nd Cor. N to 1/2 Cor	8.68+
✓	N	44° 30'	E	✓	132.4		2.00+
✓	N	59° 30'	F	✓	236.6		3.58+
✓	N	43°	F	✓	155.3		3.35+
✓	N	30°	E	✓	413	Culvert	6.25 1/2
					580		7.78 1/2
✓	N	40° 30'	F		64	T-OUT	.91-
					242.6		3.67+

CONTINUED



✓ N 21° 20'	E ✓	215	3.30+
✓ N 73°	E ✓	8 To Culvert	.12+
		100	1.51+
✓ S 79°	E ✓	593.6	8.99+
✓ N 86° 30'	E ✓	265.6	4.02+
✓ N 77°	E ✓	521.7	7.90+
✓ S 54° 30'	E ✓	241.1 INT Sec. 6, 20 39	3.65+
✓ S 56°	E ✓	226.6	3.43+
✓ S 78°	E ✓	305.6	4.67+
✓ S 59°	E ✓	220 - T. out	3.33+
		286.6	4.34+
✓ S 84°	E ✓	169.8	2.57+
✓ N 89°	E ✓	50 Culvert	.75+
		139	2.10+
✓ S 76°	E ✓	137	2.07+
✓ N 59° 30'	E ✓	129 Culvert	1.94-
		295	4.47-
✓ N 56° 30'	E ✓	89 Culvert	1.35-
		472.6	6.35+
✓ N 49° 30'	E ✓	126.5	1.91½-
✓ N 23°	E ✓	151	2.29½
✓ N 21° 30'	E ✓	61.7	.92-
✓ N 70° 30'	E ✓	351.7	5.33-

CONTINUED

✓ 98

✓ S 88°	E ✓	50 T-OUT	.76
	E	333.2	5.05-
✓ S 83°	E ✓	293.7	4.45
✓ N 82° 30'	E ✓	163	2.47
✓ N 49°	E ✓	50 Center of sec	.76
		337.6	5.12-
✓ N 2°	W ✓	125.5	1.90
✓ N 19° 30'	W ✓	292.6	4.43+
✓ N 9° 30'	E ✓	772 FOOT	11.69+
✓ N 38° 30'	E ✓	239 1/2 S 1/2 19.59 N To 1/2 Cor	3.60+
		513.5	7.78
✓ N 44°	E ✓	1156 Culvert	16.52-
		1286.2 T-OUT	19.49-
✓ N 44°	E ✓	132 INT Sec. 1, 5, 8, 2 E To Sec. Cor - 2nd	
		669 1/2 N 1/2, Sec. 1, 5, 47 S To " " 1013+	
		684.6	10.36+
✓ N 4° 30'	E ✓	149 Culvert	2.25-
		520.2	7.88+
✓ N 1° 30'	E ✓	200 Culvert	3.03
		435.6 - 1/8 cor in Road	6.60
		532 T-OUT	9.06+
		925.2	14.02-
✓ N 2°	E ✓	569 Culvert	8.61-
		859.6 1/4 cor in Road	13.01-
		1056.2	16.00

CONTINUED

√ N 65°	W	√	500	1.51%
√ N 40° 30'	E	√	188.2	2.85+
√ N 2° 30'	E	√	680	T-O UT 10.30
			722	10.94
√ N 5° 30'	W	√	123.8	1.81+
			653.2	9.90
√ N 34° 30'	W	√	100	1.51%
√ N 22° 30'	E	√	200	2.03
N 6°	W	√	253.4	3.86
N 5° 30'	E		268.5	4.06+

at cor. to Sec

9, 10, 15, 16

SEC. 31 - T34N, R12E

4-22-1938

100

BEGINNING AT THE W $\frac{1}{4}$ COR. SEC. 31, THENCE E,
40.29 VAR. 6°30' E 110.0 LKS N of Center
found the old Pit rotted $\frac{1}{4}$ and lagging
down, RT. badly rotted. put in new
Post + RT. { SPRUCE - 9-S 26 $\frac{1}{2}$ W 19 $\frac{3}{4}$ LKS.
" " 7-N 41 E 18 $\frac{1}{2}$ "

SET - W $\frac{1}{8}$ COR ON E-N $\frac{1}{4}$ LINE at 20.14 $\frac{1}{2}$ IN
center of County Road - U

SET - WITNESS POST 30 LKS. N of $\frac{1}{8}$ COR.RAN N - ON $\frac{1}{8}$ LINE VAR. 4° E

18.67 - SWAMP - OPEN. NE-SE

29.50 - OVER SWP

33.55 - ENTER SPRUCE SWP

40.00 SET - Temporary $\frac{1}{2}$ POST - 51 LKS. N of EW

RANDOM BWT. SEC. 30-31.

4/25-1938

SE - Cor. Sec 31 - W - VAR 5°30' E

40.01 found Hutchison $\frac{1}{4}$ Post in Road

SET - IRON stake one ft. below surface of road
and set witness Post, IRON PIPE 50 LKS. SW

3 $\frac{1}{4}$ N Var 3°31' E corrected 3° E41.00 full E of Center 36 LKS. set $\frac{1}{2}$ cor at

20.50 - { IRON-STAKE IN WEDGE OF ROAD
" " 10 LKS. N - $\frac{1}{4}$ COR AS WITNESS

SE - SEC. COR. N. VAR 4°30' E, corrected VAR 2°35' E

42107 - FEB 1938 W 1/2 E to COR. - X ON STONE

Subdivisions of Sec. 31-T34N, R12E
Continued

SET South $\frac{1}{16}$ cor on EAST LINE at

21.03 $\frac{1}{2}$

{ N. PINE 12 N 73° W 32 $\frac{1}{2}$ LKS.

E $\frac{1}{4}$ cor. SEC. 31 W-VAR. 6°30' E

41.23 full S-g center 1.30 corrected var. 5° E

4-26-1938

SET $\frac{1}{16}$ cor. E. of center at

20.61 $\frac{1}{2}$

{ N. PINE 12 S 33° W 84 LKS.

E $\frac{1}{16}$ cor on E+W $\frac{1}{4}$ N VAR. 2°45' E - 4.00 To SWP.

" " " " S " "

41.58 - full 19 lks W of E $\frac{1}{16}$ cor on S line of 31

set center of SE $\frac{1}{4}$ at 20.90

SET - E - $\frac{1}{16}$ cor on S line at 20.0 $\frac{1}{2}$ - on

1-IN. IRON PIPE in center of county corner - U -

$\frac{3}{4}$ IN. IRON PIPE - .50 LKS. N - for WITNESS POST

4-27-1938

S $\frac{1}{16}$ cor. on N+S $\frac{1}{4}$ line E VAR. 5°15' E -

40.61 full 24 lks N of S $\frac{1}{16}$ cor on E SEC. 31

correct var. 4°50' E

20.32 SET - THE CENTER OF THE SE $\frac{1}{4}$

center of SE $\frac{1}{4}$ ALL 31 - { B. PINE 10 S 36° W 16 LKS

4/27/1938

102

Dec. 19-T34N, R12E

established to cor. on N+S $\frac{1}{4}$ line

20.16 $\frac{1}{2}$ cho. S of center

S- $\frac{1}{16}$ cor on N+S $\frac{1}{4}$ line W-VAR. 12° E

3.13 - creek 40 lks wide SW-NE

18.45 left swamp N+S

4-28-1938

21.00 SWP - NW-SE

22.67 over SWP.

26.50 enter SWP. NW-SE

28.70 leave "

35.58 Hit River flowage - open water ahead

SEC. 28-T34N, R12E

NE-SEC. COR. of 28 - W-VAR 3° E

20.18 full 25 lks S of $\frac{1}{16}$ cor, found the

old stake rotted off and lying down

an old dead stub with mitten placed

on it estimated this corner to be

at least 25 years old

E $\frac{1}{16}$ cor. on N-SEC. line of SEC. 28 - S 2° E

18.25 INT. MALONEY TRUCK TRAIL

CONTINUED

4/29-1938

60.02 H T T FENCE E+W - full
 .83 lks E of cor. of fence

MAY - 2nd 1938

SE-COR. NE 28-T34N, R12E - W-VAR. 1°30' E $\frac{28}{33} \frac{27}{34}$
 correct VAR. 2°30' W Org. cor.

20.70 corner of fence - supposed to be the to cor.

38.32 full 2.69 S of $\frac{1}{4}$ cor.
 found original gate cor.

{ T.M. - 10 S 78° E 14 LKS
 all the iron marks still in it
 the standing but dead

found and old stakes rotted off and
 drove - all recited up

19.16 set $\frac{1}{8}$ cor. { B.P. line 14 S 85 $\frac{1}{2}$ ° W 62 $\frac{1}{2}$ LKS

MAY - 3rd 1938

STARTING at Sally stake # 5948 on the E. $\frac{1}{8}$ L
 Post long in the E $\frac{1}{16}$ cor on S rec. L.

80.02 - full .50 $\frac{1}{4}$ lks E of E $\frac{1}{16}$ cor. on S-L

E $\frac{1}{16}$ cor. on S line W-VAR 2°30' W -

1.52 - to wire fence

19.05 full .05 lks S of $\frac{1}{4}$ cor.

Continued

E $\frac{1}{16}$ on north line of sec 28, T34N, R12E
 W-VAR 2°45' E

19.50 - enter swp N 4 S

20.08 - full .15 lks S of $\frac{1}{4}$ cor. found the
 original BT. down all
 the iron marks on it
 the other stop - then 4 between
 Put in new foot & new BT'S

{ cedar 8-970 E 36 $\frac{1}{2}$ lks

N $\frac{1}{4}$ cor. sec. 28

S. VAR. 3°30' E corrected line 2°33' E

17.79 INT - Walnut fence dead

38.71 - $\frac{1}{4}$ of old road NW-SE

78.34 - full 1.30 E of S. $\frac{1}{4}$ cor.

SET. CEN. at 38.50 $\frac{1}{2}$

MAY - 5 - 1938

E $\frac{1}{4}$ sec. 28 - W-VAR 1° E.

9 E $\frac{1}{16}$ cor E of center at - 19.61 $\frac{1}{2}$

{ W.P. 12 S 26 $\frac{1}{2}$ ° E 36 $\frac{1}{2}$ lks

{ W.P. 14 N 76 $\frac{1}{2}$ ° W 26 $\frac{1}{2}$ lks

40.61 - old logging road

74.67 - enter Spruce & cedar swamp NE 4 SW

78.01 - full S 2.38 of old post BT - Bloyd but
 no iron marks

9 E T - on 39.23

105 See 28-T34N, R12E

MAY-6-1937 - cold + SNOW SQUALLS

SET - Center + $\frac{1}{16}$ cor. E. of Center

$\frac{1}{16}$ cor. E of Center & VAR. 1945'E

20.11 --- cor. of WIRE FENCE .55 lks W- of TALLY STAKE

5/9-1938

40.19 fell .04 $\frac{1}{2}$ lks W- of THE E $\frac{1}{16}$ cor. on S-LINE

corrected $\frac{1}{4}$ line N- 20 chs.

Dimension of space occupied by fence
on County land = $2095 \times 1.035 = 2.12$ acres

106