

2  
D.H. VAUGHAN # 24A (DORR)

24A  
3

---

3 FIELD BOOK 3



506

---

D. E. Frank  
Three Lakes,  
Wis.

TOWNS 35-36-37-38 + 39  
Range 11

35

Town 35 begins on Page 1

"	36	"	"	"	3
"	37	"	"	"	21
"	38	"	"	"	23
"	39	"	"	"	29

1

4A

and 6

SEE 5-35-11

40 31

SE COR N<sup>+10.48</sup> (3) 75'82 VAN E 14 46 U 3 1/2

E 1/4 P } Tam 14 N 4 E 11

" 14 S 45 W 22

SEE 6 JAN 1900

S 1/4 P W (-4 3/4) <sup>150 1 1/2</sup> 3784 1/2 VAN N 5 1/2 U 5°

W 1/4 P } NW SEP OK

" " " NEW Birch 12 N 66 3/4 E 51

" " " E (0) <sup>37</sup> 4080 8030 VAN N 83 3/4 U 3 1/4SE COR N (-2) <sup>45 23</sup> 8556 VAN E 543, U 1.3/4S 1/4 P N (1 3/4) <sup>27</sup> 4245 7976 VAN E 62 U 1 1/2

E 1/4 P } maple 7 N 45 W 2 1/2

} Sugar 10 S 41 1/2 W 23

CEN SEC TEL. POLE S 70 E 43

1/8 bet W 1/4 Bmeh 12 N 67 1/2 W 19 3/4

" " " " S <sup>47</sup> (3 1/4) 4126 VAN E 56 1/2 U 3 1/2

CEN SW 1/4 E (2 3/4) 1546 VAN S 2 1/2 U 2 1/2

1/8 bet S 1/4 Hillm 7 S 49 1/2 W 31

W 1/4 P E (-37') 2490 to 1/8 corner

✓

2

4A

SEE 8-35-11 Oct. 18, 1918

SE COR N (4) 3935 VAN W 79 U 4.10

E 1/4 P N (8) 4020 VAN W 112 U 4°

NE COR SW tree down

~~NE COR~~ lost a pin on this last line

NE COR and do not know the length of it



SEC 1-36-11 DEC 2. 1898

SW cor Ashes ok and roots of other trees

" " N(4) <sup>4296</sup> 7978 var E 244 U 505

NW cor found steps of orig trees marks ok

" " NEW Spruce 5 S 30 E 29

W 1/4 P { Elm 8 N 76 1/2 E 31 1/2

do 14 N 58 W 23 1/4

SW cor E (5) 8918 var S 300

SE cor Sugar ok

NEW Hem 12 N 78 1/2 E 12

" " " 9 N 42 W 6 1/4

SE cor N (5) 3980 var W 100

E 1/4 P W (4) <sup>+1.54</sup> 4375 R 4 <sup>8750</sup> var N 292 U 410

W 1/8 S line Birch 20 N 85 W 25 1/2

S 1/4 P Pine 22 N 20 1/2 W 14 1/2

new fir 12 S 64 1/2 E 18 1/2

S 1/4 P N (3) <sup>-34'</sup> <sup>41 63</sup> 8367 var W 83 U 346

CEN SEC Birch 12 N 31 W 36

Hem 7 S 89 E 30 1/2

S 1/8 E line Birch 14 N 11 1/2 E 4

" " " W (7) 4421 var N 7 8 7

1/8 bet S 1/4 Birch 12 S 53 1/2 W 10 1/2

E 1/8 S line maple 10 S 17 1/2 W 14 1/3

SEC 6-36-11 OCT 4. 1888

- N 1/4 P S (4 1/2) 7500 found nothing

- NE cor S (3) <sup>1.31'</sup> 1652 + 1877

- W 1/4 P E (4) <sup>4.28'</sup> 5141 9350 var N 724 U 4.20

- SW cor E (1 1/2) <sup>5400 (4.25)</sup> 9770 var N 19 U 1/4

- S 1/4 P { aspen 8 N 13 E 24

fir 8 S 36 1/2 E 13

- N 1/4 P S (4 1/2) <sup>71.10'</sup> 7300 var W 150 U 4

- Cent SEC Tam 10 S 22 W 20 1/2

Pine 7 S 40 1/2 E 8

\* 1/8 bet W 1/4 P. Pine 24 N 41 W 28 1/2

" " " S (4) 2000 found no S 1/4 P. line near me

MAY 29. 1907

- W 1/4 P N (2 3/4) <sup>8'</sup> 2974 var W 90

- Cent SEC N (4 1/2) 3384 var W 23 1/4 U 43 1/4

- N 1/4 P. Pine SEP 2544 E 7 original

~~E 1/8 SEC W 1/4 P OK~~

- NW cor SE SEP OK. NE SEP OK

" " " NEW Birch stub 7 S 22 W 20 Vaughan

- E 1/4 P cedar 7 N 41 1/2 W <sup>Vaughan</sup> 48 1/2 found my old

" " " N on Random 3548 var 9 U 5

- NE cor Pine 20 S 31 W 16 } orig

Birch 16 N 52 W 14

Sugar 8 N 29 E 18 1/2 Vaughan

\* 1/8 bet N 1/4 Hem SEP N 4 E 10 1/2

- This is Vaughan's cor. it is 1/2 E of mine

## SEE 6-36-11 cont

- N<sup>1</sup>/<sub>8</sub> E line cedar 13 North 36 Vaughan  
 " " " " 12 S 28 W 21<sup>1</sup>/<sub>2</sub> Vaughan  
 " " my car is 2 W + 1 South  
 " " W (0) 4223. Van N 19 U 50'

=====

9A

## SEE 7-36-11. March 10-1898

- NW cor. S. (5) 4092 Van E 281 U 540  
 N<sup>1</sup>/<sub>8</sub> W line Spruce 7 N 7<sup>3</sup>/<sub>4</sub> E 49<sup>1</sup>/<sub>2</sub>  
 NW cor. E (1) 5412 Van N 69 U 120'  
 N<sup>1</sup>/<sub>4</sub> P. S (2) <sup>39<sup>3</sup>2</sup> 7729 Van ..... 03<sup>1</sup>/<sub>2</sub>  
 SE cor. W (4) <sup>32'</sup> 8988 Van S 85 U 434  
 W<sup>1</sup>/<sub>4</sub> P E (2) <sup>19'</sup> <sup>51<sup>6</sup>0</sup> 9380 <sup>R(2<sup>1</sup>/<sub>2</sub>)</sup> Van N 50 U 3  
 SE cor N (0) <sup>6.05'</sup> 7460 Van W 782  
 E<sup>1</sup>/<sub>4</sub> P Hem 12 N 62 E 20<sup>1</sup>/<sub>2</sub>  
 " 13 S 36<sup>1</sup>/<sub>2</sub> E 27  
 1/8 6 E W<sup>1</sup>/<sub>4</sub> Pine 36 N 44<sup>1</sup>/<sub>2</sub> W 42  
 S<sup>1</sup>/<sub>4</sub> P Spruce 14 S 73 E 24  
 " " 10 S 38 E 36<sup>1</sup>/<sub>2</sub>  
 66 n SE Birch 13 S 12 W 31<sup>3</sup>/<sub>4</sub>  
 cedar 6 S 28<sup>1</sup>/<sub>2</sub> W 23<sup>1</sup>/<sub>2</sub>  
~~1/8 6 E W<sup>1</sup>/<sub>4</sub> N <sup>1</sup>/<sub>2</sub> 3886 Van W 51 U <sup>5</sup>/<sub>2</sub>~~  
 W<sup>1</sup>/<sub>8</sub> S line Sugar 13 N 87<sup>3</sup>/<sub>4</sub> W 28  
 1/8 6 E W<sup>1</sup>/<sub>4</sub> S (1<sup>1</sup>/<sub>2</sub>) <sup>3<sup>1</sup>/<sub>4</sub></sup> 3886 Van W 51 U <sup>5</sup>/<sub>2</sub>  
 1/8 " N 119  
 W<sup>1</sup>/<sub>8</sub> N line Pine 20 N 43<sup>1</sup>/<sub>2</sub> E 9

7

4A

and 12

SEC 8 36-11. DEC 1 1897

N 1/4 P Orgil ash ok

.. S (4) 6883 Van ~~W~~ E 204 U 4 1/2

S 1/4 P Both orgl trees ok

= SEC 12 =

NW COR S (5) 7156 Van W 365 U 5 1/4

SW .. E (3) <sup>55'</sup> 8307 Van N 107 Van <sup>23 1/4</sup>N 1/4 P S (5) <sup>42'</sup> <sup>3778</sup> 7543 Van W 92 U 5 1/2

S 1/4 P Pine 12 N 59 E 19 1/2

.. 14 N 63 W 41

W 1/4 P Pine 11 N 72 W 11 1/2

.. .. 13 S 33 1/4 E 4 1/2

.. .. E (5) <sup>43 04</sup> 8620 Van N 15 1/2 U 5.25'

1/8 bet W 1/4 Pine 18 S 25 E 4 1/2

CEN SEC Tam 12 S 80 1/2 E 20

W 1/8 N line 8 S 87 W 4

.. .. S (7 1/4) 3678 Van E 28

E 1/8 N line maple 10 S 17 1/2 W 14 1/3

8

SEC 13 36-11 DEC 13 1899

NW COR S (4) <sup>2.40'</sup> 3941 Van E 179 Van <sup>440</sup>

W 1/4 P new Pine SEP 26 N 47 3/4 E 21

.. .. E (2 1/4) <sup>28'</sup> <sup>4228</sup> 8422 <sup>R 2.10'</sup> Van N 68 U 3SW COR E (2 1/2) <sup>50'</sup> 8410 Van N 565 U 350'

SE COR N (3 1/2) 3950 Van E 9 1/2 U 3.40'

E 1/4 P new Pine SEP 13 N 23 1/2 W 29

S 1/4 P. Birch 12 N 74 E 19 1/4

Ham 8 N 13 W 18 3/4

S 1/4 P N (2 1/2) <sup>9'</sup> <sup>3737</sup> 7706 Van W 20 U 3 1/2 4A

CEN SEC { Spruce 8 N 36 1/2 W 25

fir 8 N 81 1/2 W 12

SW COR N (3 1/2) <sup>+ 835'</sup> 8950 Van E ~~150~~ 1323 U 320'

N 1/4 P. Tam 15 S 14 1/2 W 42

Pine 12 S 81 W 30

N 1/4 P. S (6) <sup>+ 1.53'</sup> 8341 Van W 275 U 650'

W 1/4 P E (1/2) 8115 Van N 19

W 1/4 P { Cedar 13 N 79 1/2 E 16 1/2

.. 5 S 56 W 14

RUSSELLS E 1/4 P Tam 10 S 61 1/2 W 4 <sup>Russell</sup>

is talks to far S .. 9 N 80 E 21 3/4

.. .. N (43/4) 3868 Van W 4

E 1/4 P. Tam 7 S 61 3/4 E 23 1/2

.. .. 9 N 2 E 24 3/4

CEN SEC { Pine SEP 8 N 28 W 13

.. .. 24 W 26 1/2

## SEC 13. 36-11. cont

1/8 bet S 1/4 Tam - N 8 2 1/2 E 18  
 " " W (1 3/4) # 43 09 Van S 10 1/2 U 1 3/4  
 S 1/8 W line Sugar 7 N 6 2 W 3 1 3/4  
 1/8 bet E 1/4 Birch 18 N 4 6 1/2 E 40  
 " " " " S (6 1/2) 2000 with 1 flag then  
 W (1 1/2) to track

24

## SEC 21-36-11 Dec 10-1906

S 1/4 P Maple 8 S 6 5 E 11 1/2 or 9 L  
 " " fir gone, wire fence at cor<sup>s</sup>  
 new Hem 14 N 4 1 1/2 W 44  
 S 1/4 P W E 3 1/4 4085 Van N 3 6 U 1.35  
 W 1/8 S line Pine Sep 11 N 4 8 1/2 W 31  
 S 1/4 P E 3 1/4 4292 Van S 5 8 U 2°  
 SE COR Tam 6 S 6 9 E 41 } Some ones cor.  
 " " 10 N 2 W 13 } & used it.  
 + 3 1/4 3723  
 S 1/4 N (3) 7790 Van E 4 4 8  
 + 1.13  
 SE COR N (6) 8072 Van W E 17 2 U 5 1/4  
 E 1/4 P. Tam 22 S 5 E 27 1/2  
 " " " 22 N 2 8 W 2 8  
 + 3.21  
 E 1/4 P W (3) 8522 Van N 5 00 U 3  
 W 1/4 P. Tam 9 S 7 9 1/2 E 24 1/2  
 W 4 8 5 " 11 South 14 1/2  
 W 1/8 S line N (8 1/4) 3 5 9 0 Van W 2 2 U 8 1/2  
 Gen sec Pine 12 N 2 8 E 3 2  
 " " 12 N 3 3 1/2 W 3 4 1/2  
 1/8 bet W 1/4 Pine Sep 18 S 4 1 1/2 E 3 9 1/4  
 " " " E (6 3 5) 2128 Van S 5 U 6 3/4  
 E 1/8 S line Tam 7 S 7 0 3/4 E 14 3/4  
 W 1/4 P Some ones come  
 SW COR SE tree a stub short



24

SEC 22-36-11 Dec 17 1906

SE COR W (2/4) 255 to me. Then W 4050. var 2/4

= 4365 var S 468 of mon SELS S 1/4 P

S 1/4 P Sugar 12 S 31 1/2 W 21 3/4

Pine 12 N 41 1/4 ----- 16

S 1/4 P N (9/2) 8212 var W 283 U 11 3/4

SE COR N (7/2) 8974 var W 265 U 9 1/2

" " Tam 10 S 41 W 32 NEW

NE COR Somebody's Tam 16 S 18 E 11

cor Spine 8 S 72 1/2 W 8

SE COR N (7/2) 8974 var W 265 U 9

E 1/4 P W (10) 8654 <sup>11/2 4406 R 1/2</sup> var S 224 U 3/4

CEN of SEC Cedar 8 S 4 1/2 E 36

" 10 S 4 W 38 3/4

S 1/4 P Birch 13 S East 23

Sugar 13 N 12 1/2 E 18

= JUN 11 1897 =

CEN SEC W (-1) 4250 var S 22 1/2 U - 10'

118.6 E N 1/4 Pine SEP 16 S 84 1/2 W 34

S 1/8. E line W (-2 3/4) 4363 var N 10 1/2 U 2'

E 1/8. S " Sugar 10 S 36 1/2 W 14

118 bet S 1/4 Tam 12 S 88 E 14 3/4

24

SEC 23-36-11 DEC 27-1906

W 1/4 P E (-1/2) <sup>1 1/4 2096 to 1/8 cor</sup> 8534 var S 181 U 1/4

NW COR E (-1/2) 8736 var N 230 U 1'

SW " E (2 1/4) 4166 var S 219 U 3'

W 1/8. S line Sugar 9 N 11 W 9 1/2

" " N (5.20) <sup>18 4 3 12</sup> 8733 var W 47 U 510

S 1/4 P Sugar 8 N 41 W 23

Birch 16 S 70 W 29 } 019

Did not find N 1/4 P

W 1/8 N line Tam 18 S 2 W 10

N 1/8 W line Spruce 10 N 4 1/2 E 30 1/3

" " E (-1/2) 2110 var S 15 U - 3/4

S 1/8 W line Sugar 6 N 58 E 19 1/2

" " E (2 3/4) 2088 Hit it U 3.10

CEN NW 1/4 Tam 7 1/4 N 78 E 28

" SW 1/4 Hem 6 S 46 1/2 - 17 1/2

118 bet W 1/4 Sugar 10 S 63 W 3

Think there is some mistake in  
chaining on N line



4A

SEC 24-36-11 DEC 18 1899

✓ NW COR S (3) <sup>+1 1/2</sup> 8387 VAR W 219 1/2 U 3 3/4W 1/4 P E (0) <sup>2 2 3 6</sup> 8444 VAR S 18 U 1/2

" " Tam 14 S 48 E 11 1/2 } ORIG TREES

" " 12 N 34 E 26 } LYING DOWN

SW COR E (2) <sup>+1 1/4</sup> 4160 VAR S 91 U 2 1/4

S 1/4 P NEW FIR 7 N 41 1/2 E 61 1/2

" " " OR 9 TREES TIPPED OVER

S 1/4 P N (4 3/4) <sup>58'</sup> 8030 VAR W 135 1/2 U 5 40

CEN SEC CEDAR 12 SOUTH N 16 W 8 1/4

Tam 11 South 24 1/2

W 1/8 S line } Pine - S 40 W - - - -

" " " N (4 1/2) 4080 VAR E 6 U 4 3/4

1/8 bet W 1/4 Tam 8 S 61 1/2 W 24 1/2

1/8 " S " Birch 12 S 13 1/2 E 5 1/2

" " " E (1/2) 4204 VAR N 4 1/2 U 1

E 1/4 P S (4) 3958 VAR E 30 U 4 20

✓ S 1/8 E line Spruce 9 N 54 1/2 29 1/2

4A

SEC 25-36-11 no date DEC 1906

✓ NW COR S (4 1/2) <sup>3 52'</sup> 72 (44) VAR E 490 U 5 25

W 1/4 P NEW TAM 16 N 40 W 15 1/2

" " " " 20 S 57 W 26 1/2

" " N (50) 3628 VAR W 6 U 10

" " E (0) <sup>-26' 41 26 R 25'</sup> 8564 VAR N 63 1/2 U 40

E 1/4 P NEW Spruce 18 N 27 1/4 W 35

" " " " NE TREE CUT OFF ORG

N 1/4 P S (0) 7333 VAR W 47 U 1/4

S 1/4 P NE TREE DOWN SW TREE A STEP

NEW Pine 10 N 23 W 15 NEW

CEN SEC CEDAR 7 S 1 W 5

Tam 13 N 64 1/2 W 28 3/4

1/8 bet N 1/4 " 12 S 30 W 34 2/3

NE COR S (4) <sup>17</sup> 3969 VAR E 19 U 4 1/4

1/8 bet E 1/4 maple 12 N 33 1/4 W 18 1/2

" " " N (2 1/2) 1250 TO SWAMP N C

1/8 bet W 1/4 Tam S 59 E 14

✓ W 1/4 P S (45) 3636 VAR E 1 1/2 U 1 1/4

4A

See: 26-36-11 Dec. 30, 1899

N 1/4 P S (1/2) <sup>+ 55'</sup> 4018 R <sup>3/4</sup> Van W 125 U 1' 0"E 1/4 P W (4) <sup>+ 45'</sup> 4223 R <sup>3/4</sup> 5' Van N 108 U 3' 5"

S 1/8. E line Stone in place of Post

" Tam 7 S 23 1/2 E 4 1/2

" E (1/2) to Swamp N.G.

N 1/8. E line Tam 13 S 17 W 17

Gen Sec Pine 20 S 49 W 37

maple 9 N 14 1/2 W 28 3/4

1/8 bet E 1/4 Sugar 12 (double) N 11 E 7 1/4

" " N (1/4) through the Pine

See 29-36-11 May 15 1896

SECOR W (4 1/2) <sup>+ 11'</sup> 17170 1/2 Van N 56 <sup>8104-4.25'</sup> <sup>4'.05'</sup>

NE COR { fir 6 N 10 W 21

{ Y Pine - S 27 W 8 1/2

COR to 29.30.31.32 Sugar 7 S 74 1/4 W 34

" " 9 S 6 E 28

N 1/8 E line Pine 16 S 34 W 13 3/4 ✓

NE COR W (840) <sup>+ 2.25'</sup> 2654 Van N 112. U 8 1/2 to

me on E shore of Lak on trees ok

E 1/4 P Pine SEP 12 S 42 W 25 1/2

NE COR " " 12 S 25 3/4 W 5

" " W (1105) <sup>2089</sup> 2654 <sup>2080</sup> corrected to me.

Cent 30 SEC 30 Y Pine 16 S 28 E 13 1/2

1/8 bet E " " 16 N 86 1/2 W 11 1/4

1/8 bet E 1/4 Pine 11 N 65 W 15

" " N (4/2) to Lake

S 1/4 P Tam 12 S 88 E 16 1/4

fir 10 N 35 W 10 1/4

S 1/8. E line Sprue 10 N 33 W 36

W 1/8 S " Tam 10 N 74 W 33 1/4

SE 3036-11 SE pt 6 1905

1/8 bet E 1/4 <sup>F</sup> 2060 Van S 20 3/4 U 1/4

" " " " N (3 3/4) 1080 to Lake and

SGE MC { Pine SEP 12 S 81 1/2 W 8 3/4

Intersection of Dorr + 3<sup>rd</sup> St SEC

Kaukana Lime Stone 5x8x29 X on top

cont on Page 17

SEE 29-36-11  
SEC 30

SEC 30-36-11 cont

in intersection of C st and 3rd st Set a

" " B " " 3rd st " "

" " 1/4 line + 3" " " "

1/8 bet E 1/4 " " " " "

Intersection of Owono + 2nd st " "

in Owono st and 150ft E of E line of 2nd st

= May 24 1906 =

1/8 bet E 1/4 W (E) on 1/4 line prolonged

SE cor; Hem 10 S 7 E 33 1/2 new

" " Sugar 8 N 57 W 39 3/4

" " Sugar W (3) 4074 Van S 52 0 2.50

S 1/4 P N (3 1/2) 1450 to W side of grad

" " 2605 to top of hill. then stadia to

cen S E 1/4 fir 6 N 56 1/2 W 35

" " W 2050 + left it. 2 ft S of line

1/8 bet S 1/4 } Pin 10 S 79 1/2 W 19 3/4

" " 10 N 89 E 9. 1000-

cen S E W (2 1/2) 4958 Van S 17 1/2 at -

" of S E 1/4 E 300 to R. of way. E 8 -

S 1/4 P maple E 1/4 S (4 1/2) 3956 Van E 118 1/2

W 1/4 P } Pin 12 S 84 E 20 } 0 1/9

" " 12 N 24 W 19 } 0 1/9

DH Vaughan W " 30 24 N 48 E 185 0 4

from, measuring at right angles with

and Catholic The same. Protestant

center of RR track. NW cor Catholic

then 2 Poles run together

Kaukana Limestone 3x4x27. X on top

" " " 7x8x24. X " "

" " " 4x6x21. X " "

" " " 5 1/2 x 6 1/2 x 20. X " "

" " " 5x5x 20. X " "

st " " " 5x5x 31. X " "

=

from E 1/4 P to said 1/8 P cor 20.60 ch

Cent of SEC } Pin st 145 x 11 E 50 1/2

S 1/4 P } " " 22 N 83 W 59 3/4

S 1/4 P } Tam 2 1/2 S 79 1/2 W 9 1/2 } found my

new } " " 10 N 30 1/2 W 21 1/2 } old trees

- 960 - then 442 = 4007 Van E 28 Van 3

Cent S E 1/4 E. (13/4) 300 to R of W 2066. Left it

S 1/4 P N 4029 Van W 29 1/2

~~1 cen S E W (2 1/2) 4958 Van S 17 1/2~~

- N of 1/8 bet S 1/4. E (1/2) 2 8/95 to R.R. fence

- 2020 to 1/8 cor - - - - -

- Cree 26.2 acres. move to 674 W 20. + 7 LKIN

Did not have any flag Pole

SW cor of Protestant cemetery is 1400 feet

in a straight line from stone at intersec-

-tion of 2nd street + Owono st and 96 ft

R.R. Protestant cemetery is 220 ft Long

Cemetery at NW cor is 104 1/2 ft from

" " is 113 feet

1925

SEC 31-36-11 May 15-1886

SE cor original SEump. OK  
" " N (5 1/4) 157.92 Var E 50 72 U 4 1/22420

SEC 35-36-11 May 25-1906

NW. COR OK E <sup>(3.3/4)</sup> 3904 - 28. Var S 306 U 3 3/4

N 1/4 P. Pine sep 21 S 1/2 W 49 1/2

" " " E <sup>+54'</sup> (5) 4175 Var S 65 U 5°

NE cor found my stake set in 1900

" " Pine 16 N 26 1/2 E 54 new

" " E (2 1/2) 4112 Var S 26 U 2 1/4

N 1/4 P 36 Norway sep 12 S 15 W 24 1/3

Do not know whether berries was on 2 7/20 5

NW cor 35 Birch 12 S 17 1/2 W 33 1/2

" 13 S 2 E 40

Jan 5-1900 4AN 1/4 P S (6) <sup>+1.08' 4109 R 1/4</sup> 7716 Var W 153 U 1/2NE cor S (3) 3953 Var <sup>3 1/4</sup> E 268

E 1/4 P Tam 11 S 67 W 20 new

N 1/8. E Line J Pine 11 S 41 W 21

Took mon Sec 35 E &amp; W 1/4 line at 4000

chs. run E <sup>+5°</sup> (2 1/2) 3688 whole dist. <sup>36 52</sup> 7668 Var S. 716cent sec Pine <sup>Birch 10 S 40 W 23 1/2</sup> 11 N 71 W 55

1/8 bet N 1/4 .. sep 18 S 60 W 9 1/2

" " E <sup>(6 3/4)</sup> 4100 Var N 13 1/2



and 28  
29  
and 30  
SEC 22-37-11 NOV 16-1885

W 1/4 P Th fir a spr. Birch OK  
 " " " E (4) <sup>+1.42'</sup> 8900 var S 264  
 E 1/4 P S (4) 8000 and left it  
 " " " S (4) 4074 var W 99  
 N 1/4 S (5) 8000 & left it

== SEC 28 ==

NW cor S (5) <sup>-5 1/2'</sup> 3997 var E 380 U 5 1/4  
 " " E (5) 4000 + var N about 150  
 N 1/8 W line maple 9 S 5 1/2 E 23 3/4  
 = SEC 29 = Dec 1884

N 1/4 P S (5) 8000 + left it  
 ✓ SW cor E (4) 7800 var S 174 U (4)  
 = SEC 30 = 1888  
 E 1/4 P W (6) <sup>-1.28'</sup> 9670 var S 248 (-1/2)  
 " " " N (4) 4118 var W 44 U 4 1/2  
 NE cor W (6) <sup>-4'</sup> 4175 var N 293  
 N 1/4 P S (3) 3742. E & W 1/4 line 4212 W  
 1/8 bet N 1/4 E (3/4) 4208 var N 10  
 N 1/8. E line Pin St 30 S 5 W 9

SEC. 31-37-11 NOV 16 1885

N cor S (4) 4094 var E 74  
 E 1/4 P S (3) <sup>-17 1/4'</sup> 2880 var E 893  
 " " " (17/4) 3020 HILL  
 S 1/4 P N (3) <sup>+2.20'</sup> <sup>3312</sup> <sup>7996</sup> var E 2970 (4)  
 N E W (-1 1/2) <sup>+38'</sup> 100.27 var N 190 (-3 1/2)  
 NW cor S (5) <sup>-2.25'</sup> 3960. " E 167 U 4 1/2  
 E 1/4 P (-1 1/2) <sup>+1 1/4</sup> <sup>4828</sup> <sup>+2112</sup> 100.84 " S 223 U 7.40  
 N line. 4463 + 2232 + 3332

Cent SEC Tam 20 S 88 E 10 1/2  
 " " " 12 S 19 E 21 1/2

N 1/4 P Birch 12 S 24 W 25 1/2  
 fir 9 S 47 E 17

W 1/8 N line cedar 11 S 86 E 13  
 " " S (4) 4010 var E 22  
 1/8 bet W 1/4 Birch 12 N 53 W 14  
 Cen NW 1/4 W (3) 1500 to S Swamp  
 1/8 bet N 1/4 Birch 9 S 20 E 16  
 S 1/8 E line Sugar 8 S 32 E 12  
 " " W (1/4) 2500 to Swamp  
 N 1/8 E line Birch 10 N 38 9 1/2  
 " " W (2 1/2) 4650 var S 29  
 S 1/4 P E (5) 4185 var N 13 1/2 (131 1/2)  
 E 1/8 S line Birch 16 S 1 1/2 W 34 U 3  
 " " N (10) E U (10) 1546 to Old Line

SEC-5. 38-11 JULY 10 - 1889

W 1/4 P N (8) <sup>24 46</sup> 4538 var E 56 U 7  
 NW COR E (5 1/2) 4022 var S 70 U 4.35 <sup>offset</sup>  
 W 1/4 P E (6 1/2) <sup>5.33</sup> 7500 (5 1/2) quiz on N Bank

Found no mc on N side Spirit Lake

at 5150 E of W 1/4 P offset N 250

Then E 250 Then N 200

" " 500 " " 175

" " 300 ~~500~~ " 500

1050 + 5150 = 6200 875 + 250 = 1125 N

6200 E and 1125 N

Began at mc on W side of Spirit Lake  
 which is 29 LKS W of 1/4 P in Lake

mc N (6 1/2) 8608 var W 156 - 29 LKS U 7

W 1/8 N line Sugar 8 S 34 E. 25 U 7

" " S (7) 2013 var W 4 NEW

cent sec { Sugar 8 S 29 E 16 { Hem 20 N 35 E 46  
 " 10 S 23 W 19 " 10 N 30 W 26

N 1/8 W line maple 8 S 13 W 20 1/4

" " " E (7 1/2) <sup>3966</sup> 3996 var S 35 U 7 1/4

E 1/8 bet N 1/4. J Pine - N 68 E 22

cen N W 1/4 spruce 5 S 85 1/2 W 34

SEC 638 11 Apr 14 - 1892

SW COR N (6) <sup>2.47'</sup> 3994 var W 191 U 5 5/8

" " S (550) 4008 var E 71 U 5 3/4

N 1/8 W line I Sugar 12 N 61 E 10 1/4

maple 12 S 80 W 31 1/2

W 1/4 P E (-2) 3850 to Lake + 6667 over  
 Lake 8572 var N 2 inches

SW COR E (-2 1/2) 5035 var N 2 1/2 U 2 1/2

mc E side of Lake J Pine 9 N 57 1/2 E 5 1/2

" " set 11 N 77 E 6

W 1/4 P E (-2) 3960 to Mc Birch 20 S 37 1/2 W 19 1/4

22

" " 9 North 14 1/2  
 at 3 LAKES = at intersection of center  
 line of Michigan + Superior set  
 set draw bar of freight car. center of  
 hole in top is corner point

at intersection of center line of  
 Superior st. with W line prolonged,  
 of Ohio SE, set Kaukana Line Stone  
 4 X 8 X 24 and X on top.

at SW COR SEC 6. set Kaukana Line  
 Stone 2 X 7 X 30 with X on top.

in SEC " Line. and 30 ft east of NE COR  
 of BLK 2 in original PLAT. set Kaukana

Line Stone 3 X 6 X 26 with X on top

at S 1/4 P 6 set Kaukana Line Stone  
 6 X 7 X 36 X on top

25

22

See 6-38-11. continued  
 under center of each monument  
 except at Sec 6 & drove a hole with  
 a crow bar, and filled with stone, coal

Canal at 3. Lakes.

N side of maple Lake in Lot 8 S 6 E to me  
 me maple 2 S 29 1/2 W 8 2/3 ft  
 y Pine 8 S 44 E 67 ft

Urnier on (4 3/4) N 4 1/2 W 1100 feet

S. side Town Line Lake: maple 10 S 52 W 15 3/4  
 : fir 5 N 58 1/2 W 12 1/4

4A

26

See 8 and 14 38-11 Jan 23. 1902  
 SURVEY of ISLAND in NW of NE - 8  
 me on W side of LAKE or trees ok  
 " " Ulnier (4) S 79 E 1120 to me on  
 N end of island Birch 8 S 62 1/2 E 19 1/2  
 Thence S 40 E 150

S 27 W 140

S 12 E 200

S 47 1/2 W 200

S 71 W 80

N 64 W 200

N 47 W 150

N 37 E 100

N 60 E 150

N 36 3/4 E 330

S 76 1/2 E 50 to me

1.76 1/100 Acres

SEE 14. OCT 30 1886

S 1/4 P. N (4 1/2) 8000 found nothing  
 at 4650 offset E 100. at 5500 offset W 150

25



27

25

SEC: 24-38-11 Dec 6 1887

SW COR N(6) <sup>40 24 (6 1/2)</sup> 8048 <sup>(6 3/4)</sup> var W 108 1/2NW " E(5) <sup>3 1/2</sup> 4087 var N 247 U 4 3/4" " " E(5) <sup>-1.36</sup> 2525 1/2 " N 70 U 5N 1/4 P S (5 1/2) <sup>-32'</sup> 8300 <sup>43 47</sup> var E 78 <sup>change in E 1/4 P,</sup> U 5.50SE COR N(5) <sup>+30'</sup> 3940 var E 33

S 1/4 P. Birch 20 N 8 1/2 E 33 ok

maple 8 S 48 W 26

E 1/4 P W (5 1/2) <sup>40 57</sup> 8133 var N 7 U 2 3/4

W 1/4 P HEM 24 N 29 3/4 E 26

do 24 S 8 3/4 E 26 1/2

N 1/8 W line " 6 N 69 E 31 1/2

Gen. Sec. fir 10 N 88 1/2 E 7 3/4

Birch 11 N 68 W 30

S 1/8 E line Sugar 18 N 42 1/2 W 34

" " W (12 1/2) 4061 var S 15 1/2 U 1.45

1/8 bet W 1/4 cedar 11 N 5 E 34

" " " N (5 1/2) 4232 var W 44

N 1/8 W line E (1/4) <sup>+28'</sup> 2060 var S 16

W 1/8 N " } Birch 11 S 58 3/4 E 17

Pine 10 N 36 1/2 W 120 1/2

NB The center of this Sec. should  
be 3 1/2 lks farther North. owing to  
a mistake in my copy of Govt

field notes

28

SEC 25 + 26. 38 11 Nov. 16 1886

SE COR W (5) <sup>+2.43</sup> 55 and left icNE " W (5) <sup>+4-81 0 7</sup> 16190 <sup>var W 5.59</sup> var N 17.23SW " N (5) <sup>80 35 (4)</sup> 16070 <sup>var E 96 (3)</sup> " E 385

NW " HEM 10 S 23 E 17

" Pin 26 S 40 W 5

NE " S (5) 3958 var - 3

N 1/8 E line HEM 12 S 40 E 10

" " W (-1) 2030 to a stake

SEC 26-38-11 Sept 11, 1886

NE COR W (3 1/2) <sup>+2.07'</sup> 8180 var S 305 U 2.35

N 1/4 P Pine 14 N 61 25 U 5

E 1/8 N line HEM 11 S 30 W 29

25

25



29

25

and 27

SEC-4-39-11 OCT 15 1886

SE. COR NE TREE. OK. NW TREE LYING DOWN

" " W (6) <sup>8000</sup> 9500 + 5465 = 14965 to me

ON E. SIDE OF RIVER VAR N 38°

" " W (6) 3393 VAR S 116

S 1/4 P fir step and Hem tree

E 1/8. S line Birch 12 S 78 W 22 U 4

" " N (4) through the Pine

SEC 27-39-11 MAY 31 1906

NW COR Birch OK. fir gone

" " S (4 1/2) <sup>4.39</sup> 1100 offset W 96 LKS

" " S (1) 1180 to brow of HILL. 1700 me

" " E (4) <sup>1.32</sup> 440 CREEK + SWAMP THEN 712 = 1150

" " ANGLE 95° SE. ANGLE TAKEN BET RANGES

" " Birch Birch 12 N 4 W 34

FOR STAKE USED AS STARTING FOR SMITHS

PLAT MADE BY RUSSELL. Y. PINE 10 S 28 1/2 W 27

W " 9 S 57 1/2 W 10 1/2

do do 12 N 7 1/2 W 43

NW COR E (4) 5090 VAR ~~4 1/2~~

" " " (4) <sup>1.32</sup> 5245 VAR S 1/40 U 4 1/2 to me

ME } Pine 11 S 75 1/4 W 11

" " 11 S 29 1/2 W 34 1/3

AT 3130.0 ON ABOVE RANDOM, RUN S. ANGLE

SE 92 3/4 2400 TO LAKE

24

1707  
6933

5234  
1707  
6941

30

SEE 27.39-11 CONT:

ME BET 28 + 33. E SIDE OF POINT FOUND  
SW STEP OF ORG TREE MADE NEW BEAMY

Y PINE 9 N 65 1/2 W 52 3/4. ON THE  
W SIDE OF POINT FOUND N STEP ORG TREE  
MADE NEW Y PINE 8 N 61 1/2 E 8

APRIL 27 1907

LOCATED SW COR BY PROLONGING RUSSELLS

BET 33 + 34 N TO S. LINE OF 27 AT A POINT

263 E OF THE EAST ME BET 28 + 33

NW COR S (105) 1707 VAR W 4 1/2 U - 50'

" " S (1 1/2) 6933 VAR E 33

N 118. W LINE Hem 9 N 57 W 57

do 14 N 22 1/2 W 46

ME ON N SIDE OF LAKE IS 63 1/2 LKS  
W OF CORRECTED, OR STRAIGHT LINE  
LINE FROM SW TO NW COR.

SW COR N 5234 VAR 12 E OF ME

ME ON SMITH POINT IS 730 N OF SW COR 27

N + S 1/4 LINE IS PARALLEL WITH W LINE

E + W " " " " " " N "

1. ME BET 33 + 34 W PINE 11 S 35 W 37

" " 11 N 46 W 25 3/4

NEXT ME N Y PINE 6 SOUTH 11 3/4

" " " W " 6 N 67 W 9 1/2

" " " " " 5 S 12 1/2 E 31 1/8

over

SEC 27 39-11 cont

ME  
 No 2 is 9.10 N of SW cor  
 " 3 " 1635 N " " "  
 " 4 " 1935 N " " "  
 CLT 1906 S of NW cor on line bet NW + SW  
 corners. Run E parallel with N sec line  
 420 (stadia) 3118 to N + S <sup>line</sup> 1/4<sub>A</sub> Run Last Year  
 The above starting point 1562 lks E of  
 of line from ME to SW cor =  
 N 1/4 PE (5 1/2) 2116 var N 1 LK U 6"  
 W 1/8. N line Spruce 6 S 78 E 11  
 N 1/4 P. Tam 13 S 17 1/2 W 10  
 " " " 13 N 78 E 22 2/3  
 " " S (17) ~~1900 to 1/4 line~~ at 3182 E of  
 W 1/4 P N 1/4 P S (17) 2279 var W 2 1/2 U 25 at  
 cen sec Sugar 6 S 40 E 14 3/4  
 " 6 S 43 1/2 W 14 2/3  
 1/8 bet W 1/4 sec marked stak  
 " " " N 1904 var W 12 1/2 U 7 1/2  
 cen NW 1/4 marked stak  
 " " " 15 1/2 1578 var S 3 U 5 1/2  
 1/8 bet N 1/4 Tam 8 N 64 W 18  
 " " E (535) 1487 to Lake. Me Pine 24 S 37 1/4 W 12  
 1/8 bet N 1/4 Spruce 5 S 10 W 26 1/4

White flag of 1877  
 west line 11 7 8.58  
 See last page

SEC 31-39-11 April 10-1906

ME W side of Lake on S Line <sup>10 3/4</sup>  
 " " " E (3 1/2) 3734 over Lake var N 29 1/2  
 " " " E side of Lake S Line <sup>77 6 W</sup> Pine 18 N 54 E 17 3/4  
 S 1/4 P (on ice) N (5) <sup>8' 40 58 RL 50</sup> 7981 var E 80 U 4.35  
 ME N side of Lake W line  
 " " S (3) 4940 var E 2 3/4 U —  
 W 1/4 P (on ice) E (3) <sup>4 5 67 R (240)</sup> 8471 var N 70 1/2  
 ME on <sup>S</sup> side of Lake on W Line  
 " " " Pine 18 15 S 53 W instead of N 23 W  
 " " on N side of Lake on W line  
 " " N (4) <sup>7 1.37 464</sup> 2402 var E 67 1/2  
 NW cor E (5) <sup>2.26</sup> 3080 var N 131 Thence E  
 1525 to N + S 1/4 line random  
 N 1/8 W line Pine 20 N 62 E 20 1/2  
 " " " 20 S 58 E 18 1/4  
 ME N of E 1/4 P Birch 7 S 75 E 6 } 0 1/2  
 " " " <sup>2 2 1/2</sup> 10 N 6 W 16 }  
 " " S (4) <sup>2 2 1/2</sup> 4057 1/2 var W 176 U 3.40  
 SE cor W (3) <sup>1.13</sup> 2742 var N 58 1/2 U 2.40  
 S 1/8 E Line Maple 10 S 42 1/2 W 43 1/3  
 Birch 11 S 49 E 47  
 E 1/4 P " 7 N 36 W 27 1/2  
 ash 10 S 58 1/2 E 43 1/2  
 S 1/8 E Line W (3) <sup>20 50</sup> 2096 1/2 to Lake  
 W me. S line Pine 20 S 75 W 10 3/4  
 canton mt Page





## SECS 32 &amp; 33 cont

SEC 33. 20 lks E of me bet 28 + 33  
and on W side of Little for Lake  
Thence W on Sec Line 300 feet

" S (13/4) 130 feet to Shore of Lake

" S 59 1/2 W 150 ft

" " 69 " 100 " }

" " 62 1/2 " 60 " }

" " 35 " 50 " }

" " 19 1/2 " 100 " }

" " 19 1/2 " 150 "

" " 23 " 150 "

" " 42 1/2 " 75 "

N 89 1/2 " 75 "

" " 87 1/2 " 150 "

" " 79 1/2 " 300 " offset 10 ft

S 70 " 150 "

" " 19 " 150 "

" " 7 " 150 "

" " 6 E 150

" " 21 1/2 " 150

" " 33 1/2 " 150

" " 70 " 150

N 87 " 100

S 82 " 50

S 81 " 150

cont on Page 35

S 86 E 150 ft

" " 80 1/2 E 75 "

" " 69 1/2 " 75 "

" " 65 " 75 "

" " 58 " 150 "

" " { 50 " 50 " }

" " { 16 W 100 " }

" " { 8 1/2 " 75 " }

" " { 26 E 75 " }

" " { 37 " 220 " }

" " { 58 W 200 " }

" " 39 " 150 "

" " 30 1/2 " 150 "

" " 18 1/2 " 140 "

N 81 " 200 "

" " 81 " 150 " to cor = Stone

S 20 " 65 "



37

25

SEC 34 and 35-39-11. Oct 1886

SEC 34 S 1/4 P W (5) 2650 to Lake

and LEFT it

SEC 35

25

S 1/4 P N (2) 4038 to LAKE

" " " " 5431 own "

" " " " 6335 own ~~E 77. of 3~~

" " " " 6335 full 77 E of N 1/4 P

Original trees standing

38

SE 1/4 39-7

39

40

See 15. 39-7

41\*

42

17  
SEC #8-39-7

43

SEE 18.39-7

44



45

See 21-39-7

46

47

48

See 22-39-7

49

4A

39-7

See 27 - FEB-19-1897

W 1/4 P E (4 1/2) <sup>3994</sup> 8070 <sup>var 3 1/2</sup> var S 130 U 4° EN 1/4 P S (3 1/2) <sup>+36'</sup> 8004 f W 84 W var <sup>3</sup> E

S 1/4 P E (4) 3464 f W 33 N of MC OK

M.C. S. of E 1/4 P. N. (4) 850 ~~f W 3 1/2~~ <sup>var 3 1/2</sup> ~~U 30° E~~ <sup>then W 30°</sup> ~~var 120~~ <sup>hit 30°</sup>

N 1/4 P E (4) 4111 f W 80 S. of NE Cor

NE Cor W. Pin # 66 E 24

Tann 135 52 1/2 W 50

N 1/8 E Line Town 4 N 8 1/2 E 7 1/2

E 1/4 P. R OOK 10 N 53 1/2 E 15 1/2

Center of SEC. Sugar 6 N 75 W 31

" 6 N 56 1/2 E 17

1/8 bet N 1/4 Y. Pin 20 N 21 W 11

" " " " E (5) 4087 var S 1 1/2 Lks

1/8 bet E 1/4 S P MC 4 S 23 W 12 1/2

" " " " S 3° 5' 4102 var W 14 U 25°

NW Cor E <sup>1.25'</sup> (5 1/2) 3960 var N 9° 6'

" " " S (3 3/4) 4014 var E 16

W 1/4 P E (5 1/2) 3982 var S 16

1/8 bet W 1/4 S P MC 10 N 67 E 18 1/2

W 1/8 N Line W Pin 30 N 64 E 36

" " " " S (3 1/2) 3984 var W 15

" " " " E 1987 Hit it.

Very close of Aug 1900 Survey

N from E 1/4 on S line bet 4° E

2059 bet 37 1/2 W of Tower 1/16 Foot

Did not find NE corner on E 1/4 Part

Set NE corner partly by measurement &amp; intersections of lines and Topogham.

Damp Survey it is 3464

from 1/4 pt. MC

36 1/2 " OK

on E 1/4 Part

50

See <sup>28</sup> ~~28~~ - 39-7

51

29-39-7

52



SEC 18-37-11 D.H. VAUGHAN

SW COR NORTH VAR 2° W

4047 FELL 277 E of 1/4

COR. SOUTH 9 SET 1/8 A 20 23 1/2

{ SW. PINE 9 N 43 1/2 W 13 1/4

{ BIRCH 115 31 E 31 1/2

W 1/4 COR. EAST VAR 1° 30' E

9232 FELL 10 50 of 1/4 COR.

N 1/4 COR. SOUTH VAR 1° E

7969 FELL 1/8 of LINK E

CENTER OF SEC { SW. PINE 17 58 E 18 1/2

{ " " 12 N 40 W 70

DIST. TO N 1/4 3951

" " S 1/4 4018

" " W 1/4 5356

" " E 1/4 3876

1/8 N. of CTR. AT 1975 1/2

{ BIRCH 115 31 1/2 E 8

{ MAPLE 9 N 50 W 22 3/4

SEC. 18-37-11 (CONT)

1/8 S. OF CENTER AT 2009

{ W. PINE 14 N 80° W 8 1/2  
 { " " 14 N 60 22 1/2

1/8 W. OF CENTER AT 2192 <sup>35</sup>/<sub>100</sub> WEST

{ W. PINE 8 N 34 1/2 W 22  
 { N " 14 S 42 E 9 1/2

5/8 W. LINE EAST. VAR. 1° 41' E

5212 FELL 14 NORTH

PAGES 56-99  
 BLANK

N 1/4 P

$$\begin{array}{r} 1312 \\ 123 \\ \hline 3936 \\ 2624 \\ \hline 1312 \\ 3776 \\ \hline 3936 \\ 2624 \\ \hline 1312 \\ 61376 \end{array}$$

$$\begin{array}{r} 123 \\ 1312 \overline{) 1625} \\ \underline{1312} \\ 3130 \\ \underline{2624} \\ 5060 \end{array}$$

$$\begin{array}{r} 983 \\ 123 \\ \hline 3949 \\ 1966 \\ 983 \\ \hline 120909 \end{array}$$

~~$$\begin{array}{r} 123 \\ 9 \\ \hline 1107 \end{array}$$~~

$$\begin{array}{r} 123 \\ 6 \\ \hline 738 \end{array}$$

$$\begin{array}{r} 123 \\ 3 \\ \hline 369 \end{array}$$

Loans notes for 27-39-11  
 N 1/4 P. S (T) 2479 Van W 2 1/2 Van 125  
 at 1900. S. of N 1/4 P. at center  
 of section { Sugar 6 S 40 E 14 1/8  
                   "      6 S 43 1/2 W 14 2/3  
 Center of NW 1/4 marked stake  
 1/8 between NW 1/4 P. N. 1904 Van W 12 1/2  
 Center of NW 1/4 marked stake  
 Center of NW 1/4 E 5 1/2 1578 Van S. 3 Van 53  
 1/8 bet N 1/4 3 Town 8 N 64 W 18  
 " " " " E Van 5.35 1487 to Lake  
 5 2nd m.c. S W Pin 24537 3/4 W 42  
 1/8 bet N 1/4 P { Spruce 5 S 10 W 26 1/4  
 W 1/8 on N Line W Pin W Pin 30 N 64 E 36  
 W 1/8 " . S (3 1/2) 3984 W 15 W 18 1/2  
 1/8 bet N 1/4 P W. Pin 10 N 67 E  
 1/8 " E 1/4 E 1987 Hit it



SUSE

10 10<sup>W</sup>

- 1 N well thinned with B-H Pops
- 1 and enter Swamp seden + Tan
- 2 150 Pales 200 Posts 25 Cords N-B
- 3 50 " 200 " 10<sup>W</sup> B.
- 4 20 " 100 " 25 Pales ent-1919

NW SE

- 1 N 20 Pales cut leave Swamp at 65
- 2 " 25 C Wood
- 3 " 20 " " small clearing at 50
- 4 " 20 " "

NIE SE

- 1 S 15 Pops 100 Posts leave Swamp 100 P. 22 P<sup>out</sup>
- 2 " 20 C wood
- 3 " 10 " " + Enter Swamp or low ground
- 4 " leave swamp 50 C. H 50 wood 50 Posts

SESE

- 1 S 25 C wood Rocky
- 2 " at 90. Old camp small garden 25 C W
- 3 " 50 C wood Rocky
- 4 50 " " " 5M Hem

S 1/2 of SW SW

- Tally 1 E Tam Spruce & cedar  
 " 1 5 m dead Tam 50-75 Stk Spr  
 " 2 Scrubs as Tally 1  
 " 3 " " " " 1  
 " 4 " " " " 1  
 S 1/2 of SE of SW SW

- Tally 1 Leaf Swamp. Same as above of W. Birch  
 " 1 and about 50 small cedar  
 " 2 at 85 stp<sup>o</sup> Enter cedar & Tam Swamp  
 2 cedar is small & poor  
 3 all Swamp nearly cedar from 2 to 6 inches

N E S W

- 1 Low ground 20 C B wood. 5 C fir  
 2 " " Roey 5 C Birch  
 3 " " " " " "  
 4 alder swamp all cut elem  
 W 1 alder swamp 5 C small birch  
 " 2 at 50 leaf Swamp. Hard land  
 3 hard land Rocky  
 4 1/4 S W emb in NW cor

(21)  
SEC 2-39-11

Whole length of west line by Dam.  
from SW cor N 910  
to 1st MC 910.

" NW 6933 + 910 = 7843. This is  
on a straight line between corners  
W 1/4 P in Lake should be 2953 north  
of Dams MC on N side of Smiths  
Point 2963 + 1935

MC on N side of Lake is 63 1/2 west  
of a true line bet<sup>n</sup> NW & SW corners

Dist from NW cor to W 1/4 P 2945

" " NW " MC is 1879

Shorter than govt measurement

N 1/8 P W line should be 9.35 S.

of NW cor + 752 N of 910

Dams W 1/4 P is 1906 S of NW cor

center of Sec is 3180 E of W line bet an C

and S W Cor & perhaps 4.20 more = 3600

it 2478 from N 1/4 P to center of Sec  
and var 1° E.