

38

C.D. VAUGHAN # 38

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING
 Roadway of any Width. Side Slopes 1/2 to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0; the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



Cut or Fill	Distance out from Side or Shoulder Stake										Cut or Fill
	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59.7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40

GENISOT ENGINEERING CO.
 O'KEEFE DR. RHINELANDER, WIS.

MARCH 14, 1926 C.D. VAUGHAN

SEC 31, T40N, R9E

SE COR. NW BT OK 5x5x3 CONC. POST.
 SE COR. NORTH VAR 1°E
 1.70 CENTER of Highway 70
 13.00 SWAMP
 17.00 OVER
 21.00 SWAMP
 29.00 OVER
 31.25 WEST END of Bay of Lake
 42.60 LAKE
 61.00 OVER LAKE
 61.32 2 LKS EAST of MC. 5x5x3 CONC. MON
 79.84 FELL 4.5 LKS EAST of NE COR.
 5x5x3 CONC. MON.

N. 1/8 TO N. SHORE 120
 N. 1/8 TO MC. 143

1/4 POST AT 3992 { W. PINE 4 N. 74° E 14 1/2
 " " 10 N 86° W 73 1/2

E 1/4 POST WEST VAR 3°50'E

2.00 LAKE
 15.81 OVER
 34.70 LAKE
 42.63 OVER
 81.84 FELL 36 1/2 NORTH of OR 19 1/4
 5x5x3 CONC. POST

DEC. 10442

SE COR. WEST VAR. 3°55'E

4.00 SOUTH EDGE of Highway 70
 23.55 33 1/2 NORTH of 5x5x3 CONC. MON.
 79.80 FELL 164 NORTH of SW COR.
 ORIG. POST ALSO 5x5x3 CONC. MON.

BTs { SPRUCE 6 N 65° E 25
 " " 6 N 32° W 21 1/2
 " " 6 S 20° E 29

DEC. 0206

3955 CRT 1/4 { PINE 18 N 72° W 20 1/2
 " " 10 S 67° E 48

(OVER.)

5 1/4 COR. NORTH VAR 30°30'E

19.89 Cement Block 3 LKS. EAST

36.50 Center of Highway 70

36.94 Cement Block 2 LKS. WEST

41.60 LAKE

50.66 OVER

66.00 LAKE

79.84 Fell 100 WEST

DEC. 0702

NE COR. WEST VAR 4°55'E

4114 1/2 D.S.B. (OK) M.C. { PINE 12 N 15° W 15
" " 12 S 15° W 41

7019 1/2 D.S.B. (OK) M.C. { W. PINE 12 N 50° W 10
" " 12 N 33° E 17 1/2

8264 NW COR AT POST

FOUND 5K X 3 CONC. MON. USED BY

D. S. BURNETT

{ CORN 12 S 60° E 39 1/2
" " 12 N 50° W 54

4149 SET N 1/4 COR 35 LKS

WEST OF EAST M.C.

DIST. TO S 1/4 39 63 1/2

" " E 1/4 40 56

CTR. SEC BIRCH 6 S 75° W 4
" 4 S 10° W 9
" 4 S 50° E 8
" 6 N 75° E 10 1/2

SEC. 14 T 39 N R 6 E

M.C. NORTH of S 1/4 COR REMARKED B.T.S. OF D.H.V.

NEW IRON { CORN 5 N 79° W 11
" W. PINE 6 S 9° E 15 1/2

SOUTH FROM THIS M.C. VAR. 1° E

1780 1/2 FELL 18 WEST

N 1/2 S 1/4 LINE TO NW COR 843-2 1/2

Mag N. LINE 86° 45
" E " 1° 30' W + 1° W
" W " 5° 23' E + 28° + 33°

N. LINE 2225
E. " 568
W 836 2 1/2 TO 1/4 LINE

1478 ANGLE 174° 40
536 " 175° - 287

E 1/8 N. LINE TO LAKE 900 FEET
" SWAMP 263 "
" OVER 600 "

1/4 N TO N LINE OF PLAT 690 FEET

4

JUNE 1, 1926 C.D. VAUGHAN

SEC. 12, T 39 N, R 6 E

E 1/4 ORIG. STP 9 TWO OF DARRS

NEW { OAK 7 N 33 E 40 3/4
" 6 N 67 W 19 1/2

E 1/4 SOUTH VAR 3° E

2646 FEET 10'-10" EAST OF SE. COR

FOUND 4 ORIG. STPS.

TOOK D.S.B. NEW BEARINGS

{	W. PINE STP.	36° N 32° W
	OAK	6 5 57 W
	BIRCH	8 5 17 1/2 E

WENT NORTH AND SET N 1/8 ON E. LINE

AT 1323 FEET

W. PINE STP 20 N 10 E 40

" " " 20 535 E 10 1/2

S.E. COR WEST VAR 3° E

FOUND OLD LINE ABOUT 300' FROM SHORE

feet	1573	SET M.C. { W. BIRCH 5 55 30 W 3 POP. 8 N 15 E 12 1/2
	30 TO LAKE	
	<u>1603</u>	

1320 FEET SET E 1/8 ON S. LINE

15

SEC. 12, T 39 N, R 6 E (CONT)

E 1/8 ON SOUTH LINE NORTH VAR 3° E

2658 FEET FEEL, 26.1 FEET WEST
OF D.H.V. 1/8 EAST OF CENTER

WENT SOUTH AND AT 1329 SET 1/16

{	Y. PINE	7 5 55 W
	OAK	8 5 32 1/2 E

S 1/8 ON EAST LINE WEST VAR 3° 20'

1313.06 FEET 21 FEET SOUTH OF 1/16
CORRECTED LINE AND PROLONGED
IT WEST TO 1/4 LINE AND
SET 1/8 SOUTH OF CENTER
175' NORTH OF M.C.

Dec. .016

1/16 SE 1/4 WEST

421 1/2 FEET LAKE

560

981 OVER "

332

1313. 1/8 SOUTH OF CENTER

NORTH FROM M.C. ON N-S 1/4 LINE TO 1/8
SOUTH OF CENTER 175.08 FEET

JUNE 20, 1926 C.D. VAUGHAN

SEC. 30, T39N, R7E

NE COR. ORIG. { W. PINE STP 30 S 10 $\frac{1}{2}$ W 142
 Y PINE 85 S 7 E 148 $\frac{1}{2}$

NE COR WEST

2030 Fell 12 $\frac{1}{2}$ So. of DSB 1 $\frac{1}{2}$ 4060 " 10 $\frac{1}{2}$ So of DSB 1 $\frac{1}{4}$ 4032 Fell 6 So of ORIG 1 $\frac{1}{4}$

MARKS PLAIN ON NW TREE

Which is down

New { SPRUCE 4 S 40 W 76
 " 6 S 75 E 38

ALSO FOUND ORIG. STAKE

NE COR SOUTH VAR 30 $\frac{1}{2}$ E4008 Fell 41 $\frac{1}{2}$ EAST of E 1 $\frac{1}{4}$ ORIG

BOTH ORIG TREES. IRON POST

New { W. PINE STP 20 N 70 $\frac{1}{2}$ E 22 $\frac{1}{2}$
 Hem. 10 S 61 W 95 $\frac{1}{2}$

E 1 $\frac{1}{4}$ SOUTH VAR 2 $\frac{1}{2}$ E - 1786 Fell 25 $\frac{1}{2}$ West

D.H.V. { Y. PINE N 20 E 12
 IRON L

July 7, 1926

C.D. VAUGHAN

SEC. 22, T 35 N, R 10 E

W 1 $\frac{1}{4}$ FOUND D.H.V. NE 13T

D.H.V. { (19M)
 CEDAR 16 N 65 $\frac{1}{2}$ E 49
 NEW " 10 N 35 W 140
 NEW SPRUCE 5 S 32 E 137

W 1 $\frac{1}{4}$ NORTH VAR 13 $\frac{1}{4}$ EAST

3961

NW COR { MAPLE 13 N 73 W 40
 " 8 S 80 E 58 $\frac{3}{4}$

N 1 $\frac{1}{8}$ W LINE { Hem 24 S 84 $\frac{1}{2}$ E 56 $\frac{3}{4}$
 BIRCH 18 N 25 W 73 $\frac{1}{2}$

NW COR FOUND BOTH ORIG STPS & D.H.V. BS

N 1 $\frac{1}{8}$ W LINE EAST AT RIGHT ANGLE
 656 TO LAKES



C.D. VAUGHAN

SEC 34, T 39 N R 7 E

RE-ESTABLISHED E 1/8 N. LINE

{	BIRCH 6 5 13 1/2 W 11 1/2
	OAK 4 N 21 E 10

EAST MC NORTH LINE

{	W. PINE STP. 30 5 30 W 21 1/2
	BIRCH 6 N 62 W 35

E 1/8 S LINE SUGAR - 587 1/2 E 38

MC { BIR. 7 N 31 W 4

" { " 6 S 23 W 25

N 1/4 { POP 7 N 35 W 37
" 8 S 26 W 29

Aug 13, 1926

C.D. VAUGHAN

SEC 10, T 35 N, R 11 E

N 1/4 SOUTH VAR 3° E
79 51 Fell 209 1/2 WEST

Dec. 263

S.W. COR. BOTH ORIG STPS.

{	W. PINE 24 5 13° E 56 1/2
	BALSAM 10 N 34 W 22

S.W. COR. EAST. VAR. 3° E

8229 Fell 589 NORTH of SE COR.

BOTH ORIG - Post Sleigh Shoe

FOUND OLD 1/4 CHECKS UP ABOUT RIGHT

{	BIRCH 12 5 20 E ABOUT 18
	SPR. 6 5 83 W " 18

AUG 22, 1926 C.O. VAHOPAM

SEC 20, T39N R11E

NW CORNER, FOUND BT OF D.H.V.

W. PINE STP 16 S 7° E 21 3/4

" " " 18 N 68° E 64

NW CORNER SOUTH VAR. 2° E

1988 Fell 10 1/2 EAST OF N 1/8 BY D.H.V.

Dec. 0053

PROLONGED LINE SOUTH TO LAKE

AND AT 2113 SET POST 43 NORTH

OF ORIG MC. USED D.H.V. BT

WHICH FACES SW. DID NOT REFACE

Y. PINE 12 S 43° E 7

EAST FROM NW COR. VAR.

MC. { W. PINE 7 N 43° W 8 1/2 WEST SIDE
New { " " 6 S 53° E 7 1/2 OF LAKE

FOUND ORIG OAK.

AUG. 23, 1926

SEC. 17, T39N R11E

S.W. COR. NORTH VAR 3° E

3859 Fell 347 1/2 EAST

FOUND AN OLD POST AND A 20" Y. PINE
WHICH HAS BEEN USED AS A
BT I SHOULD JUDGE AT LEAST
25 YEARS, WHICH STANDS.OLD Y. PINE 20 S 75° W 17
New { " " 6 N 40° E 17 3/4

SET 5 1/2 W. LINE AT 1929 1/2

{ Birch 6 N 87° E 44
Pop 6 S 63° W 36

CHANGE COURSE 5° 10' + 3 = 8° 10' E

SEC 9, T41N R8E

CENTER NE 1/4 N. VAR 2° 40

LAKE AT 1208 FEET

114 N. WESTERLY ALONG LAKE FROM MC.
BTWN 49 1/2

SEC 19, T35N, R11E

MC. BTWN 18 5/8 19

D.H.V. { OAK 8 N 7° W 8
" " 14 S 30° E 48

SEPT 27, 1926 C.D. VAUGHAN

SEC. 21 T 38 N R 7 E

S.E. COR. FOUND DHV₃ COR SET IN 1908

S.E. COR NORTH VAR 5° E

3998 Fell 125 EAST OF 1/4 SET BY DHV.
IN 1899 FROM ORIG

E 1/4	New	{	Old	RAMP	PINE	40	56	E	29 1/2
				W. PINE	12	N	27	W	

E 1/4 WEST VAR. 1° 30' E

8037 Fell 142 1/4 SOUTH OF

WEST 1/4. FOUND DHV₃ POST
SET IN 1899

DEC 0177

New	{	LARGE ROCK ON NW SIDE OF MARSH N 19 W 34
		LARGE ROCK SW ABOUT 30 FEET FROM SHORE OF MARSH S 23 E 17 1/2

NW COR. DHV₃ COR FROM ORIG.

New	{	OHK 7515 W 36
		" 6 NORTH 62

SEC. 21 T 38 N R 7 E (CONT.)

N.W. COR. EAST VAR. 2°

CORRECTED ON MC ABOUT GONE
AT 40.00 SET MC ON N-S 1/4 LINE
THENCE SOUTH VAR. 007866 Fell 388 1/2 WEST OF 5/4 SET
BY DHV. IN 1908

OLD	{	W. PINE	57	26	56	E	84
		IRONWOOD	6	N	31	W	18 1/2
		NEW	MAPLE	12	N	27	W

DEC. 0494

CENTER OF SEC. NO SCRIBE IRON	{	X. PINE	7	56	E	11 3/4
		"	8	N	38	W

DIST. TO E 1/4 3968

W	
S	
LAKE	3865

1/8 NORTH OF CENTER AT 1865

{	Pop	4	N	22	W	7
	"	4	S	20	E	9

SET N 1/8 E LINE AT

{	W. PINE	8	54	W	51 1/4
	W. BIRCH	7	N	20	E

PROLONGED LINE N. 1965 TO LAKE

EAST FROM 1/8 N. OF CENTER VAR. 4°

3910 Fell 166 NORTH OF 1/8
1955 SET 1/16

SEC 21, T 38 N R 7 E (CONT)

SOUTH FROM $\frac{1}{16}$ VAR 3° E

1983 FELL 289 WEST THEN

PROLONGED LINE N TO LAKE

W. BIRCH 10 S 50 W 23 1/2
 POP 6 S 80 E 16

 $\frac{1}{8}$ WEST OF CENTER No BTs

ON EDGE OF MARSH

N W COR { W. PINE 18 N 61 1/4 W 302
 " " 20 N 24 W 280

W 1/4 W. PINE 16 S 79 1/2 W 106
 " " 19 N 56 W 100 WET MARSH

M.C. { OAK 5 S 88 W 33
 Maple 5 N 59 W 38

SEC 18-35-11

C.D. VAUGHN

11/2/26

MC BET. 18 & 19

" EAST VAR 4°

3673 FELL 20 N. OF SE COR OF 18

SEC. 7-36-9

OCT 7, 1926 - C.D. VAUGHN

S 1/4 - ORIGINALS NEARLY GONE

NEW IRON { SPR. 7 N 40 E 51
 (WPNE 10 S 36 W 70 1/2

SEC. 26-38-9

M.C. BET 26 & 35 ON WEST SIDE OF

JENNIE WEBER LAKE - BIR 5 S 13 W 18 FEET.

SEC 22-37-8

C.D. VAUGHN

OCT 1926

E 1/4 SET BY DHV 1902

E 1/4 W. VAR $3^{\circ} 30'$ E

3531 LAKE TOOK DIST 8.01

4332 OVER LAKE - ON E. SIDE OF LAKE VAR 1° E

8615 FELL 127 N OF W 1/4

N 1/4 S VAR $3^{\circ} 30'$ E SET BY DHV 1902

2467 TOOK DIS. 2575 LAKE 1615

4082 OVER LAKE

7927 FELL 427 3/4 W OF S 1/4 SET BY DHV

FROM ORIG. IN 1902

NEW OAK 5 S 30 W 95 1/2

OLD J. PINE STP 16 S 10 W 47

(OVER)

22-37-8 (CONT)

E 1/8 N LINE J. PINE 7 N 18 1/2 E 28 1/2

MC ON N-S 1/4 LINE 3/4 N SIDE OF LAKE @ 2653 S OF N 1/4

J. PINE 12 S 30 E 14 3/4

" " 12 N 30 W 20

(DID NOT FACE PINE - 3 NOTCHES)
CTR { Y PINE 14 S 50 W 133 1/2
BIRCH 6 S 25 1/2 E 247 3/4

DIST. TO N 1/4 = 4159

" " E 1/4 = 4174

2087 1/8 E OF CTR 30 3/4 SOUTH

MC ON E SIDE OF LAKE 3530

J. PINE 10 N 15 E 49 1/2

" " 8 S 82 E 66

SEC. 34-36-6

G.D. VAUGHN 10/27/26

E 1/4 NEW W. PINE STP 40 N 42 E 36

SE COR IRON PIN 19 3/4 LK. W. OF CENTER ST PAUL TRACK AT A RIGHT ANGLE

N.E. COR NEW { Y. PINE 7 S 24 W 143 1/2
OAK 7 N 75 E 121

SEC. 24-39-8 12/14/26 G.D. VAUGHN

N 1/4 PERPETUATED BY JOHN GUDEGAST (GODLEGAS)

N 1/4 - NEW { W. PINE 5 N 26 E ?
W BIR 7 S 55 W ?

N 1/4 W VAR. 2° E 40 S 4 FELL 108 NORTH OF N.W. COR.

NW COR. NEW { Y PINE 8 N 57 W 12 1/2
J. " 14 S 88 E 30 1/4
OLD { Y. PINE STP 14 N 60 E 8
" " 12 S 72 W 12 1/2

W 1/8 N LINE @ 2027 (54)
No B.T.S.

N 1/4 SOUTH
7970 FELL 33 EAST

13-39-8

MC BET. 13 1/2 (GWT)
DIST. S OF N 1/4 = 2950

SOUTH VAR 3° E

2950 DIST. S OF 1/4 POST
+ 1300 OVER LAKE
4250

5200 ROAD E-W
11931 FELL 33 1/2 E OF SE COR (24)
SW, NW, NE ORIG STP OK
DEC, 00 373 FROM N. MC. ON LAKE
DISTANCE 8991 DEPARTURE 33 1/2 (OVER)

24-39-8 (CONT)

9942 1/2 S 1/8 BET 19 & 24

7954 1/4 " " "

1988 1/2

5965 1/2

SE. COR W VAR 3° E

7946 FELL 196 SOUTH OF SW COR.

FOUND BOTH ORIG. NEARLY GONE.

NEW { W. BIR. 6 N 85 E 89
" " 6 S 10 E 69

5959 1/2 SET W 1/8 SOUTH LINE

NO SCRIBE IRON { W. BIR. 6 N 8
SMALL SPOT WITH NOTCH { " " 8 S 5 E 35 3/4

3973 SET SOUTH 1/4

NO SCRIBING IRON { N. PINE 14 N 80 W 50
" W " 24 N 70 E 8 1/2

NW COR SOUTH VAR 3°

150 OLD ROAD

716 LAKE

4067 OVER LAKE 16 1/4 WEST OF MC.

2208

942 OVER

7933

SOUTH FROM ABOVE MC. VAR 2° E

2208 FELL 80 W OF ORIG MC. (NE ORIG)

SET POST 33 NORTH FROM WHERE POST
SHOULD BE
{ Y PINE 7 N 20 W
" " 10 N 42 ESOUTH FROM ABOVE ORIG. MC VAR 30' E
942 ACROSS LAKE MEANDERS.

SET 1/8 W. LINE 5949 - Y.P. 8540 W 15 1/2

AT A POINT 868 SOUTH OF WEST
1/4 EAST VAR 3° WHICH IS A RIGHT
ANGLE BETWEEN MEANDERS

2867 LAKE

3090 OVER

4056 OFF SET NORTH

1992 FELL
" " 868
" " 868

SEC. 21-38-7

NW COR 21 { W. PINE 18 N 61 1/4 W 302
" " 20 N 31 W 280W 1/4 OF 21 { W. PINE 16 S 79 1/2 W 106
" " 19 N 56 W 100 WET MARSH

MC { OAK 5 S 88 W 33

MAPLE 5 N 59 W 38

S 1/4 { IRONWOOD 6 N 31 W 18 1/2
W.P. STR. 26 S 65 E 84

SEC. 33-39-6

JUNE 14, '27

C. D. VAUGHN

N.E. COR New BTS } W. PINE 856°E 55 1/2
 IRON } Y. " 6 N 270° E 77

WEST?
 N.E. COR. (EAST) VAR 3°E

11663 Fell 233 SOUTH of 1/4 BTWN.

29932 WHICH IS NO DOUBT

ORIG. BUT N.E. BT. IS Y PINE

IN STEAD OF W. PINE

NEW BT W. PINE STP. 16 N 85° E 63 1/2

6897 SET MC. TAM 10 N 45° W 7 1/2

6547 " " Y. PINE STP 24 N 35° W 37

5746 " " Y. PINE 12 S 45° W 16 1/2

MC BTWN 32 & 33 ORIG PINE IS STP. NO

IRON MARKS. BIRCH DOWN, MARKS

PLAIN. NEW - Y. PINE STP 16 N 66° E 19 1/2

SOUTH FROM THIS MC. VAR 2° 30'E

7135 FELL 51 1/4 EAST OF ORIG COR ON

TWN. LINE

SEE BOOK 14 C. D. V.

Pg. 6-7

SEC. 13-39-5

July 8, '27

C. D. VAUGHN

SET E 1/4 FROM SWORN STATEMENTS
 OF JOHN BLOOM, CHAS. TENNYCH
 & JOHN MANNING

Y. PINE 12 N 81° W 76
 W " 16 S 2 1/2° E 81 3/4
 " " 12 S 34° W 122

CEMENT POST 511 W 46

8095 Fell 269 1/2 NORTH of W 1/4

3205 SET MC.

Y. PINE 10 N 23 1/2° E 45
 " " 18 S 28 1/2° E 96 1/2
 CEMENT POST 513 E 28 1/2

SEC. 18-36-8

OCT 3, '27

C. D. VAUGHN

Found 1/16 SE 1/4

NEW { OAK 10 S 72° W 135
 " " 10 N 12° W 160 1/2

Found 1/8 SOUTH OF CENTER

NEW { W. PINE STP 30 N 87 1/2° W 40 1/2
 W. Birch 8 N 50 1/2° E 80

SEC 16-36-8

SEPT. 20, '27

C. D. VAUGHN

N.W. COR. NE. ORIG - STP
 " " SOUTH V 5°15' E.

667 ORIG MC. & SHORE
 NEW BT Y PINE 7340 E

754 ORIG SHORE

SOUTH VAR 3° WEST FROM HERE

3714 Fell 4 3/4 WEST of 1/4 POST

FOUND POINT OF ORIG POST &
 STPS THAT HOOK UP

NEW { SPR. 6 S 70 W 109
 W. PINE STP 8 N 3 1/2 E 102

W 1/4 POST SOUTH ON PROLONGED LINE

1174 ORIG. SHORE SET MC.

W. PINE STP 16 S 37 W 12

" " 16 N 66 E 30 3/4

1509 LAKE AT PRESENT STAGE

Y. PINE 7 N 5 E N

N 1/4 ORIG STAS FOUND

OLD POST REMARKED

BASS 10 N 6 W 231

SEC 36-36-8

OCT. 7, '27

C. D. VAUGHN

W 1/4 FOUND DORRS SE BT
 NEW { Y. PINE N 66 E 138
 IRON PIN " " 336 W 255

W 1/4 EAST VAR 3°15' E

1600 NOISY CREEK & BRIDGE

3793 Fell 5 1/2 SOUTH OF CENTER

1896 1/2 SET 1/8 WEST OF DORRS CTR.

{ W. PINE STP 20 N 64 W 86 3/4
 BTs { Y PINE 16 N 77 1/2 E 242 3/4

SW. COR FOUND DORRS NE. - BT

DORRS SET FROM ORIG BIRCH STP 16 N 62 E 47

NEW { ELM 10 S 79 1/2 E 110 1/4
 SPR 10 S 31 1/2 W 84 1/4

VAR FROM THIS COR. NORTH IS 1° E

E 1/8 SOUTH LINE SET BY LYNN

CEDAR 5 N 43 E 5 3/4

BIRCH 7 S 22 W 1 1/2

E 1/8 SOUTH LINE N. VAR 3°45'

50 LV. SWP.

3990 1/2 Fell 55 1/2 WEST

1995 1/4 SET 1/16 POST SW 1/4

Y. PINE 16 N 70 E 73

SPR 6 S 37 1/2 W 106 3/4

SEC 34-35-11

OCT 25, '27

C. D. VAUGHN

SW. COR 15. GOV'T. COR. ALTHOUGH KIND
OF TREES & COURSES & DIST. DO NOT
HOOK UP.

5/4 SET BY W^{MR}. C. WEBLEY - ANTIQO

HEM 10 N 45 E 47 1/2

BAL 75 47 W 20

5/4 NORTH VAR 2° 10' E

40 19 Fell 384 WEST OF CTR.

2009 1/2 SET 1/2 POST

Y PINE 65 38 E 2 1/4

E 1/4 ORIG - I SET THIS COR IN 1920
FROM HEM WHICH IS NOW OUT
AND LYING DOWN ALONG SIDE OF ROAD

1920 - Hem 30 N 9 1/2 E 27 1/2

New - Pop 65 63 E 28 1/2

E 1/4 WEST VAR 1° E 434 E - 29 1/2 S.
1/8 30. 05 CTR. E. 1469 TO LAKE
E 1/8 N. LINE SOUTH 1040 TO LAKE

SEC 2-37-10

Nov. 1, '27

C. D. VAUGHN

SW. COR NE ORIG

SW. COR. EAST VAR. 3° E

4135 Fell - 408 N 05 5/4

FOUND NE ORIG MARKS
PLAIN STR OF OTHER

New { Y. PINE 10 N 65 E 10 3/4
MAPLE 10 N 65 W 24 3/4

5 1/4 EAST

FOUND ONE ORIG

New { SPR. 4 N 15 E
" 6 S 75 W

SEC 18 - 40-8

July 16 - '28

C.D. VAUGHN

N 1/4 POST ORIG FOUND BOTH TREES
 Y PINE STP, B. PINE DOWN & NEARLY GONE
 NEW JACK PINE 12 S 85 W 15 1/2

N 1/4 WEST VAR. 2° E

1250 Highway
 3775 Fell 26 1/4 NORTH OF NW COR.
 CONCRETE POST 6X6X30

NW COR SOUTH VAR. 2° 15' E

4005 HIT W 1/4 ON R. LINE
 ANGLE AT NW COR 90° 22'

N 1/4 PROLONGED LINE EAST

2000 1/8 POST
 3161 MC.

SEC 18 - 40-8

July - '28

5 1/4 NORTH VAR. 1 1/2 E

900 CREEK
 1600 HIGHWAY
 7853 Fell 22 3/4 WEST OF ORIG 1/4

E 1/4 WEST VAR. 00

5000 HIGHWAY
 6500 CREEK
 8077 Fell 78 3/4 SOUTH OF W 1/4

DIST TO S 1/4 3877

" " E 1/4 4064

CENTER J. PINE STP 10 EAST 11

E 1/8 SOUTH LINE NORTH 1° 15' W

800 Highway
 3659 Fell 8 1/4 WEST

J. PINE N E 4 1/4
 " N W 17 1/2

5 1/8 E LINE WEST VAR. 1 3/4 W

4133 Fell 87 SOUTH

SEC. 9-37-8

Feb 13, '25

C. D. VAUGHN

S.E. COR. NW ORIG

" " WEST VAR 3°E

7662 Fell. 1.66 So. of S.W. COR.

3881 SET $\frac{1}{4}$ SHORN 8 IN G WEST 166 $\frac{1}{2}$

" 8 N 35 W 199

1915 $\frac{1}{2}$ E $\frac{1}{8}$ S LINE No BTs5746 $\frac{1}{2}$ W $\frac{1}{8}$ S LINE No BTs

SW COR SET BY D.H.V. FROM ORIG

" " N. VAR 2°W

8493 Fell 685 W of NW COR.

4246 SET W $\frac{1}{4}$ N of RIVERW. PINE STP 20 N 12 E 55 $\frac{3}{4}$

MAPLE 4 N 76 W 21

NW COR - NE ORIG OK

NE COR SOUTH VAR 1.15°E

8596 Fell 166 $\frac{1}{2}$ E of SE. COR

SEC. 9-37-8. (CONT)

4298 SET E $\frac{1}{4}$

J. PINE 6 N 30 W 33

" " 43 49 E 13

6447 SET 5 $\frac{1}{8}$ E. LINE No BTs2149 SET N $\frac{1}{8}$ " " " " IRONW $\frac{1}{4}$ EAST VAR 2°E7276 Fell 284 So. of E $\frac{1}{4}$ S $\frac{1}{4}$ NORTH VAR 8° WEST8785 Fell 422 $\frac{1}{2}$ E of N $\frac{1}{4}$

CENTER OF SEC. 9-37-8

HEM. 10 N 1° W 58 $\frac{1}{2}$ " 10 S 33° W 80 $\frac{1}{2}$ DIST. TO W. $\frac{1}{4}$ 4032" " E $\frac{1}{4}$ " " S $\frac{1}{4}$ 41324" " N $\frac{1}{4}$ $\frac{1}{8}$ W of CENTER 2016

W. PINE 16 N 21 E 23

" " 14 S 8 E 13

 $\frac{1}{8}$ So. of CENTER 2162

No BTs

IN FLOW 495

SEC. 9-39-4 CD. VAUGHN

NE. Cor OK IRON
" " " WEST VAR 3°E
1744 Fell 36 1/4 NORTH of MC
SW TREE OK - Hem.

N.E. Cor. SOUTH VAR 2°E
3743 Fell 31 1/4 EAST
FOUND NW-ORIG STP of NE

N 1/8 E. LINE Hem 14 N 60 W 21 1/2
" 18 S 50 E 32 1/2

W 1/4 - NE orig OK. MAPLE GONE
New BIRCH 40 N 5°30' W 34

W 1/4 NORTH VAR 3°30'E
4010 Fell 25 E of NW COR.

N 1/8 W. LINE Hem 19 N 87°30' E 30 1/2
" 24 S 73°30' W 41

NW Cor EAST VAR 3°30'
2172 SET M.C.

SEC. 9-39-4 CONT.

W 1/8 N. LINE Hem 12 S 62 1/2 E 47
SHORTAGE 251
E 1/8 NORTH LINE S. VAR 4°30'
366 - SPIKE Y. PINE 3-2 1/4
Hem. 3 E 3
" 2 S 4

W 1/4 EAST VAR 6°E
7051 Fell 46 1/2 NORTH of E 1/4

E 1/4 SOUTH VAR 3°E
1630 SWAMP
4077 Fell 90 1/4 W of SE COR
SPR. 6 N 67 1/2 W 96
SPR. 4 S 43 W 58 3/4

FOUND ORIG POST & SE BEARING, THE POST IS STILL PLAIN

S.E. Cor. W. VAR. 3°30'
PICKED UP OLD LINE IN SEVERAL PLACES
2900 MC. W. PINE 16 N 70 E 25 1/4
ON EDGE OF FLOWAGE
3200 TO LAKE

SEC. 12 - 38-6 C.D. VAUGHN MAY 12, 1925

N $\frac{1}{4}$ SET BY D.H.V. FROM ORIGD.H.V. { Birch 12 N 44 W 28
New { W. PINE 18 N 1 $\frac{1}{2}$ E 32N $\frac{1}{4}$ WEST VAR 4°E587 - MC - BOTH ORIG. ARE PINE, NOT BIRCH
New - W. PINE 8 N 8 W 24 $\frac{1}{4}$ N $\frac{1}{4}$ SOUTH VAR 2°30'E613 $\frac{1}{2}$ LAKE TO DISTANCE1099 $\frac{1}{2}$ DIST TAKEN

1713

1995 TOOK DIST

1565 OVER LAKE

3560

62 ROAD

8032 Fell 2 WEST of S $\frac{1}{4}$

FOUND POST AND STP of NW ORIG

New - W. PINE STP. 16 SOUTH 38 $\frac{1}{4}$

SW. COR. EAST VAR 3°E

3991 Fell 35 SOUTH of S $\frac{1}{4}$

SEC. 12-38-6 (CONT)

W $\frac{1}{4}$ IRONW $\frac{1}{4}$ EAST VAR 3°E

8018 Fell 133 SOUTH

FOUND POINT OF POST & STP OF BIRCH

New - Y. PINE STP. 12 N 68 W 10 $\frac{1}{2}$

NW COR EAST VAR 3°30'E

2164 Fell 18 NORTH OF MC

BOTH ORIG

1232 OVER LAKE

587 TO N $\frac{1}{4}$ 39831991 $\frac{1}{2}$ W $\frac{1}{8}$ NORTH LINE

OAK 6 N 76 W 31

" 16 5 62 E 7

N $\frac{1}{4}$ EAST VAR 3°15'2029 DORRS $\frac{1}{8}$ PROLONGED LINE

4058 SET NE COR

W. PINE STUB 6 FEET HIGH

14" 5 69 W 19 $\frac{1}{2}$

NE COR SOUTH VAR 3°E

4013 Fell 46 EAST of E $\frac{1}{4}$

SEC. 12-38-6 (CONT)

CENTER OF SEC. 12-38-6

DIST. TO S $\frac{1}{4}$	4041	}	8032
" " N $\frac{1}{4}$	3991		
" " W $\frac{1}{4}$	3968	}	8018
" " E $\frac{1}{4}$	4030		

CENTER Y PINE STP 540 E 30
 " " " 532 W 8

SET MC. ON N. SHORE AT 636

SET MC. ON S SHORE AT 1790

SET MC. ON N SHORE AT 2087

SET MC. ON S SHORE AT 3560

 $\frac{1}{8}$ EAST OF CENTER AT 5993

W PINE STP 30 N 40 W 21

 $\frac{1}{8}$ WEST OF CENTER AT 1984W. PINE STP 18 N 68 $\frac{1}{2}$ W 7 $\frac{1}{4}$ $\frac{1}{8}$ WEST OF CENTER N VAR 20

FELL 80 EAST

SET MC. ON S. SHORE AT 2361 Y PINE 552 W 73

SEC 9-38-6 C.D. VAUGHN July 31, '25

MC. ON N. SHORE UPPER KAUBASHINE

BOTH CR 19 NE 15 38 - NOT 28

NEW BIRCH 10 N 53 W 20 $\frac{1}{2}$ N 32 $\frac{1}{2}$ W 234N 64 E 672 $\frac{1}{4}$

SEC LINE 872

SEC. 31-37-8 C.D. VAUGHN JUNE 16, 1925

S.E. COR. NORTH VAR. 11° 15' E

7533 N.E. COR.

NEW POP. 8 S 48 $\frac{1}{2}$ W 75W.P. STUB 6-8' HIGH N 67 $\frac{1}{2}$ E 42 $\frac{1}{2}$

S $\frac{1}{8}$ E LINE AT 1883 $\frac{1}{4}$	}	W.P. STP 16 N 37 W 11 $\frac{3}{4}$
" "		18 N 50 E 20

E $\frac{1}{4}$ AT 3766 $\frac{1}{2}$	}	W.P. STP 6 S 18 E 27 $\frac{1}{2}$
		POP 2 N 60 W 24

N $\frac{1}{8}$ E. LINE AT 5649 $\frac{3}{4}$

SEC. 30-37-8 CD VAUGHN

S.E. COR. NORTH VAR 3°E

4244 Fell 25 W of E 1/4

NEW SW. PINE 10 S 45 E 2

" 10 N 20 W 38 1/2

3 1/8 E LINE AT 2122

Y. PINE 11 N 48 E 64

W. " STR 10 N 67 W 64 1/2

E 1/4 NORTH VAR. 2°45' W

4117 NE COR. - IRON

2088 1/2 SET N 1/8 ON E. LINE

W.P. 10 N 32 W 13 1/4

SEC. 24-37-8 CD VAUGHN Aug 4, 25

CENTER OF SEC ON 1/4 LINE W

800 TO FLOWAGE

N. FROM CENTER 750

W 967

SEC 12-39-6

CENTER SOUTH VAR 4°E

2283 MC.

SEC. 16-39-5 CD VAUGHN Aug 18, 24

N 1/4 BOTH ORIG DOWN AND NEARLY
GONE - MARKS PLAIN

N 1/4 SOUTH VAR. 3°55' EAST

2191 - LIMBE SET MC. No BTs

4591 - OVER LAKE SET MC. No BTs

8191 Fell 24 1/2 EAST OF SOUTH 1/4

SW BT NEARLY GONE - NE BT CUT 5' HIGH

N 1/4 NEW { CEDAR 10 S 37 E 29

" 4 N 34 W 45

S 1/4 NEW { SPRUCE 6 S 45 E 16

CEDAR 8 N 38 W 39

S 1/4 EAST VAR 3°30'

3977 Fell 60 NORTH OF SE COR

I SET 17 YEARS AGO FROM ONE ORIG BT

NEW { Y. PINE STR 10 N 33 1/2 W 41

" " " 20 N 17 1/4 E 68

" " " 12 S 1 1/2 W 230

ABOUT 50 NE OF NE EDGE OF SMALL SWP.

1988 1/2 EAST 1/8 ON S LINE

CEDAR 12 N 68 E 45

" 8 N 10 W 55 1/4

SEC 16-39-5 (CONT.)

S.E. COR. NORTH. VAR 3°30'E

6146 Fell 88 1/2 WEST OF MC.
ON N. SHORE OF FRANKLIN LAKE

5483 SET MC. ON S. SHORE

NEW { BIRCH 105 35 1/2 W 24 1/4
" 105 71 E 48

4000 SET 1/4 ON LINE BWN SE COR & MC

IRON { W. PINE 165 61 W 30 3/4
NEW { " 10 N 61 1/2 E 96 1/2

2000 SET 1/8 POST IN SWAMP. NO BTs

MC ON NORTH SIDE OF FRANKLIN LAKE

BOTH ORIG - MEASUREMENTS DO NOT
HOOK UP USED BIRCHNEW { Y. PINE 20 N 6 W 19
BIRCH 125 65 E 37 1/2

PROLONGED LINE NORTH AND AT 1704

SET MC ON SOUTH SHORE OF TORKY LAKE

SPR. 653 W 18
" 6552 E 18 1/2

SEC 16-39-5 (CONT)

N 1/4 EAST VAR 3° E

3639 Fell 2 NORTH OF MC.

FOUND ONE OF D.H.V. BT. & STP OF ONE ORIG

ALSO, POST

NEW { SPR. 8 N 62 W 110
" 85 85 W 148

5 1/8 E. LINE WEST 2°38' E

4024 N 95 CORRECTED 1/4 LINE

2012 SOUTH VAR

2015 Fell 3 1/2 E

PROLONGED LINE NORTH

200 ROAD

660 LAKE

SEC 20-37-8 C.D. VAUGHN SEPT. 28, '25

SE. COR SW ORIG OK

NEW { TAM 12 N 5 1/2 E 11
W. PINE 105 68 W 41 1/2

SEC. 5-37-6 C.D. VAUGHN SEPT. 30, '25

MC. BETWEEN 5-6 BOTH ORIG STPS

NEW Y. PINE 145 27 1/2 E 41

SOUTH VAR 3° E

7105 Fell 169 1/2 WEST OF SW COR.
N.E. ORIG.

SEC. 33-37-8 C.D. VAUGHN JUNE 13, '25

E 1/4 BOTH ORIG - STP

NEW { W. PINE 20586 E 51 1/2
REMARKED SW. ORIG

E 1/4 NORTH VAR 3° EAST

H270 Fell 270 1/2 EAST OF COR.

NW BT OK

NEW { ^{CROSS} ROCK X N 29 1/2 E 53 1/2
" " S 21 W 57 3/4

N 1/8 EAST LINE AT 2135

{ PINE & N 8 1/2 W 7
" " 4 S 30 1/4 E 13

OCT. 12, '25

E. MC - N. SHORE WEST VAR 8° 6'

954 1/2 OVER LAKE

1033 1/2 LAKE

3274 1/2 OVER LAKE

3519 1/4 STAKE (TRI ^{ang 85° 24'} 200)

4951 1/2 LAKE

5327 OVER

9215 LAKE OFFSET 5 200 (60 LAKE)

10193 OVER LAKE

10393 MC. ROCK 522 1/2 W 238

" N 33 1/4 W 60 1/2

Fell 5850 = 142

SEC. 33-37-8 (CONT.)

E. MC. EAST 2° EAST

2600 SWAMP

3469 C 21 1/2

8777 3/4 Fell 498 1/4 N. OF COR TO 27 26

{ Y. PINE 14 N 53 1/4 W 285 34 35
" " 16 N 12 E

NE. COR 826 1/2 TO MC.

MC WEST 7677
8503 1/2

FROM MC WEST VAR. 8° 6'

7677 Fell 107 SOUTH

NORTH FROM SW COR VAR. 8°

7670 1/2 Fell 53 1/2 EAST

NW SEC. 33

{ Y. PINE 14 N 11 E 268

" " 14 S 88 E 200 3/4

8909 1/2 W TO COR.

1/4 BETWN. 33 & 34

3835 1/4 AND 26 3/4 WEST

W. PINE 1856 W 200

" " STP. 10 N 81 1/4 E 52 3/4

LARGE ROCK N 57 W 39. TO
HIGHEST POINT.

(OVER)

SEC 33-37-8 (CONT)

W 1/4 EAST VAR 8° E

4183 LAKE

4571 OVER

5027 STAKE

5090 LAKE

6001 OVER

8429 - 164 1/4 NORTH

S 1/4 N VAR 7

166 HIGHWAY 14

1035 LAKE

1415 OVER

4153 1/2 LAKE

5702 OVER

6500 LAKE

6807 OVER

8008 1/2 Fell 23 WEST OF N 1/4

{ Y. PINE STP. 16 N 45 W 15 1/2

DISTANCE TO S 1/4 3758 1/2

" " N 1/4 4052

" " W 1/4 4122

" " E 1/4 4307

SEC 33-37-8 (CONT)

CENTER OF SEC 33-37-8

{ Y. PINE 12 N 27 1/2 E 67

{ W. " 12 S 47 E 114 1/2

1/8 N. OF CENTER 598 2 1/2

{ OAK 2 1/2 523 1/2 W 68

{ " 2 N 37 E 43

1/8 N. OF CENTER EAST VAR 7° 30

699 STAKE 789 @ 1488

1075 LAKE

1488 OVER

4288 FELL 21 NORTH

{ Y. PINE 7 N 20 E 29 1/2

{ " " 7 N 18 W 36

1/16 AT 2144

{ Y. PINE 10 S 77 E 27 1/2

{ " " 8 S 60 W 16

SE. COR. N. VAR. 2° E

4136 FELL 53 EAST

2068 SET 1/8 POST

SPR. 3 N 53 E 8 No

" 4 N 77 W 12 1/2 SCRIBING

BIRCH 55 40 E 16 IRON

(OVER)

SEC. 33-37-8 (CONT)

SW COR. N VAR. 8°E

4490 FELL 705 WEST OF 1/4 ORIG
CONTINUED N. ON RAND.10630 FELL 125 EAST OF ORIG
MC. SW BT TREE SE-STEP

1/8 E of CENTER

6275 1/2 AND 121 3/4 138 1/2

HOLE IN TOP LARGE ROCK 511 E 7 1/2
HIGHEST POINT ON " " 565 W 76 1/2

1/8 E of CENTER N.

614 LAKE

1373 OVER

2066 FELL 5 1/2 EAST PROLONGED LINE
NORTH TO LAKEMC. { Y. PINE 7 N 55 E 25
W. " 6 N 68 W 3

1373 SET MC. N. SIDE

Y. PINE 10 N 7 W 9 1/4

" " 10 S 20 E 15

614 SET MC. SO. SIDE

SEC 4 -37-9 C.D. VAUGHAN OCT 30, '25

SW. COR SET FROM ORIG

NEW { Y. PINE 6 N 67 E 15
W. " 10 N 46 W 25 1/2
W. " 10 S 25 1/2 E 24 3/4

SW. COR. NORTH VAR 2°E

125 LAKE

1641 OVER

7477 FELL 971 EAST OF NW COR.

FOUND 4 ORIG & POST HOLE

IRON NEW { W. PINE 5 TP 14 N 2 W 38

NO IRON { " " " 12 S 35 W 31 1/2

FOUND SHORTAGE OF 136

WEST 1/4 AT 3928 1/2 = 510 3/8

NO IRON { SPR. 4 NORTH 148
Y. PINE 12 S 16 W 217 1/2

1503 MC. NORTH SIDE OF LAKE

{ Y. PINE 10 N 18 E 65
W. " 30 N 13 W 95

SEC. 23 - 39-11

C.D. VAUGHAN

Nov. 12, '25

1/4 BET. 25 & 26 NW ORIG OK
 NEW { W. PINE 18 520 W 14 3/4

1/4 BET. 25 & 26 NORTH VAR 2 1/2 E

28045 FELL 1148 EAST OF COR TO
 1-2-11-12 ORIG STPS 9 POST
 NEW { Y. PINE 14 N 90 E 44
 " " 8 NORTH 69

4006 1/2 TEMP COR. AT THIS POINT
 SPRUNG LINE WEST 139
 AND SET COR.
 { S. PINE 12 N 58 1/2 W 5
 " " 12 N 42 1/2 E 11

12019 1/2 TEMP COR. AT THIS POINT
 SPRUNG LINE WEST 416
 AND SET COR.

8013 SET 1/4 BET. 23-24
 { W. PINE STP 14 N 12 W 54
 " " " 16 EAST 89 1/2

SEC. 23 - 39-11 (CONT)

N.W. COR. OF 23 - 39-11
 NE. ORIG OK STP SW
 NEW { W. PINE 16 5 56 1/2 E 25 1/4
 " " 16 N 23 W 36 1/4

NW COR. EAST VAR 2 1/2"
 15878 FELL 135 SOUTH OF ORIG
 COR TO 13-18-19-24
 SW BT. OK

NEW { W. PINE STB. 12 EAST 72 1/2
 " " STP. 20 5 23 W

7935 TEMP COR. AT THIS POINT
 SPRUNG LINE SOUTH AND
 SET COR 185
 { Y. PINE 10 N 55 W 92
 " " 8 5 58 W 105

3967 1/2 N 1/4 OF SEC. 23 - 92 1/2
 { HEM 10 N 28 W 20
 { CEDAR 4 5 80 E 8 1/2

5 1/4 OF SEC 23 BOTH ORIG BTS. - STPS
 NEW { W. PINE 18 N 37 W 112
 W. BIRCH 16 5 56 E 62

SEC 23-39-11 (CONT.)

5/4 ^{SEC 23} EAST VAR 3°E11555 FELL 75 SOUTH OF ORIG COR
TO 19-24-25-30 NW AT OKNEW { W. PINE 165 49 1/2 E 35
" " 305 67 W 76 1/23848 TEMP COR AT THIS POINT
SPRUNG LINE SOUTH 163 1/2SE COR. SEC 23 { J. PINE 12 N 58 1/2 W 5
" " 12 N 42 1/2 E 11

EAST SIDE 23 VAR 4°30'

NORTH " " " 1°10'

SEC 14-38-8 C.D. VAUGHN Nov. 28, '25

1/4 BET 14-15 NE ORIG OK

NEW { W. PINE STP. 20 N 70 W 50 1/2
" " 12 S 62 E 88 1/4

THEN

NORTH 3998 TO SEC COR 2 47

NEW { W. PINE STB 20 N 42 W 48 1/2
LARGE BOLDER 572 W 45 1/2
TO CROWN OF BOLDER

SEC 13-39-7 C.D. VAUGHN JAN, 16, '25

SW COR.

NEW { SPR. 8 N 29 W 12
IRON { " 6 S 20 W 21

SEC 29-37-8 C.D. VAUGHN SEPT 25, '25

NE COR SOUTH VAR 2°E

3349 FELL 30 1/4 EAST OF N. MC.

STPS OF ORIG

NEW Y. PINE 10 S W NO SCRIBING
IRON

SEC 33-40-4 C.D. VAUGHN

NORTH FROM COR TO 3-4-33-34 VAR 3°E

4044 FELL 41 1/2 WEST OF 1/4 POST

FOUND SW PINE OK

NEW { Y. PINE 10 N 72 E 16
W " STP. 30 N 49 W 10 1/2

SET 1/8 AT 2022

{ W. BIRCH 6 S 44 E 68 1/2
" " 6 N 71 1/4 E 53 1/4

SEC 9-39-4 C.D. VAUGHN MAY 21, '24

NE COR. OK IRON PIN WEST $3^{\circ}E$
 1744 FELL $3\frac{1}{4}$ NORTH OF MC.
 IRON SW TREE "HEM" OK

SOUTH FROM NE. COR VAR $3^{\circ}E$
 3743 FELL $3\frac{1}{4}$ EAST
 FOUND NW TREE AND STP. OF NE
 NEW { HEM 10 W $1\frac{1}{4}$

NORTH $\frac{1}{8}$ SET $\frac{1}{8}$ AT 1871 $\frac{1}{8}$ 157 WEST
 { HEM 14 N $60^{\circ}W$ $2\frac{1}{2}$
 " 18 S $50^{\circ}E$ $30\frac{1}{2}$

$\frac{1}{4}$ NE HEM OK MAPLE GONE
 NEW - BIRCH 40 N $5\frac{1}{4}$ W 34

$\frac{1}{4}$ NORTH VAR $3^{\circ}30'E$
 4010 FELL 25 E OF NW COR
 SET THIS COR AT INTERSECTION
 OF OLD ORIG LINES OR SPOTS
 { W. PINE STP 20 S $69\frac{1}{2}E$ 26
 " " 20 S 81 W 50

SEC 9-39-4 (CONT)

N $\frac{1}{8}$ W LINE AT 2005 $\frac{1}{8}$ 12 $\frac{1}{2}$ W.
 { HEM 12 N $87\frac{1}{2}E$ $30\frac{1}{2}$
 " 24 S $73\frac{1}{2}W$ 41

NW COR. EAST VAR $3^{\circ}30'E$
 2122 SET MC. PICKED UP OLD LINE
 NEAR LAKE

WEST $\frac{1}{8}$ SET $\frac{1}{8}$ BY PROPORTION AT
 1793 ON LINE
 HEM 12 S $62\frac{1}{2}E$ 47
 SHORTAGE OF 251

SEC 31-39-8 C.D. VAUGHN

N MC. ON W LINE PIER LAKE
 OK X PINE TREE - W. PINE STP.
 COURSES DO NOT HOOK UP SO USED
 MEASUREMENTS.

RUN NORTH VAR $3^{\circ}E$
 744 FELL 4 WEST OF NE COR.

NE COR W. VAR $3^{\circ}E$
 4100 FELL 480 SO. OF $\frac{1}{4}$ POST
 W. PINE STP. 16 N $50^{\circ}E$ 74
 CEDAR 12 S $48^{\circ}W$ 54

SEC 4-39-4

C.D. VAUGHAN

MAY 1924

TOWN LINE BETWEEN 39⁹/₄₀ RANGE 4

COR. TO 2-3-34-35

NW TREE OK

NE " ST. MARKS. PLAIN ABOUT GONE

MAPLE STANDS EAST INSTEAD OF WEST

MEASUREMENTS OK.

COURSES DO NOT CHECK UP.

NEW { W. PINE STP 36 N 3 W 15³/₄

WEST FROM COR 2-3-34-35 ON TOWN

LINE BET 39⁹/₄₀ VAR. 30° E

4000 1/4 GONE

8000 COR. "

LAKE EAST MC. GONE

OVER " FOUND NW TREE FOR WEST MC.

FELL 15 N

WENT EAST AND SET EAST MC. AT

9475 FOUND SHORTAGE - 510

EAST MC. { W. PINE 4 N 74 E 80
N. SIDE SEC. 4 { " " 55 51 E 47

SEC 4-39-4

(CONT.)

N.E. COR SEC 4 SET BY PROPORTION AT 759¹/₂

ON BARK	}	W. PINE 12 N 20 ¹ / ₂ W 71 ¹ / ₂
		" " 4 N 60 ¹ / ₂ E 94 ³ / ₄
		ON BARK " BIRCH 10 S 50 W 75 ¹ / ₂

IRON 10 FEET SOUTH ON LINE

" 20 " WEST ON "

N.E. COR SEC 4 SOUTH VAR. 20° W

4340 FELL 290 EAST SEC. COR

FOUND SHORTAGE 29.07

SET 1/4 AT 346

Y. PINE 18 N 74¹/₄ W 50" " 14 N 19¹/₂ E 68³/₄

SEC 2-36-9

C.D. VAUGHAN

N 1/4 SET BY DHV. FROM ORIG. BT

NEW	}	CEDAR 6 N 23 W 24 ¹ / ₂
		" 6 N 32 E 10
		" 6 S 37 ¹ / ₂ W 5 ¹ / ₂
		" 6 S 78 ¹ / ₂ E 19

SEC 27-36-4 C.D. VAUGHN JUNE 26, '24

SOUTH LINE RUN AND CORNERS SET IN 1923

N FROM SE COR. VAR 2°15'E

4162 HIT 1/4 SET BY DHV FROM ORIG

IRON { BIRCH STP N 73 E 25
" " N 32 1/2 W 53

2081 SET 5/8 E. LINE

IRON { BIRCH 26 N 33 E 65
" " 10 S 80 1/2 W 65 1/2

N FROM E 1/4 VAR 2°20'E

3758 NE COR TWO TREES OK

NEW { BIRCH 14 N 30 1/2 W 83 1/2

1879 SET N 1/8 E LINE IRON

PUT IN IRON PINS ON THIS LINE

N FROM SW COR. VAR 3°30'E

8034 HIT NW COR IRON PINS 50 LKS E-W

6025 1/2 N 1/8 W LINE IRON PIN No BTs

4017 SET W 1/4 IRON PIN

W. PINE 36 N 66 W 53

2008 1/2 S 1/8 W LINE IRON PIN No BTs

SEC 27-36-4 (CONT)

E FROM NW COR VAR 3°30'E

8098 FELL 366 SOUTH OF NE COR.

E 1/8 N. LINE AT 6073 1/2 E 374 1/2 NORTH
W. PINE STUB 12" HIGH S 26 3/4 W 14 1/2N 1/4 AT 4049 S 183 NORTH
W. PINE STP 20 N 22 1/4 W 34W 1/8 N. LINE AT 2024 1/2 S 91 1/2 NORTH
IRON W. PINE STP 24 N 37 1/4 W

E FROM W 1/4 VAR 6°E

8073 FELL 80 SOUTH OF E 1/4

N FROM SOUTH 1/4 VAR 3°50'

7970 FELL 27 E OF N 1/4

DISTANCE TO N 1/4 3893 7970

" " S 1/4 4077

" " E 1/4 4030 8073

" " W 1/4 4043'

CENTER OF SEC 27-36-4

W. PINE STP 40 N 21 3/4 W 26 1/2

1/8 E OF CENTER AT 6058

MAPLE 5 N 87 W 50

1/8 N OF CENTER AT 6023 1/2

IRON

1/8 S. OF CENTER AT 2038 1/2

{ CEDAR 10 N 65 E 37

{ TAM 12 N 78 W 18

(OVER)

SEC. 27-36-4 (CONT.)

 $\frac{1}{8}$ W OF CENTER AT 2021 $\frac{1}{2}$ IRONW FROM N $\frac{1}{8}$ E LINE VAR 5 $^{\circ}$ 45'4043 FELL 3 $\frac{1}{4}$ SOUTH $\frac{1}{16}$ AT 2021 $\frac{1}{2}$ IRONW. FROM S $\frac{1}{8}$ E LINE VAR 6 $^{\circ}$ 4026 FELL 9 $\frac{1}{2}$ NORTH $\frac{1}{16}$ AT 2013 IRONE FROM S $\frac{1}{8}$ W LINE VAR 6 $^{\circ}$ 4032 $\frac{1}{2}$ FELL 37E FROM N $\frac{1}{8}$ W. LINE VAR 5 $\frac{3}{4}$ 4048 FELL 12 $\frac{1}{2}$ SOUTH

SEC. 26-36-4 C.D. VAUGHN JULY 9, '24

S.W. COR E. VAR 3 $^{\circ}$ 15' E3817 $\frac{1}{2}$ $\frac{1}{4}$ POSTS $\frac{1}{4}$ E VAR 2 $^{\circ}$ E3817 $\frac{1}{2}$ SE COR.NEW SPR 12 N 57 $^{\circ}$ E 91

COR SET BY DHV. FROM ORIG TREES.

E $\frac{1}{8}$ S. LINE A 1908 $\frac{3}{4}$

{ MAPLE 14 N 11 W 49

{ ELM 7 S 31 $\frac{3}{4}$ W 129S $\frac{1}{4}$ { ELM 8 S 47 $\frac{1}{2}$ E 96

{ IRONWOOD 5 S 21 W 144

{ MAPLE 10 N 24 $\frac{1}{2}$ E 125W $\frac{1}{8}$ S. LINE 1908 $\frac{3}{4}$ { MAPLE 16 N 5 W 121 $\frac{1}{2}$ { ROCK CONTAINING ABOUT 15' S 18 $\frac{1}{4}$ E 36 $\frac{3}{4}$ S $\frac{1}{4}$ N VAR 1 $^{\circ}$ 15' E8100 HIT N $\frac{1}{4}$ NEW { HEM 10 N 29 $\frac{1}{2}$ W 90 $\frac{1}{2}$

{ " 6 S 74 E 106

COR. SET BY DHV. FROM ORIG

SEC 26-36-4 (CONT)

N 1/4 E. VAR. 3°E

3585 FELL 340 S. OF NE COR.

FOUND NE MAPLE AND STP OF
HEM. COURSES DO NOT CHECK
UP VERY GOOD SO. USED MEASUR.

NEW { BIRCH 10 S 36 1/2 W 61
" 12 N 79 W 25
MAPLE 8 N 9 1/2 W 5 3/4

E 1/8 N LINE

MAPLE 8 S 54 1/2 E 29
BIRCH 10 WEST 157

SE COR N VAR. 3°30'

8479 FELL 3 1/2 WEST OF NE COR

N 1/8 E LINE AT 6359 1/4

{ W. PINE ST 16 N 29 1/4 W 31

E 1/4 AT 4239 1/2

{ W PINE STP 36 N 24 1/2 E 55
" " 48 S 45 1/2 E 95

SEC 26-36-4 (CONT)

5 1/8 E. LINE AT 2119 3/4

{ POP 7 S 12 E 24 3/4
" 6 N 2 E 5 3/4

W 1/4 E VAR 3°45

7638 FELL 31 3/4 NORTH

DISTANCE TO W 1/4 3939 7638
" " E 1/4 3699
" " S 1/4 4154 8100
" " N 1/4 3946

CENTER OF SEC 26 IRON

{ W. PINE STP 40 N 31 1/2 E 108
CEDAR " 16 N 35 W 117
TAM " 12 N 68 1/2 E 223 1/2

1/8 S. OF CENTER 2077 IRON

{ HEM 8 S 38 3/4 E 55
" STP 20 S 24 1/2 W 52 1/2

1/8 E. OF CENTER AT 5788 1/2

{ MAPLE 10 S 86 1/2 E 71
" 8 N 24 W 3

1/8 N OF CENTER AT 6127 IRON

{ ELM 10 N 72 1/4 W 144
HEM STP 20 S 21 1/4 E 65 3/4

(OVER)

SEC 26-36-4 (CONT.)

1/8 W OF CENTER AT 1969 1/2
 { ASH 5 N 11 3/4 W 19 1/2
 { MAPLE 12 S 14 1/4 E 40

W 1/8 S LINE N. VAR 1°45'
 4153 1/2 FELL 3 WEST

1/16 SW QUARTER
 { MAPLE 5 N 69 1/2 E 25
 { " 8 N 73 W 46 1/2

E 1/8 S LINE N. VAR 2°32' E
 4195 FELL 38 1/2 WEST
 1/16 SE 1/4

1/8 E OF CENTER N. VAR 2° E
 4093 FELL 5 EAST
 1/16 NE 1/4

ELM 10 N 48 E 35

SEC 21-36-8 C.D. VAUGHN

W 1/4 SET BY DORR FROM ORIG
 OHV. { HEM 12 S 50 W 33 OK
 NEW { OAK 6 S 18 E 30

SEC 30-31 38-10 C.D. VAUGHN AUG 9, '24

COR TO 25-30-31-36 FROM ORIG NE BT.

NEW { W. PINE STP 14 N 24 E 21
 { " " " 20 S 39 3/4 E 86 1/4

RUN EAST VAR. 90 WEST

4106 FELL 5 LKS. S. OF ORIG 1/4

NEW { W. PINE STP 12 S 52 W 50
 { " " " 14 N 61 W 78
 { POPLAR 6 N 42 E 72

SE COR OF SEC 30 ORIG COR

NEW { W. PINE STP. 14 N 65 1/2 E 27
 { " " " 12 S 46 3/4 W 32 1/2

SEC 34-39-6 C.D. VAUGHN AUG 12, '24

N 1/4 COR
 AIRW { Y. PINE 10 N 38 E 69 1/2
 { " " 10 S 8 1/4 E 71

SEC 8-36-7

S.E. COR. W VAR 20° E

635 FLOWAGE & SET MC.

{ BIRCH 5 S 60 W 3
 { " 4 EAST 63/4

SEC. 23 -39-6 C.D. VAUGHN SEPT 14, '24

5 1/4 FOUND ORIG BT₃ BLOWN OUT OF ROAD
 DHV'S 1913 BT₃ OK W. PINE STP 18N 75E 42 1/2
 IRON New W. PINE STP 30 S 40W 87 3/4

5 1/4 N VAR 1° E

5400 HIGHWAY
 6100 BAY OF LAKE
 6200 OVER LAKE
 6500 HIGHWAY
 6680 LAKE 7000 OVER
 8109 FELL 145 1/2 W OF N 1/4

FOUND BOTH ORIG - STUMPS
 AND IRON PUT IN BY DHV 1913

NEW { OAK 8N 56E 64 3/4
 " 8S 76 1/4 E 65

6070 MC. 5 1/8
 POP 10N 44W 4

1/8 E OF CENTER POP. 65 89 W 13 3/4

SEC. 23 -39-6 (CONT.)

E 1/4 FOUND DOORS POST & BEARINGS
 DOORS { W. PINE STP 24 S 13 W 24
 " " " 16 N 32 1/2 E 20 1/2
 NEW { OAK 6 S 75 1/2 W 9 1/2
 " PINE 7 S 13 E 57 1/4

E 1/4 WEST VAR 3° E

4850 HIGHWAY
 8118 FELL 263 NORTH
 FOUND ORIG AND POINT OF POST
 NEW W. PINE STP. 30 N 65 1/2 E 107

CENTER OF SEC 23-39-6

{ OAK 7N 74W 26 1/2
 MAPLE 6 S 78 1/2 E 43 3/4
 " PINE 10 S 35 W 28 1/2

DISTANCE TO N 1/4 4078
 " " S 1/4 4031
 " " E 1/4 4026
 " " W 1/4 4092

1/8 W OF CENTER AT 6072
 OAK 16 S 10 E 11 1/2

(OVER)

SEC 23-39-6 (CONT)

N 1/4 W. VAR 3°30'E

850 HIGHWAY

2446 MC. TO MARK LINE

61 61 WEST FROM THIS MC. TO

2507 ORIG SHORE FELL 3/4 M. SOUTH

2000 SET W 1/8 N LINE

{ OAK 5 N 24 1/2 E 16 1/4
 { W. PINE 4 S 12 1/4 E 20 1/4
 THIS 1/8 IS ABOUT 3' FROM
 SIDE OF OLD ROAD.

1/8 W. OF CENTER N. VAR. 30'

1050 ROAD

2275 LAKE

2975 OVER

4119 FELL 55 1/2 WEST

SET SOUTH MC 2252

{ OAK 2 N 33 W 1 3/4
 { " 65 67 E 30 1/4

SEC. 3-35-11 C.D. VAUGHN SEPT 28, '24

LOCATED SE FROM OLD SPOTS WHICH ARE
VERY PAIRN 5 1/2 W

NEW { Y. PINE 105 81 W 177
 { W. " 305 65 1/2 E 75 3/4

SE COR W VAR. 3°E

6291 FELL 258 SOUTH OF MC.

OVER RUN OF 141

SET 5 1/4 AI 4104

{ W. PINE 105 46 E 88 1/2
 { POP 8 5 11 1/2 W 15 1/2

E 1/8 S LINE AT 2052

{ W. PINE 12 536 1/2 W 17 1/2
 { " " 8 5 49 1/2 E 32

5 1/4 N VAR 6°E

2853 TOOK DIST OVER WOLF

817
 3670 7667 FELL 713 EAST
 2757
 6427 OF N 1/4. ORIG STPS OK

NEW { SPRUCE 7 N 65 E 15
 { ASH 10 5 18 W 50

(OVER)

SEC 3-35-11 (CONT)

E 1/4 DORR'S BEARINGS

REMARKED { W. PINE STP 16 N 79 W
IRON PIPE

E 1/4 W VAR 3° E

8092 1/2 FELL 260 3/4 SOUTH OF
W 1/4 FOUND POINT OF POST
STPS OF ORIGNEW { MAPLE STUB 12549 E 24
" STP 10 N 47 1/2 E 19 1/2
W PINE " 16 N 46 W 55

NE COR OK

NEW { MAPLE 12 N 70 W 22
" 10 N 72 E 28 3/4

DISTANCE TO S 1/4 4046

" " N 1/4 3621

" " E 1/4 4035

" " W 1/4 4057 1/2

1/16 SE 1/4

W. PINE STP 14 N 64 E 42

SEC 3-35-11 (CONT)

1/8 W OF CENTER AT 6064

{ W PINE STP. 12586 W 15 3/4
" " 12 N 80 E 17 1/2

1/8 N. OF CENTER AT 6050 1/2

{ MAPLE 10 N 60 W 26
" 10 S 5 E 15 1/4

1/8 E OF CENTER 2017 1/2 IRON

1/8 E OF CENTER S. VAR 11° 45
4101 FELL 17 1/2 EAST

1/8 S OF CENTER 2023

W. PINE 10 N 6 W 80 3/4

SEC. 25-35-11

8107 FELL 294 NOS E 1/4

NE ORIG OK

MAPLE 12 S 50 W 63

NO SCRIBING IRON

SEC 9-36-7 C.D. VAUGHN

COR. 8-9-16-17 SW ORIG OK STA

NEW { W. PINE STP 20 N 84 1/2 W 31
 " " " 14 N 64 1/2 E 37

WEST FROM THIS COR VAR 3° E

4082 FELL 87 1/2 N. OF 5 1/4

SMALL LAKE AT ABOUT 2400
 30.00 OVER.

W 1/8 SO. LINE AT 2041 N. BT₅

SW COR N VAR 2° 30'

1591 LAKE AND TOOK DIST.

1168 OVER LAKE

2759

3036 TOOK DIST

1918 TO MC. BOTH OK

4954 FELL 68 1/2 E

NEW { Y. PINE 10 N 13 W 48 1/4
 " " 10 N 30 E 58 1/4

1591 SET MC AT FLOWAGE

W. PINE STP 10 N 57 E 22 3/4

" " 10 S 6 1/4 W 44 1/4

SEC. 15-37-4 C.D. VAUGHN OCT 26, '24

SW COR 15 N VAR 3° E ORIG OK
 NEW BY LYNN VAUGHN

8000 SEC COR

NEW { CEDAR 10 S 14 E 15
 SPRUCE 10 S 45 W 14

N 1/8 W. LINE AT 6000

{ BIRCH 45 33 W 12
 " 45 72 E 15

W 1/4 IN BEAVER FLOWAGE

SEC. 8-36-8 C.D. VAUGHN OCT 29, '24

W 1/4 W. PINE STP 30 N 45 E 85 3/4

NO SCRIBING IRON

SEC 23 - 36-9 C.O. VAUGHN DEC 10, 24

E 1/4 S. VAR. SOUTH

4242 FELL 465 W OF SE COR

SET MC SOUTH OF RIVER AT 2450

" " 1/8 N. of " AT 2121

S 1/8 E. LINE W. VAR. 2°30'

150 RIVER

450 OVER

1075 RIVER

1200 OVER

4206 1/8 S OF CENTER

FELL 24 1/2 N

SE COR W 171 M.C.

4330 S 1/4 POST

FELL 11 SOUTH

SEC. 36-35-4 C.D. VAUGHN

N 1/4 OR NE ORIG E. VAR 30' W

4249 FELL 51 1/2 NORTH

2124 1/2 SET E 1/8 N. LINE

MAPLE 1056 1/2 W

N 1/4 30. VAR. 3°30' E

8282. FELL 248 W OF S 1/4

SE. COR W VAR 3° E Two ORIG.

4033 3/4 PUT UP. STAKE

8056 " " "

12030 FELL 23 SOUTH ORIG.

4010 S 1/4

CEEDAR STP. 10 N 45 E 16

" " 10.5 70 E 36

E 1/4 WEST VAR 2° E - 2° 6' = 6° W

8407 FELL 311 SOUTH

4066 TO N 1/4 4121 TO E 1/4

1/8 EAST OF CENTER AT 2060 1/2

MAPLE 12 N W 22 1/2

1/8 E. OF CENTER S. VAR. 4° 15'

4108 FELL 43 EAST

E 1/8 N LINE SOUTH VAR. 4° 15'

4030 FELL 7 1/2 EAST

SEC 9-39-4 C.D. VAUGHN

W $\frac{1}{4}$ S - VAR. 3° E

1110 FELL 11 E OF MC. 1 orig.

NEW W. PINE STR. 24 N 13 $\frac{1}{2}$ W 56 $\frac{1}{2}$ W $\frac{1}{4}$ E VAR. 6° E

503 STAKE

590 LAKE

3211 OVER

3372 STAKE

5754 "

7051 FELL 46 $\frac{1}{4}$ N. OF E $\frac{1}{4}$

M.C. ON W SIDE OF LAKE AT 386

}	W BIRCH 345 W 27
	N 10 W 27

M.C. ON E SIDE OF LAKE AT 3190

POP 4 N 43 E 39

 $\frac{1}{8}$ E OF CENTER AT 5051

SEC 9-39-4 (CONT)

E $\frac{1}{8}$ N. LINE SOUTH VAR 4° 30' W

366 SPICK

Y PINE 3 W 2 $\frac{1}{4}$

HEM 3 E 3

" 2 S 4

E $\frac{1}{4}$ SOUTH VAR. 3° 30'4077 FELL 90 $\frac{1}{4}$ W OF SE COR.FOUND OLD ORIG POST & SET TREE - BUT
STILL PLAINNEW { SPR. 6 N 67 $\frac{1}{2}$ W 96
" 4 S 43 W 58 $\frac{3}{4}$ S $\frac{1}{8}$ E LINE 2038 $\frac{1}{2}$

SE COR. W VAR 3° 30'

PICKED UP OLD LINE IN SEVERAL
PLACES.2900 MC. - W. PINE 16 N 72 E 23 $\frac{1}{4}$

3200 LAKE

SEC 5-36-9 C.D. VAUGHN

S.E. COR E LINED IN WITH MC.

546 1/2 STAKE 600 RIVER

1196 1/2 OVER RIVER TWICE

1743

2344 3 1/4 W TO E.M.C.

4087 DIST. FROM 3 1/4 TO SW COR

2043 1/2 SET STAKE

SEC 12-36-8 C.D. VAUGHN

NE COR. SET BY DORR FROM ORIG

LINED IN BETWEEN NE COR & DORR'S

N 1/8 E LINE, PROLONGED LINE

SOUTH TO E 1/4 FOUND STPS AT ORIG

E 1/4 NEW { W. PINE 85 72 E 29 1/2
IRON { W. " STP 16 N 21 W 77

M.C. SOUTH OF E 1/4 FOUND MC.

NEW Y PINE 105 88 W 10 1/2

SEC. 36-35-4 C.D. VAUGHN

E 1/4 { B. 4 N 11 E 10
{ B 75 40 W 3W 1/4 { HEM 14 S 60 W 10
{ " 15 S 29 E 14

SEC 35-35-4 C.D. VAUGHN

S 1/4 { TAM 7 N 56 E 21
{ " 8 S 10 E 31S W COR. { SPR. 12 S 82 W 26
{ TAM 10 N 15 W 55
{ SPR 10 N 42 E 22
{ TAM 5 N 68 E 24

SEC. 34-37-4 LYNN VAUGHN DEC 14, '21

E 1/4 COR SOUTH VAR. 3 1/2 E

4033 FELL 306 WEST OF COR 2-3-34-35

NORTH & SET 1/8 POST

{ HEM 24 N 53 1/2 W 34
{ " 14 S 88 1/2 E 17 1/2

SEC 14-35-4 LYNN VAUGHN DEC 16, 1920

SW COR EAST VAR $3^{\circ}E$

4043 FELL 227 SOUTH OF $\frac{1}{4}$ COR.

$S\frac{1}{4}$ COR NORTH VAR. $4^{\circ}E$

7760 FELL 267 EAST OF $N\frac{1}{4}$

$W\frac{1}{4}$ EAST VAR. $5^{\circ}E$

7944 FELL 96 SOUTH OF EAST $\frac{1}{4}$

CENTER OF SEC 14-35-4 S. MAPLE 9N55W33

DIST. TO $N\frac{1}{4}$ 3861

" " $S\frac{1}{4}$ 3879

" " E $\frac{1}{4}$ 3855

" " $W\frac{1}{4}$ 4086

$N\frac{1}{4}$ WEST VAR. $5^{\circ}E$ EAST

3890 FELL 96 SOUTH.

SEC 10-35-4 LYNN VAUGHN

E $\frac{1}{4}$ COR WEST VAR. $6^{\circ}E$

7958 FELL 503 NORTH OF $W\frac{1}{4}$

CAME EAST TO CENTER OF SEC.

ROAD ON N + $S\frac{1}{4}$ LINE

SET CENTER AT 39.30

SOUTH & SET $\frac{1}{8}$ POST AT 2014

IRON PIN ON WEST SIDE OF ROAD

$S\frac{1}{8}$ E LINE WEST VAR. 8°

3982 FELL 122 SOUTH

SEC. 10-38-6 LYNN VAUGHN OCT 21, 1921

NW COR SOUTH VAR. $3^{\circ}45'$

1980 $\frac{1}{8}$ POST

SEC. 33-39-11 LYNN VAUGHN

$W\frac{1}{4}$ COR. N $53^{\circ}E$ 2150

THENCE S $77\frac{1}{2}E$ 330 TO $\frac{1}{8}$ LINE

THENCE SOUTH ON $\frac{1}{8}$ LINE 1580

TO MEDICINE LAKE

SEC. 17-42-7 LYNN VAUGHN

NE COR. SOUTH VAR 3 1/2 E

3987 FELL 65 EAST OF 1/4 COR

SET BY ONE ORIG

NORTH & SET 1/8 POST AT 1993 1/2

E 1/4 COR. WEST 3°15

3775 AND SET M.C. IRON PIN

N 1/8 EAST LINE WEST V 3°30'E

2700 RIVER

2825 OVER RIVER

3425 TO M.C. & IRON PIPE

S.W. COR. EAST

7637 - GOVT. 7459 OVERRUN OF

178 - PROP. SAME AND SET

1/4 COR. AT 4095 AND RUN

NORTH ON 3°15'E TO LAKE

SEC 9-39-9 LYNN VAUGHN OCT. 7, 1921

S.E. COR. WEST VAR 3 1/2 E

7941 FELL 411 NORTH OF DORRS COR

THE BT IS GONE FOUND DORRS OLD
POST, IT WAS DOWN & PRETTY
ROTTEN.

SET NEW POST AND BT

HEM 18N 54E 34

EAST & SET 1/4 AT 3990 1/2

{ W PINE 15N 60E 24

{ W. " 85 51 W 41

W 1/8 S. LINE W. BIRCH 3N 31W 5

S.W. COR. NORTH VAR. 3 1/2 E

7992 FELL 12 WEST OF COR. 4-5-8-9

FOUND ORIG TAM. DOWN

NEW SPRUCE 95 37E 11

W 1/4 Y PINE STP 20N 79E 26

N 1/8 W LINE No BTs.

5 1/8 " " " "

S.E. COR. NORTH V. 3 1/2 E

7992 FELL 31 WEST OF SEC COR.

N 1/8 E LINE { W BIRCH 7N 43 W 21

{ B. OAK 12S 12E 32

E 1/4 { W BIRCH 6N 40E 18 1/2

{ Y PINE 10S 55W 40

(OVER)

SEC 9-39-9 (CONT)

N.W. COR. EAST VAR. $6^{\circ}55'E$ 7941 FELL 4 SOUTH OF SEC. COR.
WEST $\frac{1}{4}$ SET $\frac{1}{4}$ COR.NE COR. TREES ALL GONE BUT IN A. LOW
PLACE WHERE SPRUCE WOULD GROW,
FOUND PINE HOLE BUT NO MARK
I BELIEVE FROM THE BOOK, THE
COR. HAD TO BE HERE

{	W PINE	10	56	W	64
	" "	STP	16	5	17 $\frac{1}{2}$ E 26

{	CENTER OF SEC.	FUR.	14	56	W	88
		OAK	6	5	26	E 54

 $\frac{1}{8}$ N. CENTER W. BIRCH 8 5 10 E 25

{	$\frac{5}{8}$ ON E. LINE	ASPEN	10	N	56	W	24
		"	6	5	22	E	12

{	$\frac{E}{8}$ ON S. LINE	ASPEN	10	N	89	E	20
		W. BIRCH	6	5	65	W	26

SEC 17-39-9 LYNN VAUGHN OCT 21, 1921

NE. COR. SOUTH VAR. $3\frac{1}{2} E$

750 ROAD

1779 AND SET M.C. { W. BIRCH 6 N 37 E 5
" " 5 N 54 W 6NE COR. WEST VAR. $1\frac{1}{2} E$ 1915 SET $\frac{1}{8}$ POST BY NOTES OF DORR
HEM 16 5 21 E 88 $\frac{1}{2}$ $\frac{E}{18}$ N LINE SOUTH VAR. $3\frac{1}{2} E$

300 ROAD

1385 AND SET M.C. Y. PINE 8 N 6 W 13 $\frac{1}{2}$ $\frac{E}{4}$ WEST. VAR. $3^{\circ}25'E$

3775 AND SET M.C.

3895 TO LAKE

SEC 18-39-7 LYNN VAUGHN

SE. COR. WEST 2865 M.C. SET BY --

EAST $\frac{1}{8}$ SET $\frac{1}{8}$ AT 2000

{	HEM	10	N	23	W	19
	"	26	5	87	W	16

SEC 20-38-8 LYNN VAUGHN Nov. 7, 1921

$5\frac{1}{8}$ W. LINE NORTH VAR $4^{\circ}E$
2022 FELL 65 WEST OF $\frac{1}{4}$

FROM MC. TO MC. SIDE
1646 OVER LAKE

$\frac{1}{4}$ BTW. 19-20
IRON PIN

{ HEM 12 N $48\frac{1}{2}$ W 59
{ OAK 7 S 60 E 45

SEC 24-35-4 LYNN VAUGHN DEC. 19, '21

N $\frac{1}{4}$ COR. SOUTH VAR $4^{\circ}E$
8430 FELL 585 EAST OF S $\frac{1}{4}$ COR.

NE COR. SOUTH VAR $2^{\circ}30'E$
4006 FELL 28 WEST
NORTH $\frac{1}{2}$ SET $\frac{1}{2}$ H 2003

SEC 30-37-7 LYNN VAUGHN

W $\frac{1}{4}$ COR. EAST VAR $3^{\circ}E$
8398 FELL 24 SOUTH OF $\frac{1}{4}$ SET
By D.H.V.

$5\frac{1}{4}$ COR. NORTH VAR $3^{\circ}E$
8145 FELL 406 EAST OF N $\frac{1}{4}$ COR.

CENTER SEC.

DIST. TO N $\frac{1}{4}$ 4018

" " S $\frac{1}{4}$ 4127

" " E $\frac{1}{4}$ 4219

" " W $\frac{1}{4}$ 4179

{ PHONE POLE 354 W 65
{ W. PINE 8 N 42 E 64 $\frac{1}{4}$

$\frac{1}{8}$ W. OF CENTER AT 2192
 $\frac{1}{8}$ E. OF " AT 6288 $\frac{1}{2}$
 $\frac{1}{8}$ N " " AT 6136
 $\frac{1}{8}$ S " " AT 2063 $\frac{1}{2}$

W $\frac{1}{4}$ COR. NORTH ALONG FENCE LINE RUN BY
J. SMITH 40.26 COR.

NW COR. EAST
4034 FELL 20 NORTH
EAST $\frac{1}{2}$ SET $\frac{1}{2}$ H 2104

W $\frac{1}{2}$ N. LINE SOUTH VAR $4^{\circ}30'$ 4030 FELL 36 W.
 $5\frac{1}{4}$ EAST VAR 4 4085 FELL 49 SOUTH
1550 CM $\frac{1}{2}$ ST. PAUL

84
SEC 30-37-7 (CONT)

$\frac{5}{8}$ ON E LINE WEST VAR. 4
4145 FELL 114 SOUTH OF $\frac{1}{8}$
SOUTH OF CENTER.
2100 TO & ST. PAUL R.R.

$\frac{N}{4}$ EAST VAR 4°15' EAST
4216 FELL 153 NORTH
3350 & ST. PAUL R.R.

$\frac{E}{8}$ ON N. LINE AT 2108

NE COR. SOUTH VAR. 4°15' EAST
3948 FELL 25 EAST

$\frac{1}{8}$ AT 1974

$\frac{E}{8}$ NORTH LINE SOUTH
3988 FELL 44 WEST.

85
SEC 11-42-7 LYNN VAUGHN

SW COR EAST VAR. 2° E

6015 DORRS $\frac{1}{2}$ POST FELL 113 SOUTH
WEST AND SET $\frac{1}{4}$
WEST AND SET $\frac{W}{8}$

{ N. PINE 8N 21E 69 1/4
W " 14 S 42 E 112

$\frac{E}{8}$ SOUTH LINE { N. PINE STR. 14N 76W 42
W " " 16 S 87 E 34

$\frac{E}{8}$ ON SOUTH LINE NORTH VAR. 3°30' E
2000 STAKE

$\frac{W}{8}$ ON SOUTH LINE NORTH VAR. 3 1/2° E
3375 LAKE AND SET MC.

W. PINE STR. 18 S 66 W 49

SEC 13-39-6 LYNN

$\frac{3}{8}$ ON EAST LINE NORTH 3°5'
1661 MC.

SEC. 4-38-7 LYNN VAUGHN

$\frac{W}{4}$ NORTH VAR. 2°5' E

200 FLOWAGE

300 OVER

853 SET MC.

{ ASPEN 7N 16W 4
" 8 S 82 W 22

SEC 21-37-4 LYNN VAUGHAN

5 1/4 { Y. BIRCH 16 N 67 1/2 W 46
HEM 13 54 E 47

5 1/4 NORTH VAR. 4° E
8247 FELL 52 EAST OF N 1/4
{ FIR 8 N 30 W 18
SPR. 12 5 22 W 37

N 1/4 EAST VAR. 4° E
4060 HIT NE COR.
{ CEDAR 13 N 22 E 16
" 6 5 65 W 10

E 1/8 ON N LINE { HEM 9 N 10 W 37
" 18 5 18 E 6 1/2

N.E. COR. SOUTH VAR. 4° E
4082 FELL 51 E OF 1/4 COR.
NORTH AND SET 1/8
{ CEDAR 5 N 17 E 9
" 11 14 5 13 W 15

E 1/4 WEST VAR. 4° E
8009 FELL 5 NORTH

SEC. 21-37-4 (CONT.)

DIST. TO N 1/4 4106
" " S 1/4 4141
" " E 1/4 3964
" " W 1/4 4045

CENTER { W BIRCH 7 N 10 W 15
" " 6 N 87 W 17

1/8 N OF CENTER AT 6191
{ HEM. 14 N 18 E 10
" 15 5 77 W 5

1/8 W OF CENTER 5976 1/2
1/8 N " " EAST VAR. 3° E
4004 FELL 11 NORTH OF E 1/8

NE 1/16 { HEM 14 N 21 W 21
MAPLE 10 5 29 W 34

NE 1/16 NORTH VAR. 4° E
2043 HIT E 1/8 ON N. LINE

SE. COR. { Y. BIRCH 28 N 54 W 41
" " 26 5 6 E 52

SEC 7-35-11 LYNN VAUGHN

SE COR. WEST VAR 30° E

4355 & N.W. R.R.

8908 FELL 237 NORTH OF SEC.

COR. ON RANGE LINE

WEST & SET 1/4 COR. BY PROP

3922 FIR 7 N 43 W 30

CEPAR 11541 E 39

3 1/4 COR. NORTH VAR 3 1/2 E

7417 FELL 1642 EAST OF N 1/4

SEC. 15-39-6 LYNN VAUGHN

NE 1/16 WEST

1000 MC IRON PIN

THENCE SOUTH AT RT. ANGLES

500 CHAINS TO IRON PIN

E 1/8 ON N. LINE SOUTH

830 LV. FLOWING

1025 ROAD

199 9/4 1/16

3516 MC BY D.H.V.

{ Y. PINE 24 N 20 E 278
" " 83 50 E 98

NE 1/16 Y PINE 12547 W 28

3 1/4 W. VAR 3° E

3984 FELL 87 SOUTH

SEC. 9-42-5 LYNN VAUGHN

MC 44 3/4 NORTH OF 1/4 BTW. 9-10

Y. PINE 8 N 4 W 37 FT.

NORTH ON SEC LINE

187 1/2 FEET 3/4 N OF MC W PINE 10550 W

SEC. 13-42-5 LYNN VAUGHN

LOT 3

COMMENCING AT AN IRON PIN WHICH
STANDS 409 FEET SOUTH ALONG
SHORE OF SPIDER LAKE. THENCE
S 65° E 114.5' TO N. PINE TREE 14"
THROUGH, THENCE S 20°-30' E 233'
AND ROAD, THENCE IN A
WESTERLY DIRECTION ALONG ROAD
330.5' TO IRON PIN, THENCE
N 20° E TO LAKE AND IRON PIN,
THENCE EASTERLY ALONG LAKE
SHORE TO PLACE OF BEGINNING

SEC. 6-39-7 LYNN VAUGHN MAY 2, '23

5/4 EAST VAR. 10° E

4018 FELL 35 SOUTH OF SEC COR.

SET BY STATE MEN, PUT IN IRON PIPE

SE COR NORTH VAR. 3° 15'

4790 FELL 147 WEST

SOUTH 6 SET 1/4 BY PROP.

4257 N OF SE COR.

NE COR. WEST VAR. 2° 30' E

{ Y. PINE 16 N 85 W
W " 10 N 86 E

7918 FELL 17 + 75 NORTH OF COR. BY

SET 1/4 AT 4056

Y. PINE N 42 E 92

N 1/4 SOUTH VAR 2° E

4637 FELL 61 EAST OF 5/4

CENTER OF SEC DIST. TO N 1/4 439

" " 5/4 4178

5/8 E LINE J. PINE 6 N 4 E 38

SEC 6-39-7 (CONT.)

1/8 SOUTH CENTER EAST VAR 2° 30'

4038 FELL 104 N. OF 1/8

E 1/4 { Y. PINE 8 N 76 E 8

{ W " 11 N 6 W 20 1/2

W 1/8 S. LINE Y. PINE 12 N 3 W 58 1/2

SEC 24-35-4 LYNN VAUGHN

N 1/4 POST SOUTH VAR 4° E

8430 FELL 585 E OF 5/4

W 1/4 POST EAST VAR 3° 30' E

RUN THIS LINE THROUGH BUT DID

NOT FIND E 1/4 POST (4' OF SNOW)

NE COR SOUTH 2° 30' E

4006 FELL 28 W OF E 1/4 POST

2003 SET N 1/8 ON E LINE

SEC 15-37-9 LYNN VAUGHN JUNE 15, 1923

SE COR. W. PINE 12 N 57 1/2 E 94

NE COR WEST VAR 3 1/2 E
TEL POLE 587 E 26 1/2
800 ENT SWP

1000 LV. "

3600 ENT "

3900 FELL 247 NORTH OF DORR 1/4

BT OK { TAM 12 N 81 W 25
" 13 S 73 E 16

E 1/8 N LINE IRON PIN

NE COR SOUTH VAR 2 1/2 E

S.W. COR SEC 15 TEL POLE 9 544 E 35

N 1/4 COR SOUTH VAR 5° W

7946 FELL 266 EAST OF DORR 1/4
4653 & ROAD

SW COR EAST VAR 13° E

3475 FELL 35 NORTH OF DORR 1/4

5 1/4 W. BIRCH 45 69 W 11

SEC 15-37-9 (CONT)

5 1/4 EAST ON TRUE LINE VAR. 12° 14' E
3475 SET COR TAM 6 N 60 E 45

NE COR SOUTH VAR 9 W

7688 FELL 300 EAST OF COR

SW COR NORTH VAR 4° W ON TRUE
LINE ROAD

4118 BERSTINE SUPPOSED 1/4

8170 FELL 62 W OF COR

N 1/8 W. LINE AT 6127 1/2 BOULDER 11 X 11
AND 7 FEET HIGH A. HOLE NEARBOTTOM FOLLOWING A CREASE STANDS
N 80 W 28

W 1/4 AT 4085 IRON PIN

S 1/8 W. LINE AT 2042 IRON PIN IN RD
PHONE POLE 75 40 W 38E 1/4 AT 3844 { SPRUCE 6 N 6 W 7 1/2
IRON PIN { " 55 47 W 4

S 1/8 E LINE W. PINE 20 523 W 74 IRON PIN

E 1/4 WEST VAR. 10° E

3014 & Highway

7362 FELL N 63

CENTER OF SEC TAM 8 57 E 9

DIST TO N 1/4 3954

" " S 1/4 3992

" " E 1/4 3682

" " W 1/4 3640

OVER

SEC. 15-37-9 (CONT.)

1/8 S OF CENTER AT 5950
N. PINE 7N 40 W 62 1/2

1/8 POST SOUTH OF CENTER WEST VAR. 12° E
1300 & HIGHWAY 63
3552 FELL 326 S OF 1/8

SW 1/16 A BED OF BOULDERS AND IRON
PIN IN CREVIS { ASPEN 8510 W 16
" 8576 E 27

W 1/8 ON S. LINE Y. PINE 20 534 E 40

W 1/8 " " " NORTH VAR 53° 0'
1982 FELL 71 W

1/8 EAST OF CENTER AT 1841
{ Y. PINE 10 N 26 W 38 1/2
" " 10 N 86 E 47 1/2

1/8 EAST OF CENTER NORTH VAR 9° W
1270 & Highway
3898 FELL 11 WEST OF 1/8

SEC 15-37-9 (CONT)

NE 1/16 SPR. 6 N 28 W 8 1/2
MAPLE 55 19 W 11

N 1/8 EAST LINE SPR. 6 N 28 E 35

1/8 NORTH OF CENTER { SPR. 6 N 12
" 65 35 W 15 1/2

SEC 25-36-10 LYNN VAUGHN JULY 21, 1923

E 1/4 NORTH VAR 90° 45' E
1880 & RR
2076 D.H.V. 1/8 POST
4166 SEC COR. MADE A HIT

E 1/4 IRON ROD IRON ROD 40 LKS. N
" " 3 " 5

26
SEC. 34-42-7 LYNN VAUGHN July 17, 1923

N $\frac{1}{4}$ COR. EAST VAR. 2 $\frac{1}{2}$ E

8- OFFSET S 75 LKS TO MISS LAKE
27+38 " S 123 "

FOUND THE ORG N.E. BT

NEW { W. BIRCH 10 N 43 W 26
" " 12 S 84 E 23

3066 FELL 208 N. OF M.C.
WEST AND SET $\frac{1}{8}$ AT 1954

{ MAPLE 6 N 65 W 6
R. OAK 14 S 1 E 41 $\frac{3}{4}$

E $\frac{1}{8}$ N. LINE SOUTH VAR. 2° 15' E

1619 TO LOST CANOE LAKE AND
SET M.C. { W. PINE 8 N 82 W 21
" " 28 S 64 E 30 $\frac{1}{2}$

N $\frac{1}{4}$ SOUTH VAR. 2° 15' E

2399 POND
2634 OVER POND

4565 LOST CANOE LAKE AND
SET M.C. W. PINE 18 N 29 E 30 $\frac{1}{2}$

97
SEC. 17-36-9 LYNN VAUGHN July 31, 1923

LOCATED EAST $\frac{1}{4}$ COR. BY TWO MEN,
ONE OWNS THE NE-SE AND TOLD ME
THAT HE HAS OWNED THIS LAND
SINCE 1904 AND KNEW ABOUT
WHERE THE OLD POST STOOD. NOTHING
HERE FOR BT. I PUT IN IRON PIPE.
AS THE SE COR IS GONE, I FOUND
DORR'S BT FOR $\frac{1}{8}$ POST SOUTH OF
 $\frac{1}{4}$ COR. PUT FLAG AT $\frac{1}{4}$ COR AND
AT $\frac{1}{8}$ POST AND LINED IN BETWEEN
FOUND THE DISTANCE BETWEEN
 $\frac{1}{4}$ COR AND $\frac{1}{8}$ - 2090 THEN RUN
SOUTH FROM $\frac{1}{8}$ POST THE SAME DIST.
AND SET SEC COR. VAR. 2° 45' E

SE COR HEM. 16 S 15 E 29 $\frac{1}{2}$

SE COR WEST VAR. 2° 30'

4113 FELL 22 $\frac{1}{2}$ SOUTH OF DORR'S $\frac{1}{4}$
FOUND W. PINE STP 30 N 41 $\frac{1}{2}$ W 73 $\frac{1}{2}$
DROVE IRON PIN IN CENTER OF
SMALL ROAD GOING NORTH
EAST CORRECTED & SET $\frac{1}{8}$

(OVER)

SEC. 17-36-9 (CONT.)

VAR 3°50'
 5 1/4 COR W. VAR SHOWS TRUE LINE
 4104 FELL 57 S OF S.W. COR.
 SET BY DORR'S BT
 Y. PINE 17 N 32 1/2 E 36 1/2

W 1/8 ON S. LINE IRON PIN
 { ASPEN 7 N 18 W 11
 W. BIRCH 5 S 51 W 19 1/2

5 1/4 COR. NORTH VAR. 2°50' E
 2003 FOUND DORR'S 1/8 S. OF CTR.
 FELL 28 WEST.
 CORRECTED ON TO SAME AND
 RUN NORTH.
 8468 FELL 9 WEST OF N 1/4 COR

E 1/4 COR WEST VAR 3°15'
 AT CENTER OF SECTION
 4023 N 9 S 1/4 LINE AND 1 LK S.
 OF 4206
 8325 FELL 16 1/2 LKS. N OF W 1/4
 SET BY D.H.V. IN 1909

SEC. 17-36-9 (CONT.)

WEIR 8 N 9 15
 CENTER OF SEC. 17 IRON PIN
 DIST. TO N 1/4 4270
 " " S 1/4 4198
 " " E 1/4 4023
 " " W 1/4 4302

1/8 POST W. OF CENTER AT 2151 W. OF
 CENTER OR 6174 IRON PIN

BOULDER WITH HOLE ON TOP
 N 10 W 22 1/2

1/8 POST E OF CENTER IRON ROD.
 { LIND. 5 S 31 E 24

X 1/8 POST N OF CENTER AT 6283 OR ?
 2152 N OF CENTER.

1/8 POST S. OF CENTER AT 2099
 { ASPEN 6 N 64 W 32
 " 7 S 42 E 25

5 1/8 E LINE WEST VAR. 2°45'
 IRON PIPE IN 1/2 OF ROAD WOOD
 3TK 10 EAST

4074 FELL 3 LKS SOUTH OF 1/8 SOUTH
 OF CENTER

SE 1/16 N. PINE 15 N 65 E 66

(OVER)

SEC. 17-36-9 (CONT)

SE. 1/16 N. VAR. 2°30'

2099 FELL 24 W of 1/8 E of CTR.

SW COR. NORTH VAR.

SOUTH AND SET 1/8

5/8 W. LINE E VAR 3 1/2 EAST

4196 FELL 87 N

CORRECTED WEST & SET SW 1/16

N 1/4 COR. E. VAR. 3 1/2 E

4195 FELL 64 N. OF COR

CORRECTED WEST & SET 1/8 NO BTG

E 1/4 N. VAR. 0°15' E

4180 FELL 46 W of COR.

SOUTH & SET 1/8 IRON PIPE

N 1/8 E LINE EAST VAR 2°30'

4104 FELL 32 SOUTH OF 1/8 N OF CTR.

N 1/4 COR W. VAR. 3° E

2310 DORR'S 1/8 POST - FELL 81 N.

W PINE STP 14 S 12 1/2 W 13

NEW HEM 75 73 W 9 1/2

1/8 E. CTR N VAR 1°30' E

2085 FELL 97 E of DORR'S 1/16

SEC 20-35-8 LYNN VAUGHAN Aug 13, 1923

N 1/4 COR SET BY D.H.V. JAN 1923

FROM ORIG BT.

RUN EAST VAR. 00

8383 FELL 270 S of E 1/4

S.E. COR NORTH VAR 9° E

7671 FELL 9 W. of COR

SOUTH & SET 1/4 IRON PIN AT

JUNCTION OF ROAD

S.E. COR. WEST. VAR 3° E

8450 FELL 190 N. of SEC COR.

FOUND TWO PINE STPS & PUT

IN NEW BT. { W. PINE STP 18 N 89 1/2 W
68
" " " 14 N 16 E
27

EAST & SET 5/4 AT 4225

{ HEM 9 N 78 W 12

{ BIRCH 9 S 70 E 29 1/2

S 1/4 COR NORTH VAR. 5° E

7945 FELL 380 E

N.W. COR. EAST VAR. 2°55'

6777 OFFSET S 278

8448 FELL 315 N.

WEST & SET 1/4 AT 4224

{ BIRCH STP. 14 N 56 E 28

{ HEM " 14 N 2 1/2 W 17 1/2

(OVER)

SEC 20-35-8

(CONT)

W $\frac{1}{8}$ N. LINE AT 2112

{ BIRCH 18 N 78 W 13 $\frac{1}{2}$
 { " STP 14 S 6 E 27

SE COR. NORTH VAR. 9 E

7696 FELL 9 W

CENTER OF SEC 20-35-8

HEM 13 S 27 $\frac{1}{2}$ E 15DIST. TO N $\frac{1}{4}$ - 3934" " S $\frac{1}{4}$ 4011" " E $\frac{1}{4}$ 4219" " W $\frac{1}{4}$ 4164 $\frac{1}{8}$ POST. W. OF CENTER

{ HEM STP. 14 N 59 W 24
 { " " 15 S 50 E 20

 $\frac{1}{8}$ POST W OF CTR. N. VAR 7 E

3973 FELL 149 E.

SEC 18-39-9

LYNN VAUGHAN

N.E. COR WEST VAR WEST.

7700 FELL 488 SOUTH OF NW COR.

{ Y. PINE STP 10 S 12 E 45
 { " " 4 N 3 E 58

SET W $\frac{1}{8}$ N LINE AT 5731 $\frac{1}{2}$

{ Y. PINE 4 S 54 W 18 $\frac{1}{2}$
 { " 4 S 1 $\frac{1}{2}$ W 28 $\frac{1}{2}$

N. $\frac{1}{4}$ AT 3821 { W. PINE STP 14 N 4 W 26
 { Y. " 24 S 1 W 60

SET E $\frac{1}{8}$ N. LINE AT 1910 $\frac{1}{2}$

{ POP 6 N 78 E 48 $\frac{1}{4}$
 { OAK 4 N 18 $\frac{1}{2}$ W 7 $\frac{1}{2}$

N.E. COR. Y. PINE STB. 16 N 77 W 34

N. MC. WEST LINE

BTS DOWN & BURNED

NEW Y. PINE 10 N 75 E 48

N. MC. WEST LINE NORTH VAR. 29 45'

6943 FELL 180 WEST OF NW COR.

SET N $\frac{1}{8}$ ON WEST LINE AT

4945 { Y. PINE 8 S 51 W 90
 { OAK 3 S 21 E 43 $\frac{1}{4}$

W $\frac{1}{4}$ BY PROPORTION AT 2947

{ Y. PINE 10 N 7 E 64 $\frac{1}{2}$
 { " " 10 S 41 E 70

OVER.

SEC. 18-39-9 (CONT.)

5/8 WEST LINE AT 949 BY PROPOR.

{ Y PINE 8 N 51 E 22
 { W " 125 13 1/2 E 13

S.E. COR IS IN CENTER OF NEW ROAD

{ W. PINE STP 16 N 42 W 38 1/2
 { Y " " 125 2 W 58 1/2

S.E. COR. WEST VAR. WEST

3979 FELL 440 S of S 5/4

SET E 1/8 ON S LINE AT

1989 1/2 { OAK 4 N 49 W 11
 { Pop. 556 E 15 1/2

S 1/4 COR. WEST VAR. 6° 21' E

2863 FELL 51 N. OF M.C.

W. PINE STB 12 S 22 W 25

E 1/8 S LINE SET BY PROPORTION AT

1992 1/3 { OAK 4 S 39 W 52 1/2
 { W. PINE STB. 10 N 33 1/2 E 36 1/2

SEC. 18-39-9 (CONT.)

E 1/8 N LINE SOUTH VAR. 1° 30' E

2028 SET NE 1/16

518 LAKE & SET M.C.

N 1/4 COR. SOUTH VAR. 1° 15' E

2014 SET 1/8 N. OF CENTER

137 SET M.C. 50 TO LAKE

W 1/8 NORTH LINE SOUTH VAR. 1° 15' E

7946 1/2 FELL 371 1/2 E OF W 1/8 S LINE

4008 SET 1/8 W OF CENTER

2004 SET NW 1/16

5977 " SW 1/16

W 1/4 E & SET 1/8 W OF CENTER AT

1900

NW 1/16 WEST 3906

1100 - 225 SOUTH TO LAKE

SEC 34-36-4 LYNN VAUGHN SEPT 21, 1923

N.W. COR IRON PINS $\frac{9}{8}$ BTG GONE
 SET COR IN CENTER OF N-S
 ROAD AND ROAD GOING EAST
 NEW { W. PINE STP. 16 529 E 102 $\frac{1}{4}$
 NEW IRON { " " 14 N 50 $\frac{1}{2}$ E 140

N.W. COR. SOUTH VAR. 2°45' E
 7901 HIT COR BTW. 33-34 IRON
 3950 $\frac{1}{2}$ SET $\frac{1}{4}$ BTW. 33-34 (IRON)
 WHICH STANDS IN CENTER OF
 ROAD GOING N AND ROAD W
 { W. PINE STP 16 N 82 E 43 $\frac{1}{4}$
 { " " " 16 S 34 W 35

5 $\frac{1}{8}$ W. LINE AT 3926
 ELM 14 582 $\frac{1}{2}$ W 44 $\frac{1}{2}$

N $\frac{1}{8}$ W. LINE AT 1975 $\frac{1}{4}$ IRON
 { W. PINE STP 16 549 $\frac{1}{2}$ E 65 $\frac{1}{4}$
 { N 6 $\frac{1}{2}$ W 121 TO S. END OF
 W. SIDE OF CONCRETE CULVERT

SEC 34-36-4 (CONT)

N.W. COR EAST VAR. 6°45' E
 8060 HIT NE COR. IRON PIN GONE
 SET COR FROM BIRCH BY D.H.V.
 (NEW IRON) NEW BIRCH 30 N 76 E 54
 N $\frac{1}{4}$ AT 4030
 IRON { W. PINE STP 16 551 W 63 $\frac{3}{4}$
 { " " STP 16 511 $\frac{1}{2}$ E 89
 E $\frac{1}{8}$ N. LINE AT 6045
 IRON HEM STP. 14 550 E 51
 W $\frac{1}{8}$ N. LINE AT 2015
 IRON W. PINE STP. 24 527 E 42 $\frac{3}{4}$

LOCATED SE COR. FROM W. PINE STP.
 PUT UP BY D.H.V.
 { W. PINE STP 30 N 26 W 145 $\frac{3}{4}$
 { ELM 14 542 E 173 $\frac{1}{2}$
 S.E. COR NORTH VAR. 2°30' E
 8168 $\frac{1}{2}$ HIT NE COR.
 1300 500 LINE RR.

E $\frac{1}{4}$ AT 4084
 IRON HEM 12 541 E 72
 N $\frac{1}{8}$ E LINE AT 6126
 IRON HEM STP. 12 N 89 E 66 $\frac{1}{2}$
 S $\frac{1}{8}$ E LINE AT 2042
 IRON { HEM STP 18 538 $\frac{1}{2}$ W 59
 { MAPLE " 8 N 59 E 39 $\frac{1}{2}$
 (OVER)

SEC 34-36-4 (CONT)

W $\frac{1}{4}$ COR. EAST VAR. $5^{\circ}30' E$
 3075 CREEK SE
 7995 FELL 1.68 N of E $\frac{1}{4}$

N $\frac{1}{4}$ COR. SOUTH VAR. $2^{\circ}30' E$
 4300 CREEK BOTTOM
 4500 "
 5300 OVER CREEK BOTTOM
 5500 500 TRACK
 80.82 FELL 7 WEST of S $\frac{1}{4}$

IRON { E. SIDE of CULVERT 536E41
 { W. " " " 535W44

CENTER of SEC. 34 IRON PIN
 { SW. PINE STUB 20 546 $\frac{1}{2}$ E 21 $\frac{1}{2}$
 { " " " 16 N 80 W 28

DIST. TO W $\frac{1}{4}$ 4005
 " " E $\frac{1}{4}$ 3990
 " " N $\frac{1}{4}$ 4014
 " " S $\frac{1}{4}$ 4068

$\frac{1}{8}$ N. of CENTER AT 2007

{ SW. PINE 36 567 W 82
 { BIRCH 12 N 84 $\frac{1}{2}$ E 100

SEC 34-36-4 (CONT)

$\frac{1}{8}$ E of CENTER AT 6000
 { SW. PINE STP. 28 N 22 $\frac{1}{2}$ E 48 $\frac{1}{2}$
 { " " " 24 55 W 41

$\frac{1}{8}$ S of CENTER AT 6048
 { ELM 8 N 73 $\frac{1}{2}$ W 19
 { MAPLE 6 546 $\frac{1}{2}$ E 23

$\frac{1}{8}$ W of CENTER AT 2002 $\frac{1}{2}$
 TAM STB. 12' HIGH 10 WEST

N $\frac{1}{8}$ WEST LINE WEST VAR $5^{\circ} E$
 1000 CREEK BOTTOM
 1200 "
 1800 OVER CREEK BOTTOM
 4017 FELL 7 $\frac{1}{2}$ N of $\frac{1}{8}$ N of CTR.

$\frac{1}{8}$ E of CTR. NORTH VAR. $2^{\circ}30' E$
 4048 FELL 12 E of E $\frac{1}{8}$ N LINE

S $\frac{1}{8}$ E LINE WEST VAR $4^{\circ} E$
 2600 500
 2700 CREEK
 3976 FELL 6 N of $\frac{1}{8}$ S of CTR.

SEC. 34-36-4 (CONT)

NW 1/16 W. PINE STP 30 S 68 E 18

NE 1/16 { BIRCH STP 16 N 40 E 35 1/2
" " 24 N 60 W 33SE 1/16 { ROOT of W. PINE STB
36 N 50 1/2 W 19
ELM 10 N 83 E 74

SEC. 17-39-9 LYNN VAUGHN OCT 3, 1923

SW COR. NORTH

3754 FELL 72 S of M.C. D.H.V.

2098 SOME ONES 1/8 POST

SW COR ON ROAD EAST

2977 FELL 65 S of M.C.

SEC 22-36-9 LYNN VAUGHN MARCH 1910

NE COR SOUTH VAR 40 E

4122 FELL 158 E of 1/4 POST

W. PINE BT OK

SET 1/8 AT 20 61

{ Y. PINE 10 N 24 W 28
" " 10 N 30 1/2 E 85

E 1/4 COR. SOUTH VAR - 3° 05'

4074 FELL 80 E of COR.

POST BY MANSSELL FROM ORIG

{ TAM 7 N 58 1/2 W 32

{ W. PINE 10 S 59 1/2 E 75

CORRECTED NORTH 9 SET 1/8

TAM 12 N 74 1/2 E 66 1/4

SEC 36-39-6 LYNN VAUGHN MARCH 17, 1923

W 1/4 SOUTH VAR 3 1/4 E

4013 FELL 519 WEST OF COR.

SEC. 34-39-7 D.H. VAUGHN Aug. 10, 1897

5 $\frac{1}{4}$ SET FROM ORIG BTS NORTH VAR 4°E
 6253 LAKE OFFSET 144 WEST
 8101 INT. BOUNDARY 106 W. of Post

M.C. BTW. 33-34 NORTH BANK OF
 TOMMAHAWK RIVER NORTH VAR 4°E
 6851 FELL 14 WEST OF COR WHICH
 WAS RESET BY DORR FROM ORIG.
 $\frac{1}{4}$ COR SET AT 2827 NORTH
 OF M.C.

W $\frac{1}{4}$ COR. EAST VAR. 4°E
 7836 $\frac{1}{2}$ FELL 14 NORTH OF E $\frac{1}{4}$

CTR SEC TO W $\frac{1}{4}$ 3897

$\frac{1}{8}$ WEST OF CTR SOUTH VAR 3°32'
 1975 LAKE
 2000 OVER LAKE SET $\frac{1}{16}$

SEC. 34-37-9 D.H. VAUGHN 1897

N $\frac{1}{4}$ COR. SOUTH VAR. 4°E
 8661 FELL 750 W OF S $\frac{1}{4}$ COR

S.E. COR. NORTH VAR. 4°E
 8343 FELL 362 E. of COR.
 SOUTH CORR.

2088 $\frac{1}{2}$ $\frac{1}{8}$ POST W. PINE 10580 W 1
 4171 $\frac{1}{2}$ $\frac{1}{4}$ POST { PINE 9543 E 1
 " " 9N31W 2 $\frac{1}{4}$

W $\frac{1}{4}$ COR. EAST VAR. 1-20°E
 8744 FELL 258 NORTH OF E $\frac{1}{4}$
 SET CENTER OF SEC.

W $\frac{1}{4}$ POST NORTH VAR 2°E
 4120 FELL 59 W OF COR.
 SET $\frac{1}{8}$ POST

N $\frac{1}{8}$ WEST LINE EAST VAR 6°E
 4139 FELL 705 SOUTH OF $\frac{1}{8}$ N OF CTR

SEC. 2-37-9 D.H. VAUGHN Nov. 30, 1897

?
SOUTH FROM 1/8 POST SET BY DORR ON
SEC. LINE BET. 2 & 11 & BET. 1/4 POST AND
COR TO 1-2-11-12 VAR 430°E

INTERSECT 1/4 LINE AT 1/8 POST SET
BY DORR. THENCE WEST ON 1/4 LINE 2150
INTERSECT N 1/2 S 1/4 LINE AT POST (CENTER)

THENCE SOUTH FROM CENTER VAR 4°15'
INTERSECT SOUTH BOONDRY 46 W OF 1/4 POST
WEST CORRECTED, SET 1/8 POST EQUIDISTANT
THENCE E TO 1/8 LINE & CORRECTED SAME
WEST.

SEC. 33-36-10 D.H. VAUGHN JAN 19, 1897

S.E. COR. NORTH VAR. 10°W

1930 PELICAN RIVER 75 - SW

3300 OVER CREEK BOTTOM

9932 FELL 287 W OF COR

SEC. 16-38-7 D.H. VAUGHN Nov. 4, 1897

W 1/4 COR SOUTH VAR 4°30'E

4000 SEC. COR GONE

7875 1/4 POST BET. 20-21, FELL 33 E

{ W PINE 16 5 79 1/2 W 106
{ " " 19 N 56 W 100

NORTH CORRECTED VAR 4°15'E

3977 1/2 SET COR TO 16-17-20 & 21

{ W. PINE 18 N 6 1/4 W 300 1/2
{ " " 20 N 2 3/4 W 280

5906 1/4 SET 1/8 POST { W. PINE 20 5 23 E 37 1/2
{ " " 18 5 83 W 37

W 1/4 COR. { X. BIRCH 10 5 53°40' W 24 1/2
{ W. PINE 20 5 29°50' E 64

W 1/4 COR SEC. 21 EAST VAR. 4°E

8093 FELL 33 SOUTH OF E 1/4 COR.

SEC 31-36-10 D.H. VAUGHN

SW COR EAST VAR 2°30'E

2161 FELL 194 (W) OF 1/8 13y

SEWER WRIGHT.

SEC 29-36-10 D.H. VAUGHN DEC 19, 1897

N.E. COR. SOUTH VAR. 3°30'E

4925 STREAM 100 SW

8433 FELL 341 EAST OF COR.

NORTH CORRECTED

4210 1/2 SET 1/4 FROM ORIG BT

6321 5/8 " 1/8 { SPRUCE 8529 1/2 E 11
TAM 10N 1 1/2 E 43

N.E. COR WEST VAR 2°E

2000 OLD GOV'T LINE CROSSED TO N

3500 " " " " " S

4000 " " " " " N

6700 " " " " " S

7600 " " " " " SAME AS MINE

8400 FELL 275 N OF COR

EAST CORRECTED

2100 SET 1/8 POST NO BTs

4200 " 1/4 " { W. PINE 18N 1°15'E 13 1/2
" " 14S 12W 19 1/2

SEC 34-37-9 D.H. VAUGHN DEC 15, 1897

SW COR NORTH VAR. 11°E

3152 FELL 360 E OF 1/4 COR

SOUTH CORRECTED VAR. 17°40'

1576 SET 1/8 { SW. PINE STP 15N 79E 61
" " 10S 87E 75

5 1/8 WEST ANNE EAST VAR. 6°30'E

4251 FELL 50 1/2 SOUTH OF 1/8

{ NORWAY STUB 14N 19W 9 1/2
" " 13S 38W 4 1/2

WEST CORRECTED VAR 7°13'E

2125 1/2 SET 1/16 { W.P. STP 10N 56 1/2 E 12
" " 12S 5W 18

SEC 30-37-10 D.H. VAUGHN JAN 10, 1898

NE COR. SOUTH VAR 4°E

1680 500 RAIL ROAD

5000 CREEK

6700 LAKE

8350 OVER - WINDFALL

9400 LEAVE WINDFALL

16155 FELL 306 W. OF COR:

NORTH CORR. 5°E

4038 3/4 SET TEMP 1/4

8077 1/2 SET TEMP COR

{ CEDAR 7S 77W 198
TAM 6N 78W 211

SEC 11-37-9 D.H. VAUGHN DEC. 18-1897

SE COR. NORTH VAR 2°E

4018 1/2 FELL 38 WEST OF 1/4

SOUTH CORR. VAR. 1°25'

2009 1/4 SET 1/8

S.E. CORNER WEST VAR. 3°E

7761 COR.

EAST CORR VAR 4°43'

3880 1/2 SET 1/4

5820 1/4 " 1/8

5/4 COR. NORTH VAR. 4°E

7759 1/2 FELL 474 WEST OF 1/4

CORR. SOUTH VAR 30°E

5819 5/8 SET 1/8 POST

1/8 SOUTH OF CENTER. EAST VAR. 4°30'E

3878 FELL 81 SOUTH OF 1/4

CORR. WEST VAR 5°45'E

1939 SET 1/16 POST

E 1/8 SOUTH LINE NORTH VAR 2°E

1984 FELL 22 E. OF 1/16

SEC 5-35-10 D.H. VAUGHN DEC. 29, 1897

W 1/4 COR EAST VAR. 4°E

7755 FELL 161 SOUTH OF 1/4

5/4 COR. NORTH VAR 4°E

8040 FELL 16 WEST OF 1/4

CENTER OF SEC { SPRUCE 9 N 40° E 18 1/2

TAM 14 S 30 1/2 W 25

1/8 NORTH OF CENTER { W. PINE 24 S 61 E 37 1/2

" " 16 N 83 W 15

1/8 SOUTH OF CENTER { TAM 14 N 8° E 15 3/4

" " 16 N 41 W 13 3/4

1/8 EAST OF CENTER No BS

DISTANCE FROM CTR To N 1/4 4003

" " " " 5/4 4037

" " " " E 1/4 3801

" " " " W 1/4 3954

1/8 WEST OF CENTER { CEDAR 15 S 14 1/2 W 10

TAM 10 N 1/2° E 19

N.E. COR. WEST VAR 4°E

4130 FELL 164 SOUTH

E 1/4 COR NORTH VAR 10°E

3803 FELL 66 WEST

SEC 11-36-10 D.H. VAUGHN

NE COR SOUTH VAR 2°30'E
 1867 1/8 SET BY DORR 27 WEST
 7468 FELL 108 EAST OF COR. BY DORR
 NORTH CORR. 1°41'E
 1867 SET 1/8 { BIRCH 115 30W 9 3/4
 { FIR 8N
 3734 SET 1/4 POST { TAM 16N 49 1/2 E 13 3/4
 { SPRUCE 95 89 1/2 W 34
 5601 DORR'S 1/8 POST

5 1/4 COR COR. EAST

3602 DORR'S COR.
 1/8 AT 1801 N. PINE 18N 34 1/2 E 22

NE CORR WEST VAR. 2°E

7270 FELL 324 SOUTH. OF COR. BY DORR
 EAST CORR. VAR 43' W
 1817 1/2 SET 1/8 { CEDAR 7N 69 E 6 1/2
 { B. ASH 10 S 86 3/4 W 15 1/4
 3685 SET 1/4 { TAM 9N 81 1/2 W 15 1/4
 { Y. PINE 26 N 8 W 6
 5452 1/2 1/8 BY DORR.

SEC 11-36-10 (CONT)

W 1/4 POST EAST VAR. 00
 7242 FELL 42 NORTH OF 1/4
 WEST CORR. VAR 21' W
 N 1/4 COR SOUTH VAR 141 E
 7497 FELL 12 1/2 WEST OF 1/4 POST
 NORTH CORR. VAR 152 E
 1/8 S OF CENTER AT 1870 3/4
 { FIR 7N 43 W 9
 { " 10 S 12 1/2 W 24
 1/8 N. OF CENTER { BIRCH 14N 7W 8 1/2
 { FIR 7N 46 1/2 E 25
 DIST. FROM CTR TO E 1/4 3617 1/2
 " " " " W 1/4 3624 1/2
 " " " " N 1/4 3756 1/2
 " " " " S 1/4 3741 1/2
 CENTER OF SEC. { FIR 14N 42 W 22 1/4
 { " 9N 9 1/2 E 26
 1/8 E OF CENTER { ASPEN 7N 15 1/2 E 17
 { " 8 S 79 1/2 W 25 1/2
 1/8 W. OF CENTER { N. PINE STR 13 S 1 W 27
 { FIR 8N 65 W 32 1/2
 1/8 E OF CENTER SOUTH VAR 2°56
 3734 1/2 HIT POST

SEC. 11-36-10 (CONT)

SE 1/16 AT 1867 1/4 { W. PINE 16 N 28 1/2 20
" " 105 36 1/2 17 1/2

SE 1/16 WEST VAR. 10' W
1805 HIT COR.

1/8 WEST of CENTER NORTH VAR. 1°43
3751 1/2 FELL 85 EAST of 1/8

SEC. 26-36-9 D.H. VAUGHN MARCH 24, 1898

NE COR. WEST VAR. 4° E
8664 FELL 182 SOUTH
EAST CORR.
4332 SET 1/4

N 1/4 COR SOUTH VAR 4° E
6536 1/8 LINE By B.F. DORR SE of 1/8 P
2178 SET 1/8

N 1/4 { TAM 5560 W 16
" 6 N 8 1/2 E 8

SEC. 26-3 - 35-8 D.H. VAUGHN JUNE 14, 1898

SE. COR. SEC 3 WEST VAR. 3°30' E

6530 STREAM 20 RUNS NW
6896 SAME STREAM " SE
7010 " " " NORTH
7180 " " " SE
7620 " " " NE
7770 " " " SE
8280 " " " NE

8532 FELL 802 NORTH of POST By DORR
CORR. EAST.

4272 1/2 SET 1/4 { TAM 65 49 1/2 W 18
Crotched W. BIRCH 85 30 E 216

MC ON LEFT BANK OF WISCONSIN RIVER
ON N. LINE SEC 3 EAST VAR 4° E

7395 N 1/4 SEC 2 By DORR
WEST CORR. VAR 3°20'

1986 1/4 SET 1/8 { N. PINE STP 16 543 1/2 W 41 3/4
W PINE " 185 16 3/4 E 71 1/4

3972 1/2 SET COR TO 2-3-34-35

SE. COR SEC. 3 NORTH VAR. 5° E

6408 NOISEY CREEK 60 RUNS WEST
8372 FELL 146 EAST OF COR
SOUTH CORR. VAR 16°2'

SEC. 2-3 - 35-8 CONT.

2317 SET $\frac{1}{8}$ POST

3906 SET $\frac{1}{4}$ POST { MAPLE 185 SE 139
 " " 22537W 107

S $\frac{1}{4}$ SEC 3 NORTH VAR 2° E

5800 OFFSET EAST 550

8862 FELL 115 EAST OF MC

WHICH IS EAST OF $\frac{1}{4}$ POST 550
 SOUTH CORR. VAR $2^{\circ}45'$ E

2818 SET TEMP $\frac{1}{8}$

4832 " " $\frac{1}{4}$ { W.P.S 14NG $1\frac{1}{2}$ W 24
 " " 11579E $42\frac{1}{2}$

N $\frac{1}{4}$ SEC 2 SOUTH VAR 40

4290 NOISEY CREEK 50 RUNS WEST

8161 FELL $384\frac{1}{2}$ W OF $\frac{1}{4}$ NORTH CORR VAR $6^{\circ}43'$ E4080 $\frac{1}{2}$ TEMP POSTW $\frac{1}{4}$ SEC 2 EAST VAR $9^{\circ}15'$ 4054 $\frac{1}{4}$ LINE AT TEMP POST

WEST CORR.

2027 $\frac{1}{2}$ SET TEMP $\frac{1}{8}$ IN FIELDCENTER SEC 3 WEST VAR. 8° E2063 TEMP $\frac{1}{8}$

SEC 2-3-35-8 (CONT)

E $\frac{1}{4}$ COR SEC 3 WEST VAR 8° E

1530 WET MARSH

1750 OVER "

4126 $\frac{1}{4}$ LINE 7 NORTH OF $\frac{1}{4}$

$\frac{1}{8}$ WEST OF CENTER SEC 2 NORTH
 VAR $6^{\circ}20'$ E

860 NOISEY CREEK 73 RUNS NW

933 OVER

1220 " MARSH

4258 FELL 40 W OF $\frac{1}{8}$

SEC 23-26-27-34 38-9

SE COR SEC 27 EAST VAR. $3^{\circ}30' E$
3801 FELL 115 So. of $1/4$ by DORR. $5/4$ SEC 27 EAST VAR. $5^{\circ}15' E$
3801 FELL 8 N of COR. $N/4$ SEC 23 SOUTH VAR. $3^{\circ}30'$
1910 $1/2$ FELL 53 W of DORRS $1/8$
3822 $1/2$ " 106 " " " $1/4$
STILL So. FROM " $1/4$
VAR. $4^{\circ}30' E$ 5701 $1/2$ FELL 18 $3/4$ W of DORRS $1/8$
758 $1/2$ " 47 $1/2$ W " " $1/4$ $N/4$ SEC 26 SOUTH VAR. $3^{\circ}30' E$
4026 FELL 4 LKS W. of DORRS $1/4$
6026 SET POST. SW. PINE 20573 E 24
{ " ST. 14 N 26 W 33W MC. N. LINE 35 WEST
581 LINE OF ROAD AT POST
2780 SEC. COR. $W/4$ SEC 27 NORTH VAR. $4^{\circ}15'$
4090 FELL 20 W. of COR.SW COR SEC 27 NORTH VAR. $4^{\circ}12'$
3992 FELL 1 E.

SEC 8-9 - 37-10 D.H. VAUGHN Nov. 14, 1878

 $5/4$ SEC. 8 EAST VAR. $3^{\circ} E$
2884 FELL 103 $1/2$ NORTH. of COR.SW COR SEC 9 EAST VAR. $1^{\circ} E$
1097 OFFSET 100 $1/4$ N.
1447 " " BACK ON LINE
5679 " " 446 S.
7764 FELL 93 S. of COR. $5/4$ SEC 8 NORTH VAR. $7^{\circ} E$
8172 $1/2$ FELL 1 EAST of $1/4$ by DORR. $E/4$ SEC 8 WEST VAR. 00
7174 FELL 190 N of $1/4$ CENTER SEC 8 { TAM 2 N 85 $1/2$ E 23
" 43 51 $1/2$ W 43DISTANCE TO $E/4$ 3264 $1/2$
" " W $1/4$ 3909 $1/2$
" " S $1/4$ 4059
" " N $1/4$ 4113 $1/2$ $1/8$ SOUTH of CENTER AT 2029 $1/2$ Not $5/4$
{ TAM 6 52 W 26
" 6 N 76 E 28

(OVER)

SEC. 8-37-10 (CONT)

SE COR. NORTH VAR. $137^{\circ}E$ 4042 FELL $64\frac{1}{2}$ E OF $\frac{1}{4}$ CORR SOUTH $\frac{1}{2}$ SET $\frac{1}{2}$

{	W PINE 16 N $70\frac{1}{2}^{\circ}E$ 15 $\frac{1}{2}$
	MAPLE 9 5 81 W 1

 $\frac{1}{8}$ SOUTH OF CENTER EAST VAR. $38^{\circ}W$ 3073 FELL 114 So. of $\frac{1}{8}$

{	N. PINE 12 5 33 W 11 $\frac{1}{2}$
	W " 12 N $56\frac{1}{2}^{\circ}W$ 8

{	E $\frac{1}{8}$ SOUTH LINE 9 W. PINE 16 5 50
	W " " 12 N $61^{\circ}W$ 13 6

E $\frac{1}{8}$ SOUTH LINE 9 NORTH VAR $530^{\circ}E$ 2132 FELL 167 W. OF $\frac{1}{16}$ BY DORR

SEC 3 - 38-6 D.H. VAUGHN Nov. 9, 1892

S $\frac{1}{4}$ COR NORTH VAR $3^{\circ}30'E$

298 offset 225 W.

702 " 511 W TO IRON PIN 12"

LONG BY $9\frac{1}{4}''$ WHICH STANDSS $37^{\circ}45'E$ FROM SE COR. OF

CHURCH

THENCE N $30^{\circ}W$ 91" W " " 166 $\frac{3}{8}$

" S " " 91

" E " " 166 $\frac{3}{8}$

SEC. 16 - 36 - 9 D.H. VAUGHN Nov. 16 1898

W $\frac{1}{4}$ COR. EAST VAR. $3^{\circ}30'E$
8186 FELL 50 S OF $\frac{1}{4}$

S $\frac{1}{4}$ COR. NORTH VAR. $3^{\circ}30'E$
8342 FELL 509 WEST OF $\frac{1}{4}$

CENTER OF SEC $\left\{ \begin{array}{l} \text{BASS. } 12 S 54 E 26\frac{1}{2} \\ \text{HEM } 16 N 50 W 28\frac{1}{4} \end{array} \right.$

DIST. TO W $\frac{1}{4}$ 4207 $\frac{1}{2}$
" " E $\frac{1}{4}$ 3978 $\frac{1}{2}$
" " S $\frac{1}{4}$ 4136
" " N $\frac{1}{4}$ 4206

$\frac{1}{8}$ S. OF CENTER AT 2068
 $\left\{ \begin{array}{l} \text{W. PINE } 9 S 60 E 20 \\ \text{BIRCH } 8 N 11 W 13 \end{array} \right.$

$\frac{1}{8}$ N. OF CENTER AT 2193
 $\left\{ \begin{array}{l} \text{HEM } 10 N 52 E 11 \\ \text{" } 7 S 20 E 12\frac{1}{4} \end{array} \right.$

$\frac{1}{8}$ E OF CENTER AT 1989 $\frac{1}{4}$
 $\left\{ \begin{array}{l} \text{MAPLE } 8 S 30 W 15 \\ \text{" } 9 N 3^{\circ} E 12 \end{array} \right.$

SEC 16 - 36 - 9 (CONT.)

$\frac{1}{8}$ W. OF CENTER AT 2103 $\frac{3}{4}$
 $\left\{ \begin{array}{l} \text{BIRCH } 14 S 63\frac{1}{2} W 15\frac{1}{2} \\ \text{SUGAR } 12 N 65 E 37\frac{1}{2} \end{array} \right.$

$\frac{1}{8}$ SOUTH OF CENTER WEST VAR $3^{\circ}45'$
4121 FELL 95 NORTH OF $\frac{1}{8}$

S $\frac{1}{4}$ COR. WEST VAR $4^{\circ}30'E$
4028 FELL 69 SOUTH
CORR. WEST $\frac{1}{2}$ SET $\frac{1}{8}$ COR.
 $\left\{ \begin{array}{l} \text{W. P. STR } 14 N 31 E 20 \\ \text{" } 12 S 8\frac{1}{2} E 30 \end{array} \right.$

W $\frac{1}{8}$ S. LINE NORTH VAR $1^{\circ}E$
4176 FELL 142 EAST OF $\frac{1}{8}$
CORR. SOUTH $\frac{1}{2}$ SET $\frac{1}{16}$ AT 2088
 $\left\{ \begin{array}{l} \text{HEM } 8 S 19\frac{1}{2} E 14 \\ \text{BIRCH } 7 N 64 W 14\frac{3}{4} \end{array} \right.$

W $\frac{1}{4}$ NORTH VAR $1^{\circ}W$
4178 FELL 10 E
SOUTH CORR. $\frac{1}{2}$ SET $\frac{1}{2}$ AT 2089
 $\left\{ \begin{array}{l} \text{MAPLE } 12 N 55 W 9\frac{1}{4} \\ \text{HEM } 12 S 4 E 20\frac{1}{2} \end{array} \right.$

SEC 16-36-9 (CONT)

$\frac{1}{8}$ NORTH OF CENTER WEST VAR. $3^{\circ}30'$
4167 FELL 173 N

$\frac{5}{4}$ COR EAST VAR. $3^{\circ}30'$ E
4040 FELL 53 N. OF COR

SE COR NORTH VAR. $3^{\circ}30'$ E
4113 FELL 51 W.

SOUTH CORR. $\frac{5}{8}$ SET $\frac{1}{8}$

{ BIRCH 10589 W 27 $\frac{1}{2}$
{ CEDAR 14571 $\frac{1}{2}$ E 35

$\frac{5}{8}$ E LINE WEST VAR. $3^{\circ}18'$
3999 FELL 160 N OF POST
EAST CORR

$\frac{1}{8}$ E OF CENTER SOUTH VAR. $2^{\circ}45'$
4124 $\frac{1}{2}$ FELL 241 W OF $\frac{1}{8}$
NORTH CORR. $\frac{5}{8}$ SET $\frac{1}{16}$
{ SPRUCE 6543 W 29
{ W.P. STA. 18 N 21 $\frac{1}{2}$ E 14

SEC 9-37-10 D.H. VAUGHN

S.E. COR NORTH VAR $2^{\circ}30'$ E

4371 FELL 244 W. OF $\frac{1}{4}$

SOUTH CORR. $\frac{5}{8}$ SET $\frac{1}{8}$ AT 2085 $\frac{1}{2}$

{ SPRUCE 4569 $\frac{1}{2}$ E 52
{ TAM 5N 11 $\frac{1}{2}$ W 67

$\frac{5}{8}$ E. LINE WEST VAR. $1^{\circ}30'$ E
8075 FELL 193 S OF $\frac{1}{8}$

EAST CORR.

4037 $\frac{1}{2}$ $\frac{1}{8}$ { Y. PINE 12 N 24 $\frac{1}{2}$ W 6 $\frac{1}{2}$
{ W. " 11 S 33 E 10

6018 $\frac{3}{4}$ SET $\frac{1}{16}$ { W. PINE 24 N 38 $\frac{1}{2}$ W 24
{ SPRUCE 8583 E 13

SEC. 19-37-11 D.H. KAUGHN

N.W. COR SOUTH VAR. 00

11513 FELL 137 E of $\frac{1}{4}$ BET. 25-30
 CORR NORTH AND FOUND M.C. HT.
 7559 So. of NW COR. AND
 3954 No. of $\frac{1}{4}$ BET. 25-30
 3955 So. of NW COR. FOUND $\frac{1}{4}$

$\frac{W}{4}$ MAPLE 12 N 44 E 35
 BIRCH 12 S 22 W 23

$N \frac{1}{8}$ W. LINE MAPLE 10 N
 W. PINE 16 S 78 E 39 $\frac{3}{4}$

N.M.C. W. LINE AT 5411
 N. PINE 17 N 25 W 8

N.W. COR. EAST VAR. 2° E
 5118 FELL 6 N. of $\frac{1}{4}$

$N \frac{1}{4}$ COR SOUTH VAR 00
 8253 FELL 85 W of COR

$W \frac{1}{4}$ COR EAST VAR 2° E
 9506 FELL 94 N. of $\frac{1}{4}$

SEC. 19-37-11. (CONT)

CENTER OF SEC. { BIRCH 8 N 23 E 7
 TAM 12 S 55 W 17

DIST. TO N. $\frac{1}{4}$ 4020
 " " S $\frac{1}{4}$ 4233
 " " W $\frac{1}{4}$ 5322
 " " E $\frac{1}{4}$ 4183

$\frac{1}{8}$ N. OF CENTER AT 2010 TAM. POST 4X4

$\frac{1}{8}$ W " " AT 2200 W. OF CENTER

{ HEM 30 S 34 E 3 $\frac{1}{2}$
 BIRCH 14 N 53 W 43

W $\frac{1}{8}$ N LINE AT 2084 W. of $\frac{1}{4}$

{ W. PINE 17 S 35 E 16 $\frac{3}{4}$
 " " 17 N 41 $\frac{1}{2}$ W 20

$\frac{1}{8}$ N. OF CENTER WEST VAR. 1° 40 E

5194 FELL 10 So. of $\frac{1}{8}$

$W \frac{1}{8}$ NORTH LINE SOUTH VAR 1° E

3984 FELL 9 EAST of $\frac{1}{8}$

CORR NORTH & SET $\frac{1}{16}$ { TAM 10 S-7
 SPR. 6 N 27 E 5

DIST TO E $\frac{1}{8}$ 2129

" " W $\frac{1}{8}$ 2965

" " N $\frac{1}{8}$ 2007

" " S $\frac{1}{8}$ 1977