

37-7

3-7

37-7

37-7

37-7

69

PAGES 1-24

BLANK

SEC: 6 37-7 JULY 27 1919

M.C. ON WEST SHORE OF Birch Lake on
N. Line. Found Stump of the Pine. org tree
Other gone. Run west Van 4° E. N 6 W
bearing for M.C. W. Pinost p 20 S 38 W 55 1/2
20.00 Stat highway

3053 fell 226 N. of M.C. found the birch
But Iron marks are gone It is a stub
and quit rotten Set NEW cedar post
but nothing near for bearings
Dec 7.522 change course 4° 38'
corrected Line east to M.C.

PAGES 26-72

BLANK

SEC 23-37-7 May 3 1920

SW cor ok Rm E var 4° E

16026³/₄ fill 168 N of SE cor of Sec 24 okSet temp cor at 7981¹/₂ E of SE corNorth from temp corner var 3¹/₂

6895 fill 5 W of M.C. ok

South from temp cor on corrected line from MC

8062 fill 1¹/₂ E of corner to 25-26-35-36Set corner to 23-24 25-26 } W Pine SEP 30 S 54 E 10¹/₄

} " " " 24 S 10 W 160

S 1/4 } W Pine SEP 20 N 76 E 35

} " " " 30 S 8¹/₂ W 70¹/₂SE cor W Pine SEP 30 S 54 E 10¹/₄

" " " 24 S 10 W 160

SEC 24-37-7 May - 1920

SW corner	W. Pin	Stump	20	S 54° E	10 1/2
	"	"	30	S 10° W	160
W 1/4 P	"	"	14	S 30° N	11 1/2
	"	"	16	N 83° E	36 1/2
W 1/4 Post	"	"	20	N 85° W	68
	"	"	24	S 51 1/2° E	32 1/2
SE cor	NEW WP	S 30° N	58 1/2	W 31	
	"	"	30	N 78° E	95 2 feet high

PAGES 78-96

BLANK

M.C. on South shore of Lake on E Line
 found stp of S.W. orig = tree mark or also
 stump of NE " " no marks
 R 471. N. var $3\frac{1}{2}$ E

1047 over Lake M.C. gone (691.02')
 6346 Fell 88 E. of NE corner found SW tree
 down marks plain. set post made new
 bearings W. Pine stump 16 S 28 W 42 $\frac{1}{2}$
 found an overrun of 46 LKS proportioned
 overrun + set N $\frac{1}{8}$ P on E line of 43.38

W. Pine stp 12 N $75\frac{1}{2}$ E 15 $\frac{3}{4}$
 " " 14 S 56 W 31

connected line South from NE cor to $\frac{1}{4}$ P.
 which set at 2331 N of ME on S. Shore of Lake

W. Pine stp 20 S 43. E. 47

" " 24 N 42 W 81

M.C. on N Shore of Lake W. Pine stp 12 S $34\frac{1}{2}$ E
 " " " 16 N 10 W

SW corner	}	WP in step 30 S 54 E 10 1/4
NE cor NEW		" " " 24 S 10 W 160
N 1/4 P	}	" " " 30 N 58 1/2 W 31
		" " " 30 N 78 E 95
N 1/4 P	}	" " " 14 N 42 W 57
		" " " 20 S 40 1/2 E 94 1/2
E 1/8 P. on N Line	}	WP in step 14 S 30 W 11 1/2
		" " " 16 N 83 E 36 1/2
W 1/4 P.	}	WP in step 18 N 55 W 63
		" " " 15 S 78 E 68
SW cor o	}	" " " 14 N 80 1/2 E 94 1/2
		" " " 20 S 30 W 11 1/2
		org trees ok

PAGES 102-107

BLANK

108 SEC" 27-37-7 APRIL 14-1919

NE 1/4 P SEE Page 87 Doors book of notes
 Run ~~West~~ ^{FIELD} Var 4° E

4054 FELL 18 South of Cent set by C. D. Daughan
 His bearings are } W. Pine st 18 N 66 E 4 1/2
 } 16 S 70 W 8 1/2

Cent of SE C-E VAR 4° E

700 Enter Swamp found C.B. U had corrected
 His line I cut out a line on his
 Line as I found his latter stakes all
 The way to E 1/4 Post and put NEW Stak.

Cent of SE Run N VAR 3 1/2 E

4010 FELL 1 1/2 Lks E of N 1/4 P. Found his and
 one old B.T. NEW } W. Pine st 10 S 51 1/2 E 34
 } 18 S 76 W 68

N 1/4 Post E VAR 4° East

36.95 f ell 256 N. OF NE Cor. found a Stump
 of NE org tree. 16 N 33 1/2 W 59 1/2
 NEW W. Pine st 14 S 05 38 1/2

E 1/4 Post. org trees NEARLY gone. NEW Post

" " " Run N VAR 4° E

1800 Enter Swamp

2900 LEAVE "

3735 FELL 27 E of NE Cor

Corrected Lines ALL around the
 NE 1/4

4. f
112 SEC 28-37-7 April 14-1919

E 1/4 Post which I set in May 1912
see county record Page 87 (Dorris Book)

Run West Var 4° E

7924 fell 80 S. of W 1/4 Post, in center of
N. + S. Road, at a point of intersection
with the road from the west, had new
Bearings { W. Pine stump 16 S 82 E 122 1/2

18 N 58 W 55

corrected from 60.00 chains.. E. to 1/4 Post
= April 18 =

S 1/4 Post. See Page 87 County record. Dorris Book.
" " " " Run N. Var 4° E

7988 f e W 153 W OF N 1/4 P. set by ira smith
from org" trees. now gone. NEW S. Pine 14 N 14 W 190
west from N 1/4 P. on a cut out road

2014. Smiths 1/8 P. on line

4028 NW cor" on line. in center of N + S road
found NE stump of orig tree
made NEW B.T. { W. Pine stump 16 N 52 E 46 1/2

made new { " " stump 16 S 45 W 62

South from NW cor" in road

3998 to flag at W 1/4 P.

N 1/8 P. on W line { W. Pine stump 12 N 51 E 41 1/2
" " " " " " " " 12 S 42 1/2 W 35

Center of SEC { W. Pine stump 26 N 59 1/2 W 36
" " " " " " " " 28 S 76 E 56

Dist. to N 1/4 Post 3986 dist to E 1/4 Post 3978

" " S " " " " " " 4002 " " W " " " 3946

1/8 P. N of cent { W. Pine stump 10 N 71 1/2 W 26 1/2

" " " " " " " " 14 S 11 1/2 E 93

1/8 P W " " " " " " " " 14 N 86 1/2 W 76 1/2

" " " " " " " " 14 S 49 E 70

West from 1/8 P N of cent. Var 3 1/2 E

3982 fell 37 S. of 1/8 P.

1/16 Post in NW 1/4 { W. Pine stump 12 N 4 1/2 W 12

" " " " " " " " 12 S 68 E 30 1/2

East from 1/8 P N of cent Var 3 1/2 E

3996 fell 12 N of 1/8 P. on E line

South from N 1/8 P on E line Var 2° E

1998 fell 12 E of E 1/4 P.

EXCOR
SEC 27-37-7 Apr 15 1919

113

W 1/4 P see sec 28 Page 87 Dorris Record

" " " " Run E Var 4° E

4054 fell 18 S. of center set by C.D. Vaughan.

His bearings are { W. Pine stump 18 N 66 E 41 1/2
" " " " " " " " 16 S 70 W 8. Var 4° E

He had corrected line from center. found
his tally stakes all the way to E 1/4 P.

cut out the line and set some new stakes
and brightened up old ones

N from center then on his corrected 1/4
line

4010 hit N 1/4 Post { W. Pine stump 10 S 55 1/2 E 34

tree nearly gone NEW " " 18 S 76 W 68. org

East from N 1/4 P. Var 3 1/2 E

700 Leaves Swamp

8000 did not find NE cor" set line stakes

and began at E 1/4 P. Run N. Var 4° E

April 16 1919 =

1800 Enter Swamp

2900 Leave " "

SEE 28 37.7 continued

W. 1/8 Post on N. line { W. Pine stump 19 N 22 1/2 E 59 1/2

" " " " " " " " 12 S 71 E 29 1/2

1/16 Post in NW 1/4 { " " " " 12 N 4 1/2 W 12

" " " " " " " " 12 S 68 E 30 1/2

PAGES 114-120

BLANK

SEC 30-37-7 Jan 9-1922

W 1/4 P. OK. D.H.U. 1904 org EYEGS
 Run E Var 3 1/5 E
 8398 fW 24 S. of E 1/4 P. DHU. 1904
 S 1/4 P OK. Run N U Var 3 0/2
 8145 fELL 406 E of N 1/4 P. OK

Corrected Var 5.52
 Center of SEC 30-37-7 Polg - S 54 W 65
 DIST E 6 N 1/4 P WPing 8 N 42 E 64 1/2
 " " S " " 4018 4018
 " " E " " 4127 4127
 " " W " " 4179 4179

SEE 1/8 P N of center nothing FOR BT
 " " " S " " " " "
 " " " E " " " " "
 " " " W " " " " "

Parties interested have promised
 To place iron monuments at all
 The corners I have located

May 17-1923.

W 1/4 P. in center of Road OK
 Run N Var 3 1/2 E on an offset of
 51 K S E to miss fence
 4020 fELL 25 E of corner OK
 This includes offset.
 Set N 1/8 P. on West line
 at 2010 and 12 1/2 W of Rand
 Nothing FOR bearings.
 corrected line S. to 1/4 P

PAGES 122-140

BLANK

32
 SEC-35-37-7 NOV 11-1922 141

SW cor found Post and bearing of
 made in May 19-11

SW cor. N. 15 or 3.30 E

2035 Harshaw Road. Runs S.S. & NW

4007 full 46 W of 1/4 P SEC Post from
 org TRCES in Jun 14. 1911

Made NE W bearing } Pinest 12 N 83 E 12 3/4
 } Remak dotg BT

Corrected line South and SET 1/8 P

{ W. Pine 16 N 36 E 76

{ " " 28

Corrected line S. to corner June 14 1911

SEE cor. found Post 4 S SE in July 1912

Run N. Var 3° E Now Wagon Road
 2888 old R.R. Grade 4300 Harshaw Pond

6100 Enter green Lumber

7967 full 3 1/2 W of NE Cor set in May 1912
 from org BT 1

corrected Line South and SET 1/8 P of

1992. + 1992 S. of ~~Road~~ Corner

{ Hem 20 S 58 E 13

{ " " 18 70 W 14 1/2

SEE E 1/4 Post { W.P. set 20 S 69 W 19 1/2

{ " " 26 S 61 1/2 E 55

South 1/8 P on E Line

{ Forot E mak BT 5

W from E 1/4 P

SEE Book for balance of SEC

SEC-35-37-7 SW cor ~~K~~ NOV 11 1922

North from SW cor in Road but the
 Corner is now gone & Road runs South
 from this corner in center of Road

Var 4° E

2785 Small Lake

5000 Over "

6000 Enter green timber. org Line 60 E

6500 org Line 65 E

7000 " " 70 E

OR 111

8000 No cor all burned out
 see witness cor on N shore of Lake at
 5030 and 5042 and 50 1/2 E of Roundout
 W.P. Stub 16 N 84 W 68 1/2 witness cor
 SEP 20 N 41 E 77 1/2
 see S 1/8 P. at

W.P. in stub 20 N 45 E 12

Found a shortage of 332ks between S.E. cor
 and witness corner.

Proportions same as at 1/8 P. at 1987 No of cor
 SE corner OK Run N 41 3/4 E.

6950 Spring 100 N

7168 over Spring

8052 Fee 67 E of corner found all or 9

trees down but one and that is a stub
 12 feet high. Set Post. S 61 E 1/4 Post at 826

W.P. in stub 16 N 64 E 43

18 S 53 1/2 W 54 1/2

SEE S 1/8 P on E Line W.P. in stub 20 West 53

Post sets on top of Rocky hill

North all in book 7 page 16

E.P. from S 1/2 P on E line 445

8058 Fee 315 N of S 1/8 on E line

NW cor Located by D.H. Vaughan 015

Run E 60' at

8061 Fee 99 N of NE cor Nov 11 0 K 019
 correct 012 18

S 1/4 P. or 9 trees Run N 41 3/4 E

8048 Fee 14 W of N 1/4 P found STPS of

or 9 trees NEW W.P. in stub 16 S 72 E 24 1/2

E 1/8 P on N Line OK by DHU.

Run E 41 feet 100 N of S 1/8 P on E line

found this Post set by DHU set

1/16 P in S 1/4 at 6036 E of S 1/8 P on W line

Set 1/8 Post S of center at 2040

and 4022 E of S 1/8 P. on West line

North from 1/16 P. in S 1/4 on 3 East

4017 Fee 70 W of E 1/8 P on N line

E 1/8 P on N line } W.P. in stub 15 N 84 W 68 1/2

448 " " 19 East 44

PAGES 143-176

BLANK

INDEX

Section	TOWNSHIP		RANGE		CITY or VILLAGE	ADDITION
	N.	S.	E.	W.		
27	37		7			
28	37		7			
6	"		"			
23	"		"			
24	"		"			
25	"		"			
24	"		"			
30	"		"			
"	"		"			

INDEX

INDEX

FOR WHOM SURVEYED	WHEN			Page
	Day	Month	Year	
Highland sheep co	15	April	1919	108
Dr Garrette	14	"	1919	112
L A Doolittle	27	July	1919	25
High Lands Sheep co	3	May	1920	73
"	3	"	"	77
"	3	"	"	101
"	13	Oct	"	97
Nathan Black	17	May	1922	21
Town of Cassman (5963RS)	9	Jan	"	"
Book 9, Pages 64-96				