


Sec 1 - T39N - R5E



42

Sec. 36-40-5

S.E. Florshiem

October 12th 1925

55-60

Ray H. Hall, H.C. Hall + Frank Adley (+ Ford)

Tran ← N to W of 90°-37' 24" from
Sta 20.065 on Random offset line. on
E. line Sec 36-40-5 as per sketch of
page 264. At 267 ch. out 1/8 S post.
5 links W + 12 lbs N of Fence Cor.

Auk mark

W pine 9" N 60° E 21 lbs

Y pine 20" S 60° E 45 "

Continue W. on line setting stakes every 5 ch.

20.00 set stake about 11 ch S. of fence.

33.15 set post 54 lbs. S. of fence.

33.25 water

Corrections on E. S.E. Sec 36.

at 15 ch.	.14	+ .08	= .22	more WEST.	from offset
10	.093	+ .08	= .173	"	Random.
5	.047	+ .08	= .127	"	"

Sec. 1-39-5

S.E. Florshiem

Oct. 13th 1925

50°-55°

Ray H. Hall, H.C. Hall + Frank Adley.

Meas W. from Tp. Corner along random line run on
page 24. at 20.06 from

89° 21' E. to S. from Random line.

to 1/8 S. post. found. 5317 S.

Set peg S. 366 along this line being 4.95 N of post found.

← S. to W at Temp. 1/4 Cor. on random Range line found
① 90°-33' 30" ② 1181 07
90 33 30

Meas W from Sta 5.00 on Random S from Tran. Cor.

20.12 1/8 Cor found.

19973
366
45339
40000
5317

Meas W. from 1/8 Sec on E Sec. 1 39 5

20.00 find remainder of picket or ch. stake

39.976 Drive sq. p.p. stake Oct. 16th '25

40.022 mid 1/8 S. Cor + pipe

9144.973
4.977

10.022
39.976
.046

44.973 or Corrected W Sec 1 at 20.07

-4.977
39.976

Mess. S. from Town Corner on cut out line found.

5.00 leave point.

5.03 find point of gold cedar post.
 .02 E of random line found.
 + 0.13 W of fence
 5.357 fence W

Walk thru along cut out line to Sec. Cor. S. find post which has been used for cor. being E of N. end travelled highway.
 22 links W of random line +

Oct. 15th 1925

40° 50'

Ray A. Hall, H.C. Hall, Frank Fokley (with find)
 Run N with on cut out line found from 1/4 S.

Cor. on Sec 1-39-5.

Yermier Set on 2° 30' E. Course reads N 1° W.


5.00 set stake (Court E.) .109

10.00 " " " .218

15.00 " " " .326

14.63 hnt. .2178

16.28 Fall 1/2 link E. of post found on bank. $2355 = 23.4 ft$



① 75 56 30
 ② 151 52 30
 75 56 15

③ 87 29
 174 57 30
 87 29 45

N 35° $\frac{32.607 \times .99904 - 5025.172}{.28541} = 17.607 ch.$

17.607 75 56 15
 15 87 29 45
 32.607 162 15 00
 13.15 183 00
 45.757 177 60
 16 35

32.607 hnt on N. bank Shishibogama
 + 13.15 To random H Sec. 96 W. of flag.
 = 45.757 "

$\frac{86}{1.2} = 71.7 ft.$

Yerier .98 W of Cor. 1/4 S. at 45.00 ch.

44

Jan 9-1950

$$\begin{array}{r} 102177 \\ 15 \overline{) 980000} \end{array}$$

H.C. Hall & R.H. Hall Meas North
 from post found at SE¹ Sec 1 - 39-5
 20.03± opp. 1/8 post found.
 39.91 point of cedar post in field.
 39.94 on tree point from N.
 44.95 Tp. Cor. — Rain (To Flambeau)

4.9995 on E
 144.95

Friday Oct. 16th 1925

45°-50°

Ray H. Hall, H.C. Hall & Frank Sahley & Ford.
 Set over iron pipe found at Township Cor. +
 turn from corrected line to N (use as North)
 S to E 0°-6 1/2' Vanhook random S.
 S to W. 19°-35' of pine (live) 22" 1.73 ch.
 N to E 86°-37' of pine stump 18" .75 "

Now set pitch pine post at 4.995 S of Tp. Cor.
 on corrected line + set for witnesses.

18° pitch pine hills fully driven 3 nts. S. on line
 " " " " 3" E. at nts

North marked (0.75)

Post is 35 lbs N + 17 lbs N of force.