A629 SE 1/4 of the NW 1/4 Inman • Foltz and Associates, Inc. RECEIVED & FILED #..... Gov't. Lot __3 architects engineers surveyors Onoida County Surveyor's Office 8612 highway 51 north JUL. 1 7 1992 nocque, wisconsin 54548 (715) 358-9485 Section __5 Township 37 North OCS Area #..... Range _____ East County **Oneida** Muskie State of Wisconsin Lake (approx. loc.) Bearings Assumed Little Muskie Govit. Lot 2 Lake (approx. loc.) CN 1/16 Corner NW 1/16 Corner 1" iron pipe found 1-1/2" iron pipe found 11" R. Pine, S27°W, 12.2' 12" Oak, S77°E, 19.65' 13" R. Pine, N8°W, 17.9' 1-1/2" iron pipe found 12" Oak, N28°E, 20.4" N88°29'28**"**E 1292.61' N88°39'21"E Ruth 342.67 94.58' 1198.03 Meander Corner Lake 1-1/2" iror Scale: 1" = 200° Birch Lake Road sand Lake NOTE: All bearings and distances shown along the property lines hereon are from a survey by STUART STUART William H. Stuth (Owens-Illinois) dated 8/6/1980. This survey was made for Mike McFadzen, hereafter referred to as Client. A written agreement has been made between Inman Foltz and Associates, Inc. and Client to exclude this survey from the requirements of Associates, inc. and chent to exclude this survey from the requirements of Wisconsin Administrative Code Chapter A-E 7. The requirements not being complied with are: |) A field survey traversing and connecting monuments necessary for location of the parcel(s) owned by Client has not been made; 2] Monuments were not set to mark the corners of the parcel(s); 3) No legal description of the parcel(s) has been provided or shown on this man. 4) The 21 Monuments were not set to mark the corners of the parcel(s); 3) No legal description of the parcel(s) has been provided or shown on this map; 4) The exact lengths and bearings of the boundaries of the parcel(s) owned by Client have not been shown on this map; 5) The relationship to the surveyed parcel(s) of the monuments used for determining the location of the parcel(s) owned by Client have not been shown by bearing and distance on this map; and 6) The measurements made in performing this survey work do not conform to the minimum accuracy requirements of I part in 3000 for linear measurements, or 30 seconds per angle but not more 120 seconds total angular closure for closed traverses. SURVENIES

This survey is correct to the best of my knowledge and belief.