

RAINBOW ROAD RIGHT-OF-WAY

being part of the

NW 1/4 of the SW 1/4

and part of the

NE 1/4 of the SW 1/4

and part of the

SW 1/4 of the SW 1/4

and part of the

SE 1/4 of the SW 1/4

SECTION 3

and part of the

SE 1/4 of the SE 1/4

SECTION 4, T38N, R7E

Town of Lake Tomahawk
Oneida County, Wisconsin

SURVEYOR'S CERTIFICATE

I, James D. Rein, Professional Land Surveyor No. S-1234, hereby certify that I have surveyed the property shown hereon; that this map represents an accurate survey of said property to the best of my knowledge and belief; that I have performed this survey by order of Town of Lake Tomahawk; and that I have complied with the requirements of Wisconsin Administrative Code A-E 7.


WILDERNESS SURVEYING, INC.



James D. Rein
Professional Land Surveyor No. S-1234
Dated this 27th day of March, 2018

Field survey was completed on March 12, 2018.

Bearings Oneida County Grid,
based on GPS survey data,
referenced to the west line
of the SW 1/4, Section 3,
bearing N 00°56'28"W.



LEGEND

- = 1.0" dia. iron pipe previously set by W.S.I.
- ⊙ = 48" long wood lath set
- △ = computed position, not monumented
- () = previously recorded bearing and distance
- = marked road right of way line

Monument sizes are outside diameter dimensions.

WILDERNESS SURVEYING, INC.

Post Office Box 1111 - 8793 Earls Court
Minocqua, Wisconsin 54548-1111

Telephone (715) 356-5100 - www.wildernesssurveying.com

Map Number: 17-122(17-123)
File Number: 11-14-3 & 16-4-387
Drafted by: C. Winkler

Revisions:

Witness Corner
Brass-capped 2.0" dia.
iron pipe found in place.
Monument & witnesses
have been verified - see
U.S.P.L.S. Mon. Record
dated February 20, 1988.

corner position is in
lake - see U.S.P.L.S.
Monument Record

N 89°52'24"W
31.02'

CL 1 NW-SW

1320.16'

Sec. 4

Sec. 3

2640.32'

N 01°42'56"W
N 00°56'28"W

787.64'

SE-SE

310.29'

N 72°24'43"W
(N 72°22'42"W)

430.36'

120.07'

(N 83°30'33"W)

N 82°32'34"W 203.12'

A = 204.40' R = 526.08'

515.10'

S 85°19'35"W
(S 85°21'36"W)

163.70'

N 83°46'34"W

N 72°52'43"W

(N 83°44'53"W)

94.40'

A = 348.56' R = 212.00'

310.61'

(S 60°09'11"W)

S 60°01'10"W

N 12°55'03"E, 0.89'

1.0" dia. wlt. iron pipe

N 12°55'03"E, 0.89'

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner

alum. capped 1.0" dia.

iron pipe previously

set by W.S.I.

SW 1/16 Corner