


② N¹/₄ Sec 18 Original corner. 2" I.P. PW (off.) 16" - N5°W - 17
 (probably O.B.T.) Other B.T. present PN (off.) 26" - south - 0.602 ch; New
 B.T. Oak 5" - S44°E - 0.268 ch.; PW 6" - N79°W - 0.341 ch. (Uris. Valley.
 Improv. 1938)

③ N¹/₄ NW¹/₄

RECEIVED & FILED # 1622
 Oklahoma County Surveyor's Office
 Date 1/5/88
 by MR
 (OS) Sec. #

① Nu. loc. Sec. 18 2" I.P. Find (exp.) 14" - S 14° E -
0.447 ch.; PN 8" - S 80° W - 0.826 ch. (Wis. Valley Imp. 1938)
Find (exp.) 14" - S 21° E - 0.439 ch.; PN 10" - S 79° E - 0.848 (Owens Ill.)



② N¹/₄ Sec 18 Original corner. 2" I.P. PW (app.) 16" - N5°W - 17
 (probably O.B.T.) other B.T. present P11 (app.) 26" - south - 0.602 ch; New
 B.T. Oak 5" - S44°E - 0.268 ch.; PW 6" - N79°W - 0.341 ch. (Wis. Valley
 Improv. 1938)

③ N¹/₄ NW¹/₄ I. P108; P10 S¹ N22°E 7.1, P13 7" S66°W 34.8 (From 38-9
 RECORD BOOK) & R.

④ NW cor. Sec. 18 2" I.P. Perd (app.) 14" - S 14° E -
0.447 ch.; PN 8" - S 80° W - 0.826 ch. (Wis. Valley Imp. 1938)
Perd (app.) 14" - S 21° E - 0.439 ch.; PN 10" - S 79° E - 0.848 (Owens Ill.)