


201 39 R 9 E W

① E 1/4 SE 1/4 at 19 251



② E 1/4 Sec 1 No sign of ogl cor for 1/4 at 3850 PW (opp) 20' S33 W  
 56, PW (opp) 7' N13° E - 12 (Vaughn 5/4/09) at 38 503 north of SW  
 cor set a DNR pipe 1 1/2' east of 6x6 cone post which perpetuates Vaughn's corner  
 been laid with NE & SE cor Vaughn's BT now Pine (opp) 24 - S31 W - 0 558 ch  
 New BT PW 36 - N17 E - 2 084 ch, PW 30 - N79 E - 2 245 ch (Jly 1972)

③ E 1/4 NE 1/4 at 16007 south of NE cor & 19 251 north of 1/4 cor

1177427  
 1/5/88  
 MR

111

④ NE Cor sec 1 at 7376 north of SW Cor field 29 1/2 east  
NE Cor NE ~~off~~ with marks & roots of older New BT PW (old) 20  
S 73° E - 71, PW (old) 20 - S 74° E - 66 (Vaughn 5/4/09) at 7376  
north of SE Cor found remains of Vaughns PW (old) 20 - S 73 E - 71 &  
at 1' IP in black top 9+ feet east of  $\pm$  New BT PW 6 - N 38 E - 1582 ch,  
witness corner for witness  
corner (Jeg 1972)

⑤ N 1/4 NE 1/4 at 19824

⑥ N 1/4 sec 1 at 3961 east of NW Cor a post  $\odot$  set by Graham  
in wagon road New Bearings PW 12 - N 27 E - 0680 ch (Vaughn 5/4/09)  
at 39584  
at 1' IP flush with surface of E/W town blacktoped road A Vaughn  
BT now PW 30 - N 31° E - 0670 ch, Another old BT is PW 24 - N 07  
W - 0547 ch at 1 IP witness corner is N 04 W - 0421 ch, set DNR  
witness post - North 0394 ch (Jeg 1971)

5) N<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> set 1/8 cor No BT (Vaughn 5/4/09) sec 1-39-9  
at 19 794 set a 1 IP painted red flush with blacktopped E/W town  
road 3'± north of E New BT PW 16 - N10 W - 2325 ch,  
Telephone Pdo 9 - S77°E - 1485 ch (Jlg 1971)

8) NW cor Sec 1 Ground cor set by Graham New Bearings Cedar Pdo 12  
N72°E/107 ch (this pole is a brace to pole carrying wire from Ele plant)  
PW (off) 25 - N68 W 0682 ch (Vaughn 5/4/09) Ground 6x6 cone post  
+ Vaughns BT new Pdo (off) 28 - N69°W - 0691 ch New BT OR 20 -  
N18°E - 0568 ch, MR 18 - S79°E - 1048 ch (Jlg 1971)

9) W<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> at 11 607 south of NW cor & 19 471 north of W<sup>1</sup>/<sub>4</sub> cor  
set 1' IP painted red for 48 cor New BT MR 12' - S51°E - 0517 ch, BW 12  
S56°W - 0329 ch (Jlg 1971)

⑩ W<sup>1</sup>/<sub>4</sub> to 1 at 3962 south of NW cor Cedar 12 - N41 W-52  
 From 16 - S 53° E - 9 (Vaughn 5/4/09) low confusion about stone  
 information Proboly is involved Set W<sup>1</sup>/<sub>4</sub> cor Cedar 12' N31 W-27½,  
 from 20 - S67 E-16 (Vaughn 5/4/09) corner 31081 south of NW cor  
 f 38 948 north of SW cor see DNR App to 14 corner 1½ ch north of  
 SW cor  
 PW 28 - N03 W - 0404 ch (Dg 1971)

⑪ W<sup>1</sup>/<sub>4</sub> / SW<sup>1</sup>/<sub>4</sub> at 19 81 set 18 post PW (app) 40 - S70 E - 29 ch,  
 PW (app) 40 - S87° W - 0222 ch (Vaughn 5/4/09) at 19474 set 1 IP  
 painted of red for 18 cor New BT SW 10 - S43 E - 0762 ch, MR 10 - S05 W  
 0260 ch Vaughn's 18 is 314± south east in all fence line (Dg 1971)

⑫ Ch Sec 1

	3419	
4049		4078
	3993	

From 14 - N34 W-50, Spruce 12 - S7° E -  
 28 ch (Vaughn 5/4/09)




⑬ 1/4 Cor This corner is 10± ch west of N 1/8 on N/S 1/4 line  
 a N 1/64<sup>th</sup> corner of the SE/NW Set 1 IP painted red for corner  
 on southern edge of field & 199± north of bog New BT SB 8 - S77°E -  
 0 550W - 0 704 ch (Jlg 1971) SB OK <sup>N</sup>↑  
 All N was a 5 stub N 1, 2 1, 2 ( 1, 2 )

⑭ 1/64 Cor This corner is 10± ch west of Ctr of Sec 1, or N 1/64<sup>th</sup>  
 corner of NE/SW Corner is 625± <sup>sly into</sup> ~~into~~ swamp New BT SB 6 -  
 S46°W - 0 818 ch, from 5' - N59°W - 1 082 ch (Jlg 1971)

⑮ Ctr NW 1/4 Set 1 IP painted red for 19 Cor 1± chain west of west  
 edge of field New BT SW 14' - NR 0°E - 0 369 ch <sup>2435</sup>, PN 15' - S33°E -  
 0 447 ch (Jlg 1971) <sup>2950</sup>

1 39 N R 9 W

① E<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub> at 19 251



② E<sup>1</sup>/<sub>4</sub> Sec 1 No sign of ogl cor for <sup>1</sup>/<sub>4</sub> at 3850 PW (off) 20 - S33 W 56, PW (off) 7' - N13° E - 12 (Vaughn 5/4/6) at 38 503 north of SW Cor set a DNR pipe 11th east of 6x6 cone post which perpetuates Vaughn's corner to be in line with NE & SE Cor Vaughn's BT now Pine (off) 24 - S31 W - 0 558 ch New BT PW 36 - N17 E - 2 084 ch, PW 30 - N79 E - 2 245 ch (Jly 1972)

③ E<sup>1</sup>/<sub>4</sub> NE<sup>1</sup>/<sub>4</sub> at 16007 south of NE Cor & 19 251 north of <sup>1</sup>/<sub>4</sub> Cor  
H, 15 f sh 15

④ NE Cor Sec 1 at 7376 north of SW Cor field 29 1/2 east  
of NE Cor NE ~~off~~ with marks & roots of other New BT PW (~~off~~) =  
S 73 E - 71, PW (~~off~~) 20 - S 74 E - 66 (Vaughn 5/4/09) at 7376  
north of SE Cor found remains of Vaughn PW (~~off~~) 20 - S 73 E - 71 &  
set 1 IP on black top 9+ feet east of  $\pm$  New BT PW 6 - N 38 E - 1582 ch,  
Pw 28' - S 45 E - 1723 ch set DNR pipe 22 feet east of true corner for witness  
corner (Jlg 1972)

⑤ N 1/4 NE 1/4 at 19824

⑥ N 1/4 Sec 1 at 3961 east of NW Cor a post ~~is~~ set by Graham  
in wagon road New Bearings PW 12 - N 29 E - 0680 ch (Vaughn 5/4/09)  
at 39584  
a 1' IP flush with surface of E/W town blacktopped road <sup>1/6 north of  $\pm$</sup>  Vaughn  
BT now Pw 30 - N 31 E - 0670 ch, another old BT is PW 24' - N 07  
W - 0547 ch a 1 IP witness corner is N 04 W - 0421 ch, set DNR  
witness pipe - North 0394 ch (Jlg 1971)

⑬ 1/64 lot This corner is 10± ch west of N 1/8 on N/S 1/4 line  
 or a N 1/64<sup>th</sup> corner of the SE/NW Set a 1 I P painted red for corner  
 on south edge of field 199± north of bog New BT SB 8 - S77°E -  
 0 841 ch, A 11 - S55°W - 0 704 ch (Jlg 1971) SB OK <sup>N</sup>↑  
 All N was a 5 stub New BT P, 6 N 13 W 131 ft (Wod & C pp 222 83)

⑭ 1/64 lot This corner is 10± ch west of ctr of Sec 1, or a N 1/64<sup>th</sup>  
 one of NE/SW Corner is 6 25± <sup>sly into</sup> ~~into~~ swamp New BT SB 6 -  
 S46 W - 0 818 ch, Tom 5 - N59 W - 1 082 ch (Jlg 1971)

⑮ ctr NW 1/4 Set a 1 I P painted red for 1 P <sup>43</sup> lot 1± chain west of west  
 edge of field New BT SW 14 - N12°E - 0 369 ch, PN 15 - S33°E -  
 0 447 ch (Jlg 1971)