


L 669.
C. 24 39 - 8

① N¹/₄ Sec 24

RECEIVED & FILED # L 669.
Onida County Surveyor's Office
Date JAN. 1 @ 1988
By <i>[Signature]</i>
OCS Area #



② N¹/₄ NW¹/₄

③ NW Cor. Sec 24

4) NW Cor Sec 24

5) Meander Cor. - West Line - North of Nokomis

6) Meander Cor. - West Line - South of Nokomis

7) Meander Cor. - West Line North of Bay of Nokomis

⑧ Chr. Sec 24 Corner by Howalka, Reset by Northwoods from Howalka

BT.

⑨

Set 1" I.P. on $\frac{1}{8}$ line between conc. posts (W of CTH D) BT^S PN 18" S78°W 31.65',
PN 4" North 22.6' (Seymour 12-7-77)

⑩

Set 1" I.P. on $\frac{1}{8}$ line between conc. posts (E of CTH D) BT^S PN 14" S38°E 39.6',
PN 3" S17°W 22.75' (Seymour 12-7-77)

⑪

~~NE~~ NE $\frac{1}{16}$

found 6x6 conc. (is about 55' W of computed location) No BT^S (Seymour ~~12-7-77~~ $\xrightarrow{8-18-76}$)

(12) CE 1/8 found iron pipe, no BT's (Stiber, Obadal, Hreft 9-26-75)


(13) Witness Car on
1/8 line found 6x6 core w/ iron rod in center, No BT's (Wyness, Gehrig 8-18-76)

L 694

① N¹/₄ Sec 24

Well point w/BT PW 21° N 18° W 20.8'
found in place 12/7/77 Copp + Seymour

224 39 - 8



② N¹/₄ NW¹/₄

③ NW Cor. Sec 24

④ ~~Meander~~ Sec 24

⑤ Meander Cor. - West Line - North of Nokomis

⑥ Meander Cor. - West Line - South of Nokomis

⑦ Meander Cor. - West Line North of Bay of Nokomis