


L677.1  
 SFC 32 39 N 8 W

① N 1/4 NE 1/4 set 1" iron pipe, OR 10" N67°E, 35.6'  
 OR 12" S16°E 35.6' (9-23-75 Stoiber, Obadal-Hreit)

|                                 |             |
|---------------------------------|-------------|
| RECEIVED & FILED #              | L677.1      |
| Orinda County Surveyor's Office |             |
| Date                            | JAN 18 1988 |
| By                              | .....       |
| OCS Area #                      | .....       |



② N 1/4 Sec 32 2" iron pipe. Oak 8" - N42°W - 0.530 ch.; Oak 6" -  
 S21°W - 0.273 ch. (Wis. Valley Imp. 1938) NEW B.T. 40" Oak  
 S 86°E 25.0 ft. (Northwoods Surveyors 1968?)  
 found Cipp 1976

③ N 1/4 NW 1/4 set iron pipe. B.T.'s 12" Oak S 89°E 69.3 ft.;  
 7" oak N 46°W 49.1 ft. (Northwoods Surveyors 1968?)  
 found Cipp 1976

④ NW Cor. Sec 32 Orig. corner. 2" iron pipe. PW (rep.)  
N 33° W - 0.447 ch; found 6" - S 2° E - 0.970 ch. (Wis Valley Map 1938)  
New B.T.'s - PW (stop) N 72° E 6.9'; M 5" S 26° W 16.2 ft.  
(Northwoods Surveys 1968?)

⑤ Meander Cor. - West Line - North of Pier  
Set iron pipe; B.T.; PN 20" N 28° W 10.2 ft.  
PN 8" N 67° E 16.0 ft. (Northwoods Surveys 1968?)

⑥ Meander Cor. - West Line - South of Pier

⑦ W 1/4 Sec 32 Wood post BW 6" - S 20° W - 0.023; MR 6"  
N 44° W - 0.023 (2)  
2" IP w/ wood post

- ⑧ W<sup>1</sup>/<sub>4</sub>SW<sup>1</sup>/<sub>4</sub> wood post(?)  
 set iron pipe. B.T. M 4" S50°W 12.7 ft.  
 (Northwoods Surveyors 1968?)
- ⑨ Meads Cor - West line - North of pond Brass cap witness corner  
 Tom. 9" N54°E - 1.10 ch.; Tom 12" - N32°W - 1.08 ch. ~~(8)~~  
 Corner is 0.551 north of sec. corner in Pond. (Bennett 3/58)
- ⑩ CW<sup>1</sup>/<sub>8</sub> set 1" I.P. B.T. S.B. 8" S60E 12.65 ft.; S.B. 14" N19W  
 9.3 ft.; PN 3" N72W 22.6 ft. (Steiber, Obadal, Hoett 3/5/76)
- ⑪ C<sup>1</sup>/<sub>4</sub> set. D.N.R. brass cap on top of 6 ft. pole and drive it  
 into swamp. B.T. S.B. 3" N21°E 11.9 ft.; S.B. 3" N81W  
 30.1 ft.; S.B. 4" S79W 42.1 ft.; B.W. 10" S43W 94.5 ft.  
 (Steiber, Obadal, Hoett 3/5/76)
- ⑫ CE<sup>1</sup>/<sub>8</sub> set 1" iron pipe. B.T. O.R. 12" N10W 25.8 ft M.f. 5" N69E  
 12.9 ft. (Steiber, Obadal, Hoett 3/5/76)

(13)

NE 1/8 / NE 1/4

Set 1" iron pipe for corner.

B.Ta. OR 10" (to iron top) S6E 22.5ft; OR. 5" S57W 9.23ft.  
(Storber, Hse ft, Freund) 3-8-76