


S. 35 39 ... 8 W.

① N¹/₄ NE¹/₄ at 19.896 set 1" iron pipe
in muskeg. No trees near. Pipe is 99± links
south of main E/W ditch & near east edge of
12th century bed from west. These beds run
north from main E/W ditch. (Jlg 1964)



RECEIVED & FILED	1680
Ontonagon County Surveyor's Office	
Date JAN 1 1988	
By M. A. S.	
OCS Area #	

② N¹/₄ Sec 35 at 39.792 each way set W.C.D. pipe in marsh for new 1/4
cor. PJ 1" - N 22° E - 0.178 ch.; PJ 3" - N 86° W - 1.107 ch. Corner is 1.66± ch.
south of 1/2 of E/W canal. (Jlg 1964)

③ Lot corner at 4.974 ch west of N¹/₄ cor. set 1" iron pipe. PJ 13" - N 15° W
0.375 ch.; PJ 14" - S 66° E - 0.259 (Jlg 1967)

④ N¹/₄ NW¹/₄ at 19.846 set 1 iron pipe 5/2 - chain west
woods road. Tam 7" - South - 0.466 ch; PN 16" - N22°W - 1.116 ch. (Dly 64)

⑤ NW cor. Sec 35 set W.C.D. pipe for Sec. Cor. No sign of og. corner.
NR 5" - S70°W - 0.065 ch; PN (opp.) 18" - S76°E - 0.926 ch. Corner is
3.90± north of creek (Dly 64)

⑥ W¹/₄ NW¹/₄ at 20.031 set 1" iron pipe in "big birch brush". Tam 3" -
N3°E - 2.311 ch. (Dly 64)

⑦ W¹/₄ Sec 35 at 40.061 1/2 each way set W.C.D. pipe for new 1/4 cor
3 3/4± chain north of swamp edge on high land. PN 14" - S64°W - 0.339
ch; PW 7" - N65°W - 0.698

35-39-8

L-680

③ W¹/₄ SW¹/₄ at 20.031 set 1" iron pipe in marsh. Stem 2¹/₂" -
S 75° E - 2.645 ch.; PJ 2" - S 54° W - 1.358 ch. (2/64)