


L690

St. 7 38 8 E W.

① N<sup>1</sup>/<sub>4</sub> NE<sup>1</sup>/<sub>4</sub>



RECEIVED & FILED #9.0...  
 Onside County Surveyor's Office  
 Date... FEB. 5 1988  
 By...  
 OCS Area #...

② N<sup>1</sup>/<sub>4</sub> sec 9

③ N<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>

L690

L690

④ NW Cor Sec 9

⑤ W<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>

⑥ W<sup>1</sup>/<sub>4</sub> Sec 9

Hole in ground

Pr 18 S 85 E 26 paces (Bill West 253)

Pw 13 N 24 E 10 paces

unidentified corner. See map of Sec 9, NW<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> 1815 (Information from Bill West 972)

⑦ W<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>

⑧ SW Cor Sec 8 1" iron ~~post~~ post. PW 14" - S58°W - 0.471 ch;  
 Oak stp. . . - N3°W - 0.424 ch; PN 18" - N07°W - 1.671 ch. (Northwoods)


⑨ S<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> Set <sup>1</sup>/<sub>8</sub> cor. PN (stp.) 14" - S12°E - 47 (Dorr 9/26/94)

⑩ S<sup>1</sup>/<sub>4</sub> Sec 9 Did not find <sup>1</sup>/<sub>4</sub> cor. Set post. PN (stp.) 16" - N45°W -  
 38 (Dorr 9/26/94)

① Meander Cr - South line - West of Lake Found oyl spots.  
of M.C. east of  $\frac{1}{4}$  Cr. <sup>MC</sup> ~~is~~ 44.89 east of NW Cr. (Darr 9/26/84)

① N<sup>1</sup>/<sub>4</sub> NE<sup>1</sup>/<sub>4</sub>

Sec. 9 T. 38 R. 8 E.



② N<sup>1</sup>/<sub>4</sub> Sec 9

check with Wilderness Surveyor's, also DNR surveying in Sec. 9

③ N<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub>

④ NW Cor Sec 7 found # DNR Brass Cap Set by Seymour & Freund  
in Aug. 83, with BTs. Azp 6" S17E 14.00', MR 5" N83W 14.83', OR 4" N56W 25.78',  
BW 10" N23E 17.50' (Visser's, 85)

⑤ W<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> found 1 1/4" I.P. Bearing S65°E, 47.75' from computed location,  
Set 1 1/4" I.P. at comp. loc. BTs. OR 12" S42W 31.36', PJ 14" N15W 32.65', PJ 12" N42E  
17.50' (Visser's, 85)

⑥ W<sup>1</sup>/<sub>4</sub> Sec 9  
Hole in ground Pr 18 S85E 26 paces (B.M. 1000. 1973)  
Pw 13 N24E 10 paces  
Cont'd on file

found oneida Burn. alum. men. w/BTs. PW 13 North 109.40', PR 21" N 72E 131.00', MS 5"  
S84W 44.74', also 3/4" I.P. N08W 64.36' (Visser's, 85) Cor. Record on file

⑦ W<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub>

⑧ SW Cor Sec 9 1" iron ~~post~~ post. PW 14" S58°W - 0.471 ch;  
 Oak stp. . . - N3°W - 0.424 ch; PN 18" - N07°W - 1.67 ch. (Northwoods)

Found mon from above with BS, PR 14" N40W 37.50; PW 10" S38E 1.35; PW 20" S63W 31.15; PR 24" N07½W 110.50; to ctr. (Visser, 85)

⑨ S¼ SW¼ Set 1/8 cor. PN (stp.) 14" - S12°E - 47 (Don 9/26/94)

⑩ S¼ Sec 9 Did not find 1/4 cor. Set post. PN (stp.) 16" - N45°W - 38 (Don 9/26/94)

① Meander Cor - South line - West of Lake Found on photos.  
of M.C. east of  $\frac{1}{4}$  Cor. <sup>MC</sup> ~~is~~ is 44.89 east of NE Cor. (Dorr 9/26/84)