


SEC. T. 38 N, R. 7 W.



- ① Meander Cor - North Line - West of Lake Tomahawk WCD pipe B.T.'s BW10"
N 48°E 0.539 ch, Hem 5" N 08°E
0.272 ch (Jlg)

- ② NW Cor Sec. 5 GLO Pipe - Original evidence of 3 BT's by 1927 GLO Survey. Me. B.T.'s Ma 7" N 69°E 0.199 ch, BW 8" N 46°W 0.634 ch.
(Jlg)

RECEIVED & FILED # 739
Oneida County Surveyor's Office
Date APR 22 1988
By S. Z.
OCS Area #

- ③ Meander Cor - West Line - North of Lake Tomahawk At 4.409 south of NW Cor set WCD Pipe. BT's OR 6" N 070W 0.378 ch, OR 12" N 61°W 0.333 ch. (Jlg)

④ Meander Cr. - West Line - South of Lake Tomahawk

Alt 38.884 North of SW Cr. GLO Pipe. NW 1/4 T35 CR 5" - S70°W 0.360ch
BW 5" S22°W 0.234 ch (Ig)

⑤ W $\frac{1}{4}$ SW $\frac{1}{4}$ Alt 20.051 set 1" Iron Pipe BT's Bh 7" 8"^{8.65'} N75°W 0.132 ch,
BW 6" ~~N73°E~~ ^{28.0'} ~~46.70'~~ - 0.422 ch (Ig) found 1" p. ~~m~~ Seymour 12/81

⑥ Meander Cr - South 1/8 Line - west of Lake Tomahawk (NE cor Govt Lot 3)

WCD Pipe 7.864 easterly from W $\frac{1}{4}$ SE $\frac{1}{4}$. BT's CR 13" S76°W 0.123 ch
PW 26" N08°E 1.272 ch (Ig) pipe & BT CR 12/81 Seymour

Sec. 5-38-7 (cont.)

7 W 1/4 SE 1/4 1" Iron Pipe on Swamp BT Tan 5", N 36° E ~~0.087~~^{5.8'} ch, BW 8"
N 52° W ~~0.202~~^{18.65'} (Fig) 12/81 Surveyor

(8) C6 SW 1/4 1" Iron Pipe BT's BY X" N 03° W ~~0.624~~^{4.2'} ch, BW 9" S 59° W
~~0.464~~^{30.7'} ch (Fig) 12/81 Surveyor

RECEIVED & FILED #	1799
Otsego County Surveyor's Office	
Date	APR 22 1988
By	
CCS Area #	