


SEC. 30. T. 38. N. R. 7. W.



① NE Corner. B.C. B.T.'s OR 16 Sbow 29;  
 Bw 5 N40E 49. Old B.T.'s and well cylinder in place.  
 (Berndt, 1956). Wood pipe set by Berndt '56)  
 See Sec. 29 sheet

② E 1/8 found 2" i.p., no BT's (12/81 Seymour, Vissers)

③ NW 1/4 30 found 1" i.p. buried south edge road, set 2" i.p. DNR brass cap over this  
 pipe. BT's made BW 8" S31°E 62.20', OR 3" N8°E 45.44', Asp 6"  
 S54°W 47.70' (12/81, Seymour, Vissers)


④ W 1/16 set 1 1/4" i.p. BT's PW 6" S85°W 42.73', PW 9" N44°W 75.05' (12/81 Seymour, Vissers)

⑤ NW 30 found RR spike @ Lakewood Rd. + side road inter. BT's PW 16" N45°E 78.23',  
 Asp 12" S69°E 58.35', Asp 14" N42°W 67.57', nail in R.Pole S21°W 85.82'  
 (12/81 Seymour, Vissers)

RECEIVED & FILED #1821  
 Oneida County Surveyor's Office  
 Date APR 22 1988  
 BCS:DJ  
 OCS Area #

1821

SEC. 30 T. 38 N. R. 7 W.



① NE Corner. B.C. B.T.'s OR 16 S60W 29';  
 BW 5 N40E 49'. Old B.T.'s and well cylinder in place.  
 (Berndt, 1956). Wood pipe set by Berndt '56)  
 See Sec. 29 sheet

② E 1/8 found 2" i.p., no BT's (12/81 Seymour, Vißers)

③ N 1/4 30 found 1" i.p. buried south edge road, set 2" i.p. DNR brass cap over this  
 pipe. BT's made BW 8" S31°E 62.20', OR 3" N8°E 45.44', Asp 6"  
 S54°W 47.70' (12/81, Seymour, Vißers)

④ W 1/16 set 1 1/4" i.p. BT's PW 6" S85°W 42.73', PW 9" N44°W 75.05' (12/81 Seymour, Vißers)

⑤ NW 30 found RR spike @ Lakewood Rd. + side road inter. BT's PW 16" N45°E 78.23';  
 Asp 12" S69°E 58.35', Asp 14" N42°W 67.57', nail in P. Pole S21°W 85.82'  
 (12/81 Seymour, Vißers)

⑥ W 1/4 30 found 1 1/2" i.p. in road, shown on Northwoods Surveyors map.  
 needs repair, bent over