Telephone 369-2877

COUNTY SURVEYOR
ONEIDA COUNTY

Court House Building
P. O. Box 400
RHINELANDER, WISCONSIN 54501

L829



L829

Return to Co. Surveyor's Office

TOWNSHIP 37 NORTH RANGE 6 EAST

Oct.16th,1936-
On the Range line between ranges 6 & 7 Township 37 North and at the Sec. corner 13,18,19 & 24. Identified by stp. of original B.T. boxing still plain viz: W.P. 12 S 50 E 30 -Found stp nole for other viz: W.P.12 S 21 W 23 lks. Put in our Official steel corner brass cap and stamped it with steel die. New B.T's W.P. stp. 9" N 30 W 75¾ N2P.stp. 14" N 38 E 65. Run West Mag. Var. 4 degrees 10 mins. E.(bet.Sec.13&24-37-6) 38.94 Fell 67 lks. North of Orig. Gov't 1/4 identified by remains of old stk. & both B.T. stps. The S.W. one marks plain. N.W. one badly burned Govt. B.T's W.P. 7 N 25 W 16 W.P. 10 S 42 W 10. New W.P.stake new B.T.'s. viz: W.P. stp 16 N 42 E 44½ - W.P. stp 14 S 70 E 51½ Nat. Tang. corr. .0174 - 1degree 00 mins. Corr. var. 5 degrees 10 mins. E 19.47 Set East 1/8 stake and 33½ south of random Oak stake B.T's N.P. stp 18 S 9 E 74 lks. W.P. stp 36 N 41 W 96

West from foregoing 1/4 stake 1 degree 30 mins. E. 24.00 old logging road N.W. & S E 40.00 No. Sec. cor. 80.00 No 1/4 corner

Evening of Oct.16th cloudy -Cool.

Oct.17th,1936

Continued from 80.00 chains - 86.20 Old bearskin lake road N W & S E 121. 1¾ to hub on shoulder U S H #51
122.17½ Fell 59 south of Sec. cor. 14,15,22, 33 in U.S.Highway #51
Ira Smith's prepetuation. Gov't. Dist. West 1/2 bet 13 & 24 - 39.80
" " Bet.Sec.s14&23 - 80.60
Total 120.40

Computations -
120.40:122.17½:39.80 x - 40.38¾ - Sec. cor. 13,14 23,24 E&W proportion.

Chained East from U S H #51 1/4 cor. bet. 22 & 23 - 80.96 to approx. 1/4 corner bet. 23&24 in Town road intersection of fence line North. North on random Mag.Var 0 degrees 20 mins. along fence line. 40.09 intersect E & W random at 39.05¾ - 52.80 enter swamp - 63.00 leave swamp 66.25 hub.-- 66.86½ fell 1.53¼ East of orig. Gov.t. M.C. Identified by one orig. B T. it is a dead stub viz. Tam. S 31 E 32 -W.P. stake and marked B.T.'s. N.P. 3½ S 52 E 98 - W.P. 3" N 50W 31 7/8
~~63 miles~~
As from proportion West 1/2 bet. secs.13 &24 is 40.38¾ - Sec. line bet. 14 &23 is 81.78¾
As from proportion the North ½ bet. secs. 23 & 24 is 40.94 - see page 286 Sec.line bet. 13 &14 is 81.87

Oct. 20,1936

37-6 computations
Sec. cor. 13,14,23,24-37-6 sets .85 North of E&W random bet. 13&24 & 14&23 and 1.33 West of N&S random bet. 23&24 & 13& 14
Nat.Tang. corr. bet. 23&24- .0325 - 1 degree 52 mins.
Corr. Var. 2 degrees 12 mins East Dist 40.94
Nat. Tang. Corr. bet. 13&18 to M C - 0078 -0 degrees 27 mins.
Corr. Var. 2 degrees 39 mins East Dist. 25.92½
Nat. Tang. Corr. bet. 13&24 - 0210 -1 degree 12 mins.
Corr. Var. 0 degrees 18 mins.E. Dist. 40.38¾
Nat.Tang. Corr. bet. 14 & 23 - 0031 - 0 degrees 10 mins.
Corr.Var 0 degrees 08 mins East Dist. 81.78¾
Nat. Tang. Corr. bet. 13 & 14 North from M C on North side of Lake 0040- 0 degrees 14 mins. Corr. Var. 2 degrees 48 mins E. Dist. 34.20

Found M.C. on N. side of Sucker or Currie Lake. Found both B T's stps.viz: W.P.12 S 38 E 7 - W.P. 10 N 47 W 10 - Put in Blk. Oak stake and marked new B.T's viz. W.P. 7 N 66-25 W 36 N.P. 3½ S 61½ E 16½ W.P. 20 N 13¾ W 26¾

RECEIVED & FILED APR. 22 1988
Oneida County Surveyor's Office
Date... APR. 22 1988
By... S. Z.
OCS Area #.....
1.2.29

37-6. Return to Co. Surveyor's Office

Page #2
Oct. 20th, 1936
Sighting on M C south base 1.00 East Var. bet. M C 3 degrees 15 mins. East 87 degrees 22 mins. -174.-44
87 degrees 22 mins plus 90- 177 degrees 22 mins - 179 degress 60-
2 degrees 38
Cot. 21.7426 x 1.00 - 21.74
88.60½ to M C on north side of lake
North from foregoing M C Mag.Var. 3 degrees 00 min. E or Tang bet. M C's 122.81 Fell 14 West of orig. Gov't corner 11,12,13,14 - identified by remains of 2 old stks & stp of orig. B T viz: Y.P. 15 N 34 W 40 Put in Oak stk. and marked new B T's viz - W.P. stp 24 S 50 W 54 - W.P.stp 24 N 56 W 15½
120.00:122.81::40.00:x - 40.94
~~63 miles~~
34.20 Dist. from M C on North side of lake to Sec. cor. 11,12,13,14
Nat. Tang. corr. 0040 - 0 degrees 14 mins. Corr. Var. 2 degrees 46 mins.E
Oct. 21st & 22nds, 1936
Set Sec. corr 13,14,23,24 .85 lks North of 40.38½ (E&W random)
1.33 West of 40.94 (N&S random)
W.P. stake B T's W P stp 36 S 19 W 48 - W.P. stp. 36 S 71 E 77
Between Sec. 13&14 (Var. 2 degrees 39 E) Set South 1/8 stake at61.40½ and 1.49 West of random W.P. stake W.P. stp 14 N 38 E 39½ - W.P. stp 8 N 26 W 31½
Bet. Secs. 13&24 (Var 1 degree 12 E)
Set West 1/8 stake at 20.19 3/8 and 42 North of random W.P.stake
B.T. Blk. Oak 5 S 71 W 63½

Between Secs. 14&23 (var.0 degrees 08 E)
Set. East 1/8 stake at 60.83½ and 79 lks. North of random Oak stake
W.P. stp 8 S 53 W 54 - W.P. stp 8 N 57 E 47½
Between Secs. 14&23 (Var.0 degrees 08 E)
Set 1/4 stake at 8.28 and 74 lks North of random Oak Stake
Blk. Oak 4 N 42 E 39½
" " 3"N 19 W 19 lks.
" " 3½S 44 W 38½
Bet. Secs. 14 &23 (0 degrees 08 E)
Set West 1/8 stake at 101.72½ and .66 lks North of random Oak stake
Blk. Oak 3" N 62 E 09
" " 3½ West .15½

Bet. Secs. 13&14 (Var. 2 degress 46 E)
Set north 1/8 stake at 102.59½ and .05½ lks. East of random Oak Stake
Blk. Oak 3" N 57 E 16½
" " 3½ S 72 E 72½
W.P.stp 12 N 55 W 64 lks.

Set a line post on West side of old Bearskin Lake road at 86.50 and scribed it 53.2 East to 1/4 stk bet Sec.s 14&23 (Corr. .71 North)

Offset Sec. cor 14,15,22 & 23 -37-6 100 feet East from 1.6 feet East of ctr. U.S.H. #51 Pine stake rocks around it.

Oct. 23rd, 1936 At foregoing Sec. cor or Sec. cor 14,15,22 & 23 West on random 2 degrees 25 mins. East Mag. Var or Sec. line bet. Secs. 15&22 39.90 Fell 2.09 south of orig. Govt. 1/4 stake Identified by stps of orig. B T's viz: Y.P. 7 S 25 W 36 marks plain . Blk. P.10 N 9 W 26 Boxing burned. Found point of old stake. Put in pitch pine stake & marked B.T's viz Y.P. stp. 10 S 14 E 32 W.P. stp 12 N 18 W 49 7/8
Nat. Tang. Corr. 0523- 2 degrees 59 mins. Approx. true var 0 degrees 34 W

RECEIVED & FILED
Oneida County Surveyor's
Date APR 22 1988
By S. Zi
GIS Area #

37-6 Returns to County Surveyors Office

Page #3
Oct. 23,1936 Con't.
West from foregoing 1/4 stake or 1/4 corner bet. Secs.15 &22 Mag. Var. 0 degrees 00 mins.
1.50 old logging road S E & N W
29.00 old logging road N E & S W
40.00 No Sec. corner & left it ~~45 miles~~

Oct. 24,1936
Chained West from 1/4 bet Sec. 22 & 33 said to be in ctr. of U S H.#51 along in Town road said to be on 1/4 line 80.00 and left it
Went south corner of N & S fence also corner of fence from East Found a squared stake lying on ground. No Gov't B.T's here. This no doubt is supposed to be corner 21,22,27 & 28 as blazes lead in here. After extensive search I found stub of Pine B T W.P. 10 N 50 E 43 marks burnedoff Y.P. 8 N 71 W 39 lks Boxing plain - Right size,right course & distance. The corner sets about 1.50 west of fence corner. Put in Pine stake and marked new B T's(This is Sec. corner 21,22,27 & 28)
N.P. stp. 8 N 48½ W 73 lks.
N.P. stp 8 S 15 E 67½ lks.
North from foregoing Sec. corner Mag.Var. 2 degrees 35 E - 20.50 cross fence line E & W - 27.50 cross fence N & S - 30.50 cross fence E & W open field - 40.69 intersect E & W town road at 80.00
66.00 Old logging road NE & S W
84.52½ interset E & W random at 39.80½
100.00 Evening of Oct. 24, 50 miles

RECEIVED & FILED
Oneida County Surveyor's Office
Date APR 22 1988
By
OCS Area #

Oct. 26,1936
~~Continued from foregoing~~
125.86 cross Smith random 131.70 - Enter open swamp
153.60 leave open swamp
No sec. corner
163.50 Enter spruce swamp
195.90 stream 6 lks wide North
197.00 leave stream West
197.76 Stream same
199.40 leave swamp
201.98 Fell 3.07 West of orig. Gov.T 1/4 stake bet Secs.9&10 -Identified by stub of Spruce B T 6" (marks plain) N 75 E 16 Stump of Tam. 8" West 06 Nearly gone New Tam stake New B T's viz: Spruce 5 N 11 W .09 lks Spruce 3½ S 70 E 19½ ~~50 miles~~
200.00 :201.98:: 80.00 :x - 80.79
80.79 Sec. cor. 15,16,21 & 22
(Proportion North & South) (80.79½)
200.00:201.98:: 160.00: x - 161.58½
161.58½ Sec. cor. 9,10,15 & 16 (Proportion North & South)

South 1/2 bet. 9&10 var. 3 degrees 20 West Dist. 40.39½
20.19¾ Set south 1/8 stk. .97 East of random N.P. stk No B T 's near

Oct.27,1936
Could find no sec.corn to secs.15,16,21,22 so carried my E & W randon on West bet. 16 & 21
79.79 to hub
80.94 Fell 8.67½ North of orig. Govt. 1/4 stake bet. 16 &21 Identified by orig. B T viz:W.P.8 N 28 E 30 lks. It is down boxing plain. Found hole of oldstake. Put in Pine stake. Marked B.T's viz .Rocks around stake
W.P. stp.6" S 32 W 42½
Bldr. 10 dia. N 75 E 141
Bldr. 4 dia N 75 W 58½

37-6 Return to County Surveyors Office

Page #4
Oct.27.1936 cont.
80.04:80.94:: 40.04:x - 40.49
Sec. corn 15,16,21 &22 Sets / .68½ West of N & S random and 3.73½ South of E&W random (E&W 40.49) Set W.P. stake
(N&S 80.79) W.P. stp 7" N 37 E 18½ Rocks around stake. Nothing else near.
West 1/2 bet. secs. 15 & 22 (40.49)
Nat. Tang corr. 0922- 5 degrees 16 E Corr. Var. 5 degrees 16 E
Set West 1/8 stake at 20.24½ and 1.86½ south of random
N.P. stub 12" N 9 W .55½
W.P. stp 10" N 54 E .28 lks.
Set East 1/8 stake at 19.95 and 1.04½ north of random.
East 1/2 bet. Secs. 16 & 21 Dist. 40.45 (Dept. calculated 4.94) Nat.Tang corr. .1221- 6 degrees 58 - Corr Var. 6 degrees 58 East
Set East 1/8 stake at 20.22½ -6.20 south of random Pine stake
N.P. stp 6" N 23 W 25½ N.P. stub 5" N34 E 1.10½ - W.P. stp 12" N 87 W 66 lks.
Section line bet 21&22 Dist. 80.79 Dept. 68½
Nat. Tang. corr. 0084- 0 degrees 29 mins.
Corr. Var. 3 degrees 04 E
Set North 1/8 stake at 60.59½ and .51 West of random W.P. stake Rocks around it N.P. 3" S 49½ E 40½ N.P. stp. 10" N 4½ W 48½

Sec.line bet. 21&22 - Set 1/4 stake at 40.39½ & 34½ West of random
Small oak stake on south side of Town road on edge of field no B.T's
(6 corners to-day) 50 miles.
Sec. bet. 15&16 Var. 2 degrees 54 E Dist. 80.79 ~~xxxxxxx~~
(141.39)
60.59 Set north 1/8 stk.Tam. stk. 1.01 west of random
N.P. 16" S 56 E 31
N.P. stub 8" N 62 W 27½
(121.19½)
40.39½ set 1/4 stk .90 west of random
W.P. stk N.P. stub 8" N 8 W 36
N P 12" S 32 E 66
(101.00)
20.19½ set south 1/8 stake .79 west of random
W.P. stk Blk.oak 2½ S 69 E12½
Blk.Oak 3" S 6 E .38½
Blk Oak 2½ S 64 W .32

RECEIVED & FILED #.....
Oneida County Surveyor's Office
Date..... APR 22 1938
By S.C.H.
OCS Area #.....

Oct. 30.1936
At the 1/4 bet. Sec. 16&21 West on random Mag. Var. 1 degree 58 E
39.37 Road N.W. & S E
39.86½ Fell 11½ North of Original Gov't Sec. cor.16,17,20 & 21 Identified by stps of orig. B T's viz: W.P. 10 N 5 W 25 lks. Fairly plain stp.scribe on it. W.P. 7 N 28 E 13 lks. nearly gone. Put in Pine stake. Marked B T's viz: N P. stp. 14" S 82 W 1.08½ lks. rocks around stake.
Nat. Tang. corr. 0028 -0 degress 10mins. Corr. Var. 2 degrees 08 mins.E
West from foregoing Sec. cor. Mag. Var 1 degree 16 E
4.32 Rocky run run south
22.45½ Fell .06 south of orig. Gov. M C. Found stub of B.P. 10" S 38 E 77 part of boxing. Set N.P. stake and marked B.T.'s 23.64 to Tom.river.
B.T. N.P. stp 7" N 9 E 24½ N.P. stp 6" S 65 E 53 lks.
22.64 hub for Triangulation Base 1.50
81 degrees 23 - 162 degrees 46
81 degrees 23 plus 90 degrees - 171 degrees 23 mins - 179 degrees 60mins- 8 degrees 37 mins.
Cot. 6.59921 x 1.50 - 9.90
32.54 over Tom.river
Between 16&21
West 1/2 Set West 1/8 stake at 19.93
05 5/8 south of random W.P. stake rocks - N.P. stp 6" N 34 W 50¾
N.P. stp 8" S 53 W.97

37-6 Return to County Surveyor's Office

Page #5
Oct. 30.1936
Between 15 &22 Set East 1/8 stake at 19.95 & 1.04½ North of random Oak stake Marked B.T's - Blk. oak 3" S 7 W .45½
Blk Oak 5" N 77 E .71½
53 miles.

Some Notes Omitted

Nov. 5.1936
West bet 18&19 Same random as it has proved so close to O.K.11.30 old road S E & N W
35.00 Enter spruce swamp
37.94 Fell 1.89 south of orig. Gov.t. 1/4 stake identified by orig.B.T. (it is down bgt marks very plain) Viz: Tam.8" S 73 W 28 - Put 9" square Cedar stake scribed and marked B T's viz: Spruce stp 5 S 8 W 28½
Cedar 12 N 22 E 97½
Cedar 6" N 34 E 68½
Nat.Tang. Corr. .0498 - 2 degrees 51
Corr. Var. 0 degrees 53 mins. West.
18.97 Set east 1/8 bet 18 & 19 94½ N of random.
Cedar stake and marked B T's viz: N.P. stp. 8" S 9 " .27½ J.P.10"
N 39 E 78½

Nov. 6th.1936
West from foregoing 1/4 Mag. Var 2 degrees 48 E
4.00 leave spruce swamp
16.00 enter swamp
19.64 leave swamp
29.50 Enter swamp
36.40 Fell 31½ North of Orig.Gov't corner 18,19-37-6 13&24-37-5 Identified by Tam 8 S 22 W 22 - boxing and part of iron mark plain -it is a broken off stub tipped over.
Tam 5" N 77½ E 11 (stp)
Tam.10" S 13 E 09 nearly gone
Soft Mpl 6" N 61 E .45½
Blk. Ash 3½ S 56 W .53½
Soft Mpl. 4" N 76 W .29½ lks.
Nat. Tang. Coor. .0085
35.40:36.40:: 20.00 :x - 20.56
20.56 Set. West 1/8 stake 17½ south of random Cedar Stk.
B.T's N.P. stp 16" N 78½ W .76½
N.P. stp 12" N 4½ E .90

RECEIVED & FILED
Oneida County Surveyor's Office
Date APR. 22 1988
By S. [illegible]
OCS Area #.....
L829

Nov 12.1936
At Sec. cor 14,15,22 & 23-37-6 in S.T.H. #51
Offset 1.40 West of offset post Went north on east edge of Blk top and prolonged line north - Var. 3 degrees 30 E (.11½ plus lks East of Cor.14,15 22 & 23 (Average Var 3 degrees 35 E)
85.00 leave U S H #51
110.00 enter tam. swamp
112.10 leave Tam swamp
130.60 Klippels road E&W
134.80 Old road NW & SE
153.00 Enter open swamp
162.42 Fell 4.22 West of Orig. Govt sec cor. 2,3,10 & 11 identified by old squared stake & orig. B T viz: B.P. 6" N 87 E 8.50 down but boxing plain. Set N P. stake No B T's anywhere near.
Nat. Tang Corr - .0259 - 1 degree 29
Corr , Var 2 degreees 06 mins E.
~~56 miles~~

37-6 Return to County Surveyors office

Nov.13,1936
At the Sec.corner 11,12,13 & 14 West from foregoing Mag. Var. 1 degree 19 E
25.00 Fell .20½ south of orig. Gov't M C Identified by stp of Orig.B.T Marks plain viz. W.P. 12 S 85 W 06
Mat Tang. Corr ; .0082 - 0 degrees 28'
Corr. Var 0 degrees 51 E
Put in N P stake and makred B T's W.P. stp 14 N 63 W 10 - W.P. stp 12" S 47 W 38½
Set up over foregoing M C sighting on M C on West side of Bass Lake Needle shows 0 degrees 50' E Ira Smith found two stps that answer borth for course and distance. Right size approx. Believe they are good. Carried random on 0 degrees 50' E - 25.34 to lake - 39.46 leage lake Measuredon ice. - 51.25 old Little Bearskin road N E & S W
76.00 cross Smiths random
82.95 Fell 69½ North of orig. Govt. corner 10,11,14&15 Found the point of old orig. post - all rotted and shreads. Three stones triangular position around hole - Turtle and very old line blazes all leading to this point as I came from East. I call it a good find -
Mat.Tang Coor 0083 - 0 degrees 28'
Corr Var. 1 degree 08' E
14 & 23 is 0 degrees 08' East
Set W.P. stake marked B T's for Sec. cor. 10,11,14 & 15 viz. N.P. 14" S 78 W 35½ - N.P. 12" S 6 E 1.12 - N.P. Stp 10" N 61 E 33½ Rocks around stake.

RECEIVED & FILED
APR 22 1988
Oneida County Surveyor's Office
Date
By
Area #

Nov. 14.1936
Section line bet. Sec. 10&11 Dist. 78.96 Mat. Tang. Corr. .0400
Corr. Var. 1 degree 04' East
19.74
Set South 1/8 stake at 103.20 & 1.85
East of random N.P. stake W.P. stp 16" S 5 E .53 lks - N.P 10" S22 E 96½ lks.
39.48
Set 1/4 at 122.94 & 2.64 East of random N.P. 16" N 35 W .18 lks
Tam. Stk N.P. 14" S 28 W .84 lks
59.22
Set North 1/8 at 142.68 & 3.43 East of random - W.P. stp 6" N 74 E .82 lks W.P. stp 8" N 39 E .80½ lks Tam. stake
Sec.line bet. Sec.11&14 -37-6 Dist. 82.95(Dept.69½) Nat.Tang. Corr..0083
Corr. Var. 0 degrees 22' East

Set East 1/8 stake 20.73½ & 17 north of random
W.P. stk W.P. stp 12 S 76 W 62½
N.P. 8 N 50 E 84½
Mat.Tang. Corr. 0120 -0 degrees 41' Corr.Var. 1 degree 31 E
Set. 1/4 stk at 41.47½ & 18 S of rand N.P. stk N.P stp 5" N 49 W .28lks
N.P. stp 14" N 37 E .59½ lks.
Set West 1/8 stake at 52.24½ & .45 S of ran. W.P. stk. N P 10 S 78 E 44½

Nov. 16.1936
West from Sec. Cor. 10,11,14,15 Mag. Var 0 degrees 00'
1.06½ intersect N & S random at 83.46
1.19 Ctr. of U S H #51
4.80 Old road N W & S E
16.60 Open swamp
21.00 Leave
19.75½ set E 1/8-3.50 S of ran N P stk B T's Spruce 3" S 28 W.18 Spruce 4" N 43 W .07½
39.51 Fell 7.00 North of Orig. 1/4 stk bet. secs. 10&15 Found pile of stone Removed same & found point of orig. stake rotted to fibers. Checked for orig.Birch and found where it stood,remains of roots & charrred wood.
Mat. Tang. Corr .1771 - 10 degrees 02'
Coor Var. 10 degrees 02' E

37-6 Return to County Surveyors Office

Page #7
Nov 16.1936
Set pitch pine stake - B T's N P stp 10" N 61 W 1.01 - Blk Oak 2½" N 35 E .04½ (30')
West from foregoing 1/4 stk 2degrees 00' (average) 40.04 intersect N&S random bet. Secs. 15 & 16 at 158.74½
54.33 Spruce swamp
57.75 leave swamp
68.00 open swamp
73.00 stream S W
74.00 Over (Nat.Tang.Corr. .0386 - 2 degrees 13')
81.71½ Fell 3.16 South of orig. Govt.¼stk. identified by orig. B T viz Tam 8 S 64 E 84 It is a stub cut high. Boxigg chopped off. Found it in moss Put in new Tam stake marked B T viz. J.P. 9 S 74 E 237½ As from proportion (page 296) Sec. cor. 9,10,15 & 16 sets at 161.58½ North & south
40.40 West 1/2 bet. 10&15 Gov't.39.80 East 1/2 bet 9 & 10 Gov't. 30.20
80.20. 81.71½:: 40.40:x - 41.16 East & West
Set sec. cor 9,10,15 16 1.12West of 161.58½ North & south random Tam.stake & B T's viz: N.P. stp 12" S 17 W 1.66½
N P stp. 12 S 39 E .19
N P stp. 14 N 5 E .22
West 1/2 bet secs. 10 & 15 Var. 1 degree 56' west Dist. 41.16 Tam. stk. B T's J P 8" N 20 W 16½ - N P 9" S 66 E 10
20.58 Set W 1/8 stk 1.41 7/8 N of ran.
Nov. 17.1936
At 1/4 corner bet. Secs. 9 & 16 (see page 320) West on random Mag. Var. 2 degrees 50' East
2.36 leave swamp
16.00 enter spr,swamp
19.00 leave swamp
26.50 open swamp
34.00 leave swamp
36.55 enter open swamp
40.00 leave " " no corner
41.40 old road N W & S E
61.00 enter spruce swp.
64.84 old logging road NE&SW
71100 Enter marsh
72.90 stream S E & N W 10 lks
73.38 same stream S W & N E
74110 " " S E & N W (bet 8 & 17)
78.74½ Fell 11½ North of 1/4 corner Found very old scribed stake and a B T estimated to be 40 years old. Stake rotted off and lying on ground. Marks plain. Found point in ground. The B T is a Tam. 8 N 64 E 17 lks. This looks like Dorrs marks. Gov't B T's gone. Put in pitch pine stake and marked B T's viz: Tam. 5 N 68 E 67 lks - J P 2½" S 16 W 44 lks

East 1/2 bet. 9 & 16 Dist. 40.55½ Var. 1 degree 33 E - 20.27½ set East 1/8 2.99½ North of random . Tam stk. Tam 6" N 22 E 17

West from foregoing 1/4 stk. 2 degrees 50' E
1.00 leave swamp
7.00 open field
10.50 leave field
16.00 tam. swp.
19.80 leave swp.
20.06 old fence line N W & S E open field
23.00 Spruce swamp & fence NW&SE
25.00,Fence NW&SE
25.50 old road
27.58 Fence N S and leave swp
31.00 old road N W & S E
34.30 " " S W & N E
35.22 Fence N & S
35.65 Travelled road N & S

RECEIVED & FILED
Oneida County Surveyor's Office
Date APR 22 1988
By.....
OCS Area #.....

L 2897

37.64 Enter spruce swamp
40.11 Fell 1.75 south of orig. Govt. corner 7,8,17 & 18 Old scribed stake about 40 yrs old . Found remains of stp orig. B T viz Y P 16 N 28 W 2.59 nearly all burned up. Put in cedar stake and marked B T's vis: N.P.S N 28 W 2.45 lks
N.P.S N 2 " 1.93½
N P 14 S 87 E 2.48
N P 4" S 18 W 2.90
Nat.Tang. Corr. .0436 2 degrees 30' Corr. Var. 0 degrees 20' E

Nov 18,1936
West from foregoing Sec. cor. Mag. Var. 2 degrees 48' E
5.00 leave swamp
9.28 old logging road NW&SE
12.00 enter swamp
20.20 old logging road NE & SW
25.50 leave swamp
26.00 open field
30.00 leave field logging road NW&SE enter swp
40.00 No 1/4
75.12 No sec. cor on range line
and left it.
West 1/2 bet. 8 & 17 Var.0 degrees 20' E Dist. 40.11(see previous page)
20.05½ set west 1/8 stk. 87½ north of range
Tam stk N.P. 9" North 05½
N P 9" S 18 W 29½

Nov 19,1936
Went to north bank of Tomahwak river and on a random put in hub and sighted south on random range line to Sec. cor (18,19-37-6)(13&24-37-5) Run & base west 0.80 1st reading 75 degrees 30½ 2nd 151.01
90 degrees 00' plus 75 degrees 30½' - 165 degrees 30½'- 179 degrees 60'
14 degrees 29½' Cot. 3.86883 x .80- 3.09½
North on range 1 degree 40' E
14.00 leave river bottom
37.91 old travelled road NE & SW
43.00 enter swamp
58.67 old logging rd. NE&SW
Needle reads 2 degrees 20' E
80.00 looked for corner again, It is gone. B T's Tam cut years ago
Needle now reads 1 degree 10' Fluctuation considerable .Organic iron no doubt. This is a heavy cedar swamp very tough going
81.09½ intersect my random from the east at 73.52½
93.88 old logging rd. leave swp NE&SW
115.00 enter spruce swamp
117.00 leave spruce swamp
118.42 old travelled rd. NW&SE
120.72½ Fell 1.15 east of a very old 1/4 stae bet 7,8,12. A very old B T is here it was 10" when marked now it is a 24" stp. I accept it. Sets south 19 W 15 lks from W P B T Old road bed from West (120.00:120.72½::80.00 X-80.48½) Nat. Tang Corr. .0095 - 0 degrees 32' Corr. var 2 degrees 12' E
120.72½ - 80.48½ - 40.24½

Nov. 20,1936
New Tam stk for 1/4 bet 7 & 12 Marked B T J P 8" N 8½ W 1.56

Computations

On the range line bet ranges 5 & 6 Townships 37 North
As from foregoing data the Sec. cor (7&18-37-6)(12,13-37-6) sets .71 lks S of 74.29 random from East or Sec. line bet 7 & 18 and .76½ lks west of 80.48½ my random from sec. cor.(18,19-37-6)(13&24-37-5) The Nat. Tang. Corr. for foregoing range line bet. Secs. 13&18 & the south 1/2 bet secs. 7&12 is .0095 and the true var. is 2 degrees 12' East Cedar stk.
Cedar 6" N 53 W 36 Cedar 6" N 34 W 60 Sec. cor
Cedar 6" N 29 E 52½ Cedar 5" S 81 E 19½

1.82 20 M

37-6 Return to County Surveyor's Office

The sec. line bet. Sec.7 & 18 will be 74.29 in length Dept. will be .71 lks North of proportional corner 7,18,12 & 13
Mat. Tang corr. .00955 - 0 degrees 33' Corr. var. 3 degrees 21 E
75.12: 74.29:: 35.12:x - 34.73 - 74.29- 39.56 (East ¼) 34.73 (West ¼)
35.12:34.73::20.00: x-19.77½ Bet 7 & 8 Var. 3 degrees 21' E
39.56 Set ¼ & 37½ lks. south of random Cedar stk. B.T's
Spruce 4" N 18 W 16½ Sp. 3½ S 67 W 21½
19.78 set east of 1/8 & 19 lks south of random Cedar stk B T's
J.P. 3" N 71 E 32½ Cedar 4" S 26 W 48½
59.33½ set west 1/8 & 56½ south of random Cedar stk. B T's
Spruce 5 N 12 W 19½ Spr. 4" S 76 W 22½
North from ¼ stk bet. secs. 7&12 (see page 327) Mag. var. 1 degree 40'E
to follow old random North
2.50 enter srpuce swamp
7.62 leave spruce swamp
17.00 intersect C T"Y" N E & S W
18.50 enter swamp
24.50 leave swamp
32.00 Creek bottom
33.90 Creek 30 lk wide flows S W
36.00 leave creek bottom
38.00 enter spruce swamp
40.23 fell .31 east of orig. Govt. Sec. cor.6,7,1 & 12 identified by old stk.& stubs of orig. B T's viz: Tam 12" N 12 W 24 Tam.10 S 35 E 22 Spruce 5" S 22 W 13 They are dead but plain Spruce 5 N 10 E 20 stp
Mat. Tang. Corr .0077- 0 degrees 26' Corr. Var. 2 degrees 06' E Put in new Tam stake and marked B T 's J.P. 10" N 81 W 80 Spr.4" S 42 E55½
J.P.4 S 58 W 47½ North 1/8 stk bet. 7 & 12 sets at 20.11½ & .15½ West of random. Tam stk J.P. 9" S 41 W .92½
J.P. 6" N 58 E 1.15
North from foregoing Sec. cor. 6,7,1 & 12 Mag. var 2 degrees 00' E
8.00 leave srpuce swamp
12.00 enter swamp
14.00 leave "
15.75 enter "
20.50 leave "
33.00 enter "
36.00 leave "
38.00 enter "
40.26½ fell .24½ west of orig. Govt. 1/4 bet 1& 6 identified by old stake and stps of orig. B T (badly gone,part of boxing still here) viz:
Spr.6" N 30 E 8 Gov. 11 lks Spruce 5" S 10E 11 Govt. 18
Put in new stake N P stake & marked B T's
B T's for 1/4 stk bet Sec. 1 & 6
Range line bet 5 & 6
W P 5" West 1.26½
Tam 3" N 32 W .22

Set south 1/8 bet 1 & 6 Range bet6& 5 at 20.13½ & .12 3/8 East of random Tam stk.
N.P. 14" N 16 W 1.15 Spruce 6" N 47 W 16

L 8206

37-6 Return to County Surveyor's Office

Page #10

Nov. 30,1936

North from foregoing 1/4 stk. Mag. Var. 2 degrees 00' E
4.60 Beaver pond
16.00 leave "
28.40 old skidding road E&W
29.30 old travelled rd. NE&SW
37.00 enter spruce swp.
39.16½ fell .95 east of original Tnp.corner (6,1,31,36) Found points of 4 old stakes and stps of orig. B T's nearly all gone viz: Tam 12" S 43 W 17 Ta m.6" N 17 E 16 Spruce 5 S 36 E 36 Spruce 4" N 57 W 38
New Tam.stake New B T viz: J.P. 5" S 6 W 1.38
J P 6 N 12 E 1.41
Nat.Tang. corr..0242½ - 1 degree 23' Corr.var. 3 degrees 23' E
39.14:39.16½:: 19.14:x-19.15½
19.15 set N 1/8 & 46½ west of random W.P. stk.
N P 12" East 63 W P stp 30 N 4 W 18½

East from foregoing Tnp. corner Mag. Var. 2 degrees 00' E
1.50 leave swamp
3.34 old road S E & N W
29.85 old travelled rd. NW&SE
33.04½ fell 36 south of swig. Gov. 1/4 stk. identified by 10 stub of orig. B T .It is plain. viz: Spr. Pine 10" S 44 E50 Found point of old stake
New pine stake : New B T's viz:W.P. 10" N 30½ E 2.23
W.P.10 S 12 E .39½
Nat. Tang. Corr..0108- 0 degrees 37' - Corr Var. 2 degrees 37' E
35.83:33/04½::15.83:x-14.60 West 1/8 stk. 14.60 Set W 1/8 stk 15½ North of random Oak stk.11 NP stp. 8 S 27 W 28½
J.P. 9 N 42 W 39½

Dec.1.1936

East from foregoing 1/4 stk. bet. 6&31 Mag. Var. 2 degrees 45' E
.50 leave swp
6.58 old rd. N & S
22.00 old railrod grade N & S
33.00 intersect Ira Smith random
37.15 old RR grade NW&SE
37.73½ offset .14½ south
39.53½ Fell .05½ north of swig. Govt. M C actual dept. would be .20 north of M C -identified by iron amle for stake stp. of orig. B T
W.P. 12" S 50 W 29 stp. nearly gone W B. 12 N 70 W 28
Marked new B T Nat. Tang. Corr. .0050 - 0 degrees 17'
N P 16" S 28 E 1.10½ Corr. Var. 2 degrees 28' E
20.30½ Set east 1/8 bet & 6&31 .10 lks S of random Tam. stk.
N.P. 2½ S 62 E .57 W.P. stp. 8" S 6 E 81

East from foregoing M C sighting on M C East side of lake McCormick. Mag. Var. shows 3 degrees 58' E Found orig. B T on east side of McCormick Lake. It is down but marks are plain viz: W.P.20' S 42 W 17 lks. W.P. 14 N 50 E 34 Cut off top of ground . New Oak stake -new B T viz: W.P. stp 24" East 20 lks W.P.10" S 51 W 1.07½ Total dist. 68.21 from 1/4 bt. 6 & 31 Dist. bet M C's is 28.67½ (Gov.27.41) East from foregoing M C Mag. Var. 2 degrees 00' East. (13.00 from MC to 1/4 stk.)
81.21 Fell 1.01 south of origl Govt. 1/4 stk bet 5 & 32 identified by good scribed Cedar stk and stub of orig. B T viz: N P 12 S 17 W 44 .0777- 4 degrees 26' - 6degrees 26' E Hole of N W tree
Y.P. 16 N 58 W 37

M 6287

37-6 Return to County Surveyors Office

Page #11
Dec.1.1936
New B.T.viz: Halls Blk.Oak 7" S 34½ W 81 East from foregoing 1/4 stk
Mag.Var 3 degrees 30' E
3.00 C T "Y" East
18.78 leave Y
20.00 Old rdl East
32.60 leave rd.East
34.64 Fence N & S
36.00 Fence E & W
(Bet. 5 & 32 20.21 5/8 set 1/8 stk
(.07 south of random Oak stk.
(J.P. 7" N 41 E .84 lks
40.43½ Fell 14 north of an old squared stake Corner of fence from West & south No B T's here. Apparently fence and "Y" survey used this stake. I accept it. Put in new Oak stake B T's N.P 18" N14 W 82 W.P. 12" N 38 E .63½
N.P. 12 S 79 E .72½
Nat. Tang Corr. .00345- 0 degrees 12' Corr. Var. 3 degrees 42' E
Dec. 2nd.1936
Went to 1/4 stk bet Secs. 3 & 34 Township line bet 37 & 38. Found stp of orig. B T marks plain viz: Y.P. 16 S 24 E 14 Govt. says S 49 E 14 Believe they intended to say S 29 E as I found old stake hole. Y.P.12 N 69 W 38 stp. is here marks burned off - West in random Mag. Var. 1 degree 36' E
30.41 Rocky run N.W.S.E. 1.00 wide
40.22 Fell .30½ north of Orig. Govt.corner 3,4,33,34 Foundx part of stake Orig. B T's stps plain viz: W.P. 12" N 34 W 28 -Y.P.16 S 39 E 18 Y.P.12 " S 76 W 45 Nearly gone New Tam.stake-New B T's viz: N.P. wtp 5 N 81 W 26½ W.P. 2½ N 5 E 63 N.P. 3" S 80 E 51½
N.P. stp 8 S 56 E 19½
Nat.,Tang. Corr. .0076 - 0 degrees 26' Corr. Var. 2 degrees 08'E
20.11 Set West 1/8 bet 3 &34 15 3/8 S of random W.P. stk N.P. stp 10" S 61 W .28 lks N.P. Stp. 20" N 34 E .67 lks.
West from foregoing Sec. cor on Tnp. line Mag. Var. 2 degrees 00'E
40.04½ Fell .33½ North of Orig. Govt. 1/4 stk bet. secs. 4 & 33 . Found the old stk hole,part of old stake rotted to shreds. Found where Aspins where root holes and part of wood. Aspin 4" N 34 W 11 lks. Aspin 12 S 58 E 49 Put in new Oak stk and marked B T's viz: W.P. 10" S 14 W 98 W.P.12" N 72 E .86½
Nat. Tang. Corr. 0083- 0 degrees 28' Corr. Var. 2 degrees 28' E
W.P. stk. B.T's R.O, 3" crotched S 81 W .25½ S.M.1.9' N 28 W 63½
Dec. 3.1936
On Tnp line bet 37 & 38 East from 4 & 5, 32 & 33 Mag.Var. 1 degree 10' E
7.14 Hit orig. Govt. M C. identified by stp of orig. Govt.Tam. viz.: 5" S 81 W 56 lks Stp. is nearly gone. Set Oak stk. New B T's viz: W.P. 14 S 86 W 1.13½ - N.P. 14 N 59 W 1.60½ Identified M C on East side of Haughitt Lake Orig. B T's boxings here viz: W.P. 14 N 70 E 32 - Y.P.14 S 37 W 15 remarked it- Angle bet. M C 0 degrees 45' right Mag.Var 2 degrees 25' 7.66 to Haughitt Lake 15.00 over lake 15.26 to M C Oak state W.P.stp 20 S 64 E .04½
East from foregoing M C Mag.Var. 1 degree 12' E
16.65 enter swamp
25.00 leave swamp
40.26 Fell 07 North of 1/4 stk. Bet. Secs. 4 &33
20.13 Set West 1/8 stk 03½ Tam. stk. South of random B.T's W.P.5" S 42 E .93 W.P. 4" south 1.18½

L 8260 M

37-6 Return to County Surveyors Office

Dec. 4.1936

At the 1/4 3&34(see page 338) East on random Mag. 2 degrees 10 E
4.00 U.S M #51 N&S
18.00 enter swamp
21.00 swamp road S E & N W
40.00 Fell .04½ south of orig. Govt. corner 2,3,34 & 35 Identified by stubs of orig. M T's mark plain Tam 6 S 17 W 1.00
Tam 3 N 24 W 43 Tam ~~mkk~~ stk.
N.P. 4" S 16 E 1.57½ N.P. 14 N 13½ E 5.75 Edge of marsh
20.00 Set 1/8 stk. 02 3/8 north of random Tam. stk B.T. Tam.stub 5" N 27 W .15½

Dec. 5.1936

East from foregoing Sec.Cor.2,3,34 & 35 Mag.Var. 2 degrees 15' East
7.80 leave swamp
53.80 enter open swamp
55.50 leave open swamp
58.00 enter spruce swamp
69.62 leave spruce swamp
73.68 C.M.& St.Paul RR
80.31 Fell .49 south of sec. cor. 1,2,35 & 36 Iron axle iron Ira Smith states this establishment was the conclusion of 5 surveyors years ago in a law suit. No Govt. B T's -Put in new stk. Tam. B T's Ironwood 2" N 84 E 38½ R.O. 2½ N56 E .30 R.O. 3½ N 37 E 47½
Mat.Tang. Corr. .0061- 0 degrees 21' Corr. Var. 2 degrees 36 E
Posie vs. Simonds case years ago
60.22½ set East 1/8 36½ N of ran. W.P. stk. B T's spruce 3" N 85 E .43½
Spruce 4" S 28 E .96
40.15½ Set 1/4 stake 24½ N of ran. Oak stk. B T's W.P. stp 12 N 64 E .61
W.P. stp 20 N 69 W 61½
20.07½ Set west 1/8 stake 12½ N. of ran. W.P. stp 21" N 45 E 1.24
N.P. stp. 16" N 14 W .28

Dec.7.1936 - set 6 corners

Dec.8.1936 - snowing

West range line - setting corners - range line bet Sec.13-18
Secs. 13&18 See page 328
20.12 Set south one eighth stk & 19 lks - west of random N.P. stk.
J.P. stp 8" N 69 E 12 ~~M~~ J.P.8" S 21 W 49½ N.P.8" S 54 W 80½
40.24½ Set 1/4 stk & 38½ west of random - Cedar stk N.P. stp 12 N 66 E 57½
Cedar stk. Tam 14 East 32½ Blk.Ash 7 N 19 W 32
60.36 Set north 1/8 stk & 57 3/8 West of ran. Dist. bet. 7 & 12 South ½
Var. 2 degrees 12' E
(100.60½)
20.12 Set S 1/8 stk .95½ West of random Cedar stk. J.P. 7" S 11 W 27
J.P. 6" S 77 E ~~28~~ 19½

Dec. 9.1936

At the M C on east side of Big Bearskin Lake was here 14 years ago found orig. then- there is an iron pipe here now.

Sighting west on M C on East side of Big Bearskin and on Tnp line. Needle reads 2 degrees 20' E -on ice Dist. 78.05 to M C on East side of Bearskin lake. Found stps of both orig. B T's nearly gone viz: Spruce 8 N 33 W 28 W.B.12" S 5 W 35 lks. New Tam. stk. New B T's Tam. stub 14" N 3 W 14½ N.P.12" S 85 W 1.24 Prolonged line on West tangent 85.22½ Fell .08 1,2,35 & 36 Range line bet ranges 6 &7 south Temporary Tnp corner(N E 37-6) Set temporary Tnp. corner on ice- turn ed 90 degrees and run south on ran. Mag.Var. 2 degrees 50 ' E.

9.99 to M.C. on S E shore of Lake -this is an iron rail. Found where orig. Birch stood viz: 14" S 80 E .28 - continued south.
40.38 intersect E & W rd.
42.26½ Fell 39½ East of D.S.Burnett's 1/4 stk bet 1 & 6 Iron pipe His B T's R.Oak 7" S 40 E 82½ -N.P 8" S 40 W 82 Found rotted old squared

T 62 N

37-6 - Return to County Surveyors Office

Page #13
Dec.9.1936
stake lying here on groum.
Dec.10.1936 range line bet 6 & 7 continued
South from foregoing 1/4 stake Mag Var. 2 degrees 45 E
20.22½ Fell 26 East of D S Burnett's 1/8 stake His B T's W.P. stp.32 N 9½ W .04 W.P. stp 28 S 21 W 10½ lks.
38.29 road N E S W
40.32 Fell 55 East of orig. Govt. cor. 1,6,7 & 12 Identified by iron pipe & orig. B T stp. Y.P. 20" N 7 E 31 Boxing plain - remarked new
B T's Blk Oak 7 S 13 E 17 lks
Blk Oak 5 N 20 W 30½
Blk.Oak 3½ S 88 E 19½
Blk Oak 4½ S 18 W 49½
Mat.Tang. Corr. .0136 Corr. Var. 2 degrees 00' E
South from foregoing Cor. bet. secs 7 & 12 Mag. Var. 2 degrees 00'E
10.94 old grade N E & S W
24.00 Intersect Irâs random
27.00 Old road NW & SE
29.38½ Offset E 29 lks. to clear buildings
33.76 Old #51 curve N E
40.00 Hit #51 south
60.00 Leave #51
Dec. 11-1936
68.66 Intersect E & W Rd
80.50½ Fell .68½ West of orig. Govt.corner Iron Pipe 12,13,7,18
(24)Stp. just reversed as to size (18)
W.P.18 S 32 E 31 W.P.24 S 63 W 17
New Oak Stake New B T's viz:
Blk. Oak 10" S 67 E .77 Blk.Oak 4" N 19 E 23 Total true Dept. would be 97½
Mat.Tang. Corr..0121 - 0 degrees 41 Corr. Var. 2 degrees 44' E
60.37 7/8 South set 2 1/8 .44 East of random
Oak stk. on shoulder of E shoulder of road
W.P. stp 9" S 86½ E .49½ W.P. 12" N 44½ E .54½
40.39½ set 1/4 stk .19½ E of randum
Oak stk 12 E fence line B.T. W.P. 10" S 43 E .35
N.P. 12" S 47 W 1.87½
20.12 5/8 set north 1/8 stk. .24 1/3 East of random
Oak stk. N.P. stp 24 N 32 E 34
N.P. 20 S 78 W 40 lks

At 1/4 cor.bet Secs 13 & 18 Found stps of both orig. B T's viz:
W.P. 9" S 22 W .08
W.P. 9" N 24 E 21 (boxing plain) nearly gone
Found the hole of old stake - Tam. stk New B T. W.P.stp. 16"S59W.60lks
Dec.12.1936
North from cor. 13,18,19,24 - See previous identification -
Mag.Var. 2 degrees 30' E
28.00 Old #51 Curve N W & S E
37.00 Old road N E & S W
40.17 Fell .05 East of 1/4 cor. bet Sec. 13 & 18(see foregoing page for identification)

North from foregoing 1/4 stk. Mag Var. 2 degrees 10' E
3.37 Hit Goodnow dance hall
4.61 Leave Building
6.16 C M & St.P. RR
7.50 Bearskin creek bottom
12.00 Creek E & W
13.50 Over
16.00 Springs 16.70 over 17.00 leave bottom
23.75 Spring 25.75 over 26.56 spring 27.56 over
20.08½ Set S 1/8 Bet.13&18 .02½ West of random Oak St. Blk O 3½ S 2 E 13½ W P 14 S48 E .96½

Page #14
Dec. 12 1936
39.91 Fell 01½ E 13,18,7 & 12
19.93½ Set N 1/8 stk. in true line Tam. stk. W.P. stp 8" N 19E 34
W.p. stp.8" S 64 E 59

Dec.15.1936 & 16th
At the Sec. cor. 16,17,20 & 21 (see page 305) for identification) Put in brass cap stamped it. North from foregoing Sec. cor. Mag. Var. 2 degrees 20' E
1.00 Old Rocky Run rd. N W & S E No 1/4
43.00 Creek bottom
43.65 Rocky Run N E & S W
45.00 Leave Creek Bottom & open marsh
49.00 leave open marsh
52.58 Old Rd. NE & SW
61.21 " " NW & SE
65.00 Open swamp
84.64 Intersect E & W ran. at 38.93½
89.25 Leave open swamp
90.33 Old rd. N E & S W .0207
113.60 Old Grade N E & S W
123.69½ Fell 2.55½ west of orig. Govt. 1/4 Bet. 8 & 9 Orig. B T stp. B.P. 12 S 44 W 40 lks. Boxing here marks burned off. J P stk J.P. 5 N 87 W 67½ J.P. stub 8 S 27 E 46½

As from page 322
79.80: 78.74½:: 39.80:x - 39.27½
As from foregoing
120.00:123.69½::80.00:x- 82.46½

Data	Govt.Dist.		Govt. dist.	
9 & 16	39.80 West ½	Found dist. 16 &17	80.00	Found dist.
8 & 17	40.00	78.74½	8 & 9 40.00	123.69½
	79.80 Total		120.00	

Data Intersection of randoms
39.27½ -38.93½- .33 5/4 East of intersection point.
84.64 -82.46½ - 2.17½ South of intersection point
Proportional location Sec. cor. 8,9,16,17
Dist. south 1/2 bet. 8&9 is 41.23½ Dept. cal.2.21½ Nat.Tang.Corr..05377-
3 degrees 05' C.V. 0 degrees 45'W
20.61 7/8 set So 1/8 stk. bet 8 & 9 1.44 east of ran. B T's J.P.stk
J.P. stub 14" N 74 E 96½
J.P. stub 8 S 57 E 83½
Bet secs. 16&17 Dist. 82.46½ Dept. 33½ Nat.Tang. Corr. var..0041-
0 degrees 14' Corr. Var. 2 degrees 06' E
20.61 5/8 Set south 1/8 .08 3/8 East of rand. B T's. W.P. stk.
N.P. stp 16 S 65 W .61
41.23½ set 1/4 .16 7/8 east of ran. B.T's W.P. stk. N.P.16" N 86 W 1.64
W.P.,24" N 34 W 1.20½
61.84 7/8 Set north 1/8 stk .25 3/8 E. of rand. B.T's J.P. stk.
J.P. stp 10" N 68 W 35 J.P. stp. 8" S 13 W .03
Bet. Secs. 9 & 16 West 1/2
Dist. 39.27½ Dept. cal. -2.17½ Nat.Tang.Corr. 0554- 3 degrees 10'
Corr. var. 6 degreess 00' E
19.63½ Set west 1/8 stk. & 1.08½ south of rand. B.T's. N.P. stk.
N.P. stp 12" N 27 W 1.05½

Bet. Secs. 8 & 17 East 1/2
Dist. 39.47½ Dept. cal. 2.06 Nat.Tang. Corr. .0522- 3 degrees 00'
Corr Var. 0 degrees 10' west
19.73 5/8 Set east 1/8 stk. 1.14½ south of rand. B.T's. Tam. stk.
J.P. 5" N 16 W .05½ J.P. 4½ S 66 E 30½
Set Sec. cor. 8,9,16 & 17 Iron pipe & Brass cap in open swamp
B T's. N.P. stub 9" N 51 E 2.30½

Mar 28 37

37-6 Return to County Surveyor's Office

Page #15
Dec. 17.1936
At sec. cor. 7,8,17 & 18 (see page 324) North on random Mag.Var 1 degree 00'E
1.91 leave swamp
3.29 Old rd.
15.00 Enter swamp open
28.54 Leave " "
60.72 C M "Y" E & W
67.73 Enter open swamp
81.00 Leave swamp
81.91½ Fell .67½ West of original Govt.corner 5,6,7 & 8 identification by old stk. & stub of orig. B T viz: Blk. Pine 6 N 28 E 22 Put in new Oak stk & made B T's viz: M J.P.5 N 68 W .28½
J.P.5 S 71 W .35½
J.P. 5 S 30 E .16½
J.P. 5 N 73 E .40½
Mat. Tang. corr. .0082 - 0 degrees 28' Corr. var. 0 degrees 32'E
61.43 5/8 Set N 1/8 stk. .50 3/8 E. of random Tam stk. B.T's J.P.5 N.74 W 14½ J.P. 5" N 55 E 11 lks
40.95½ Set 1/4 stk. .33 5/8 east of ran. B T's Y.P stk. J.P.4 N 76 W 19½
J.P. 4 N 53 E 32

20.47 7/8 Set S 1/8 Stk 16½ East of random Tam. stk. N P 7 S 13 W 2.09

Dec. 18.1936
At the 1/4 stk. bet 8 & 9(Page 353) North on ran Mag.Var 1 degree 45' E
Mat. Tang. 0133 - 0 degrees 46' Corr. Var. 2 degrees 31 E
10.75 Old Tote rd. S W & N E
11.00 Intersect Ira's rand.
39.52 Fell 52½ east of sec. cor. 4,5,8 & 9 This corner is two W.P. stps marks plain viz: W.P. stp 20 S 52 E 12 lks W.P. stp 18" S70 W 80
Gov.'t B.T.s Aspin 7 N 17 W 30 Aspin 8 N 37 E 30 -gone
The Pine B T's are Govt I recognized the marks as such.
New B T. J.P. 5" N 59 E .82 W.P. stub 12" S 4" E .97
J.P. 4" S 78 W 77½ Tam. stk.
19.76 Set. North 1/8 stk 26 3/8 west of ran. W.P. stk.
J.P. 4" N 19 W 31½
J.P. stub 10 S 24 W 27½
North from foregoing Sec. cor. 4,5,8 & 9 Mag. Var. 3 degrees 27' E
Mat. Tang.Corr. 0 degrees 40' Corr. Var. 4 degrees 07 E
1.00 Enter swamp Tam.
15.34 Leave swp "
28.00 Enter spruce swamp
33.00 Leave " "
40.79 Fell 48 East of orig. Govt. 1/4 stk. Bet 4 & 5 Identified by both spruce stp. They are nearly gone. viz: Spr.10" N 19 E .06
Spruce 8 S 42 E 27 New Tam. stk. New B.T's - WP 14" S 47 W 56
J.P. 5" N 8 E 32
20.39½ Set south 1/8 stk. .24 west of random Tam. stk. W.P.stub 12 S 61 W 55

North from foregoing 1/4 stk Mag. Var. 1 degree 45 E
1.00 enter open swp.
3.70 leave " "
7.00 open " "
10.00 Old rd. E & W
14.00 leave swamp
15.75 open swp
18.00 leave swp
27.28 Old tote rd. NW&SE
39.91 Fell .02 W of 4,5,32 & 33
40.10:39.81:20.10:x -20.00
Set. N 1/8 .01 East of ran. Oak stk.
N.P. stk. 8" S 48 W 32½
Blk.oak 6 N 59 W 83

L 8 2 6 M

37-6 Return to County Surveyors Office

Page #16
Dec.18.1936
At the Sec. cor. 5,6,7 & 8 North on random Bet 5 & 6 Mar.Var. 1 degree 55'E
9.23 Enter spruce swp Nat.Tang. Corr. .00776
15.00 leave swamp
19.00 Tam & Spr. swp
27.00 leave swp
33.55 old tote rd. NW&SE
35.45 Old road same
37.00 " "
49.85 Travelled rd. E & W
63.55 Rd. E & W
64.05 Enter swp
~~[illegible]~~.
66.48 leave swp
68.00 enter swp
71.16 Fell 55½ E. of Orig. Govt. M.C. identified by stps. of orig.B T's
viz: W.P. 8 N 75 W 26 W.P. 12 N 27 E 12½ Clayton Vaughan's
Y.P. 14 S 27½ E 40¾ Carried on random to tmp. line on ice
71.35 Intersect McCormick Lake
76.33 Intersect Tmp. line 4.98½ E. of M C cor. on W. side of McCormick L
78.70:76.33::38.70:x= 37.53
76.33:37.53=38.80 Set 1/4 stk bet 5 & 6 & 30 W. of rand. Tam stk.
B.T's W P 12 N 7 E 1.40½
J.P 6 N 66 E .734
38.70:37.53::18.70:x= 18.13 N 1/8 stk. & .45
West of random Oak stk. N.P. 12 S 15 W 1.19 B.T's J.P.6 N 14 W 33
19.40 Set south 1/8 stk & 15 West of random B.T's Tam stk. J.P.6 S 56
E 63 Spr.3 West .18

Jan. 15.1937 South from ⊡ 3.4.9.10
~~North from 1/4 stk. 9 & 10~~ Offset 1.48 West from section corner 3,4,9 &10
.62 Creek S E & N W Nat.Tang. .0355 - 2 degrees 02' C.V.0 de.00'
1.37 Over creek
22.74 Creek N E & S W
23.56 Over creek
41.24 1/4 corner bet 9 & 10
20.62 Set 1/8 stk. .735 - Tam 2" S 6 E .323 Tam. 3 N 12 E .553
South ~~1/4~~ 1/2 bet 3 & 4 North from 3, 4, 9 & 10
14.67 Leave swp.
16.80 Enter swp.
36.45 Swp rd NW&SE Nat. Tang. .0205= C.V 3 degrees 15' E
37.60 Leave swp
40.863 Fell .828 East of orig. 1/4 stk
J.P. 5 N 26 E .09
J.P. 5 S 74 W .345
20.181 Set South 1/8 .414 West of rand.
Spr. 5" S 82 E.542
Spr. 4" S 55 W.344
North 1/2 bet. 3 & 4 North from 1/4 bet. 3 & 4
1.73 Creek bottom
4.32 " SW&NE
5.55 Over creek
10.90 Creek N W & S E
12.60 Over creek
15.15 Creek N E & S W
16.46 Over creek
21.85 Leave creek bottom
39.315 Fell 1.70 east
Nat. Tang. .0432 - 2 degrees 29' C.V. 5 degrees 58 E
41.20:39.315:: 21.20 ~~kx~~ = 20.23
30.315=20.23 = 19.085 19.085 set N 1/8 72.5 W. of rand.
B.T. N.P. 5" N 73 W 1.06 W.P. 6" N 2 E .593

L 6287

Page #18 37-6 Return to County Surveyors Office
Jan. 13,1937
Sec. Line bet 11 & 12 North from 11,12,13,14 Iron pipe brass cap
27.88 M.C. on south shore of Bearskin Lake
29.50 Lake (Little Bearskin)
47.66 leave " "
47.88 M C North side
49.00 Enter swp
54.00 Swp rd. N E & S W
56.94 " " " "
59.00 Leave swp.
60.85 Enter swp.
63.51 Leave swp.
66.80 Enter swp
73.80 Old logging rd NE&SW
77.00, " " " SE&NW
78.84 Fell .324 West of orig. Govt.Cor.1,2,11 & 12 Orig. B T's stps viz:
Tam. 12 N 42 W 12 Tam 10 N 24 E 33
New B.T.'s Spruce 5 South .315 Spr. 5 S 85 E .445 Spr. 3 N 5E 316
Spruce 4 N 69 W 28½
59.13 Set N. 1/8 stk .2424 East of ran. Cedar stk. Tam. (dead)10"S13E 386
Grey Bldr. 24 plus on it N 11 W 54
39.42½ in lake .1616 East of ran. Spr.6" S 41 W 1.88
19.71 South 1/8 .0808 East of ran. Grey Bldr. 36" S 56 W 82
N.P. stp 6 S 82 W.426
Sec.Line Bet. 1&2 North from 1,2,11 & 12 Iron Pipe brass cap.
6.25 leave swp.
10.00 enter spruce swp.
24.60 R R ROW Fence leave swp NWSE
27.66 R.R. NWSE
30.77 R R ROW NWSE
34.00 enter swp.
38.00 Pond
39.85 Over pond
43.00 leave swp;
44.46 RR ROW Fence NE&SW
46.62 RR NE&SW
48.50 RR R&W Fence NE&SW
69.40 RR ROW " NW&SE
82.70 Fell 32 lks East of corner 1,2,35,36
81.40:82170::41.40:x= 42.05
82.70-12.15= 40.64 Set 1/4 stk 15 lks NP 5 S 34 W 1.178
West of random WP 3 N 12 W .305
41.40:42.64::20.00:x= 20.59½
62.10½ Set N 1/8 stk. 23 west of ran. Blk.Oak 4 S 38 W 20½
Blk Oak 2½N 62 W 21
21.32 Set S 1/8 stk. .07½ West Spruce 3" N 53 E .194
Spruce 3" S 37 E .284

Jan.14,1937
At the Sec.Cor. 2,3,10 &11(see page 312 1936 Dec.) for identification North on random Mag.Var. 2 degrees 55'E
9.00 leave swp
12.25 Old travelled rd. NW&SE
14.35 Barricks rd. NE&SW
15.37 E & W Fence line
15.94 Open field
18.92 E&W Fence line leave field
24.60 NE&SW Fence line
28.68 Old logging rd NW&SE
55.38 Enter swp.
52.18 Old swp rd E&W
75.22 Leave swp
78.95 Enter swp
80.29 Fell .332 East of orig.Cor.

Nat. Tang. Corr. .0041 - 0 degrees 14'
Corr Var. 2 degrees 41 E

Nat. Tang. Corr. .0037 - 0 degrees 13'
C.V. 3 degrees 13'

Nat.Tang.Corr. .0041 -0 degrees 14'
C.V. 3 degrees 09' E

T 62 N R 27 W

37-6 Return to County Surveyors Office

Jan.14.1937 Cont. from page 17

79.80:80.29:: 39.90:x-40.14½
60.21½ Set N 1/8 Stb. .2468 West W.P. 2" S 17 W .262
40.14½ Set 1/4 stk. .1660 West W.P. Stp. 30" N 41 E .86
W.P. " 24 S 13 E .217

20.07½ Set S 1/8 stk .0822 West W.P. 10 S 58 W .11
W.P. 10 N 75 E .268

At Sec.Cor. 2,3,10 & 11 West on random 2 degrees 55' E
11.61 Island in swp
13.30 Leage swp (Mat. Tang. .0056 0 degrees 19'
15.53 Enter swp (C.V. 2 degrees 36' E
19.00 Leave swp
19.57 U S H #51
24.30 Enter syruce swp
38.00 Leave " "
45.83 Old logging rd N&S Enter spr & Tam swp
48.95 Old logging rd. N&S
58.68 " " " NE&SW
63.00 Leave swp
66.46 Enter Tam. swp
76.91 Fell .456 South of orig.Govt.cor.

57.68¾ Set West 1/8 stk. .323 N. of ran. Spr. 3" N 32 E .246
Tam. 4 S 80 W .482
38.45½ Set 1/4 Stk. .218 N of ran. N.P.10 N 41 E .375
N.P. 6 N 67 W .098
N.P. 6 N 19 W .289
19.22¾ Set E 1/8 stk .108 N of rand. N.P. 2½ N 24 E .24
N.P. 5 N 35 E 1.533

Oct.11.1937
At the Sec. Cor. 5,6,7,8 (See 1936 records)
N.T.C..00776 Line bet 6&5
Set flag in true line north turned Δ 89 degrees 32' and run West
2 47
92 " 19'
Mag.Var. 1 degree 35' agerage 1 degree 55' E
18.44 Pot hole swp 20.72 leave
31.69 Old sleigh rd. N&S
36.83 Spr. swp. 39.80 leave 40 No 1/4 stk
Oct.12.1937
40.78 Enter swp 42.32 leave
45.50 " " 48.86 "
54.15 " " 56.74 "
60.91 " " 69.58 Bear creek south
69.81 Leave
71.11 Leave creek bottom 73.00 enter swp
76.42 Fell 3.71 N. of Sec. 1,12,37,5 6.7-37-6
75.00:7642::35.00:x -35.662
76.42 - 35.662 - 40.758 -N.T.C .04861 -2 degrees 47' C.V.m 4 de.42'E

61.137 West 1/8 stk. 2.971 south of ran. Tam stk. J.P.7 S 48 E .165
J.P.8 S 69 W .194
40.758 Set official 1/4 stk 1.981 S of ran. W.P. 2½ S 10 E .262
Y.P. 2½ N 24 W .11 W.P. 2½ S 60 W .10

20.379 E. 1/8 stk. .99 S Tam. stk. J.P. 6 S 75 W .098 J.P.5 N 51 E 113
J.P. 6 N 34 W .164

Went back to Sec. Cor. 5,6,7,8 (see page 157) run East Δ 91 de. 31
4 09
95 " 39

from North Mag.Var. 0 de.55' E

L 8268

37-6 Return to County Surveyors Office

Oct.12.1937 cont. from page 18

.74 Enter swp 359 leave
4.11 Ctr. of old road N&S
4.96 Ctr. of "Y" 5.18 leave
32.69 open marsh 35.75 leave
39.97 Enter open marsh
40.90 Fell 2.97 N of orig. Govt. 1/4stk bet. Sec.s 5 & 8 Identified by stub of orig. B.T. viz. B Pine 6 S 553 E .40
Tam 6 N 56 E 56(stp nearly gone
Set official corner stamped cap - Mat. Tang. .0726 4 de.09'
C.V. 3 de. 14' W

Oct. 13.1937
5.25 Set a line stake on East side of C T "Y" bet secs. 5 & 8

20.45 Set West 1/8 stk 1.485 Oak stk. M.P.stp 16" N 16 E 67
J.P. 3½ N 1 W 253
At the 1/4 stk bet secs. 5 & 8 East on random Mag. Var. 0 de.50' W
△ 177 de.10'
3 02
174 " 08
38.93 Fell 2.06 south of Sec. cor 4,5,8,9 (see page 357 1936 recom)
N.T.C, .0529 3 de. 12' C.V. 2 degrees 12' E

19.46½ Set E 1/8 stk. 1.03 N. of rand. Tam stk. W.P. 9 N 56 E 1.187

East from foregoing Sec. cor △ 178.40 from south East on
2.12
180 de. 52'
ran Mag. Var. 1 de. .85 E
20.00

Oct. 14.1937
23.66 Enter open swp
33.49 Leave " " 35.00 enter 39.84underground creek South
40.00 No 1/4 stk 44.41 leave
74.76 Rocky Run creek bottom
81.19 Interset my N & S ran. bet 9 & 10
3.17 South of Sec. cor 3,4,9 &10
82.66 Fell 3.17 South 3,4,9 & 10
(see page 360 1936 record)
N.T.C. .03834 - 2 degrees 12' C.V. 3 degrees 37' E
Bet Secs. 4 & 9
61.99½ Set E 1/8 2.376 N of rand. Pine stk. J.P. 7" S 51 W .417
M.P. 6 S 68 E .289
41.33 Set 1/4 stk. 1.585 N of rand. Official cor. stp'd cap in swp
Y.P. 10" S 73 E 3.325

20.66½ Set W 1/8 stk..79 N of ran. Pine stk. Pine stub 12" N 86 E .344
J.P. 6" N 22 E .323

Oct. 15.1937
At the Sec. cor 17,18,19,20 (Page 308 1936 record) North ran.
△ 91 de. 00' from East
0 29
90 31 Mag. Var. 2 degrees 30' E
25.239 to hub for triangulation across Tomahawk river foot of Half Breed rapids.
26.63 to Tom. river
Base 1.40
75.55 -151 de.50' plus 90 - 165-55 - 179 de.60'
14 de.05 Cot. - 3.98607 x 1.40 - 5.58,plus 25.239 - 30.819 to hub on North side of river

L8206

37-6 Return to County Surveyors Office

Oct.15.1937 cont. from page 19
31.00 Creek bottom 31.50mCreek S
35.48 Leave " 38.12 Road E & W
38.94 Ctr. of Half Breed road S E & N W
39.31 Leave Rd. 40.83 same rd NE&SW 41.08 leave
41.53 Road NE&SW 43.65 field 48.00 enter spr. swp
54.35 Leave spr. swp 59.50 enter 61.52 leave 62.50 enter
68.00 leave 68.72 Fence & field SW-NE
75.77 Leave field 77.54 enter swp
83.64 Fell .698 west of orig. Govt. cor 7,8,17,18 (Page 324 1936 record)
N.T.C. .00834 - 0 degrees 29' C.V. 2 degrees 00' E

62.73 Set M 1/8 stk .523 E of ran. Cedar stk. J.P. 5 S 9 W .293
J.P. 5 N 66 E .065

41.82 Set 1/4 stk. .349 E of ran. official corner J.P.2½ S 21 W 22

20.91 Sets S 1/8 stk. .174 E of ran. Cedar stk. J.P. 3½ S 81 E .64

30.319 Set M C on N bank of Tom. river .257 E of ran. Cedar stk.
Spruce stp. 24 S 66 W 24
25.75 Set M C on south bank of ran 21½ E Tom. river Cedar stk.
W.P. 28 S 40 E .387 W.P. 28 S 70 E 1.22

Oct.16.1937
At the Sec. cor (12,13-37-6) (7,18-37-7) (Page 349 1936) West 89 de.38
plus 0 04
89 42

from N. Mag. Var. 2 de.30'E
13.41 Enter Bearskin river bottom
14.79 CM&STP RR NW&SE
14.91 Bearskin creek SW
15.58 Leave stream
16.53 Leave river bottom
23.41 Enter swp
39.57½ Fell .474 South of orig. Govt. 1/4 stk bet secs. 12&13 .Found old stk. and orig. B T viz. Spr. 5 N 7 W 50 lks. Tree down marks plain. checks O.K. Set official corner stp(d cap.
N.T.C. .0012 - 0 de. 04' C.V. 2 de. 26' E

19.787 Set 1/8 stk .237 N. of ran. Tam. W.P.stp.16 S 68 W .22
U.P. stp. 14 N 16 E .89
North from foregoing 1/4 stk Mag. Var. 2 de. 30' E 180 de. 00
plus 0 50
180 de. 50

2.72 Bearskin creek
4.67 Leave Bearskin creek
6.27 Bearskin creek
7.18 Leave " "
9.00 Leave river bottom

Oct. 23rd.1937
Sec. line bet. Secs. 12&13-continued West on same random. Needle now reads 2 degrees 00' E
20.00 creek bottom
21.28 Bearskin creek south
21.65 Leave bearskin creek & bottom
39.007 Fell .57 south of orign. Govt. cor. 11,12,13,14(page 286 1936 record)
N T C .01459 0 de. 50' C V 1 de. 25' E

19.503 Set west 1/8 stk. .28½ N of ran. Cedar stk. Cedar 4 S 62 W 1.18
Tam. 5 S 84 W 1.18

6287

Page 421 37-6 Return to County Surveyors Office

Oct. 26,1937

At the Sec. Cor. (1,12-37-6) (6,7-37-7)(see page 348 1936 record)

Δ90 de.00
- 0
89 47

From south Var. 2 de. 00' E

5.48 Old grade N E-SW 13.870 Old grade N&S
52.07 Enter Creek bottom 55.19 Bearskin Creek south
55.57 Leave creek
58.58 Leave creek bottom
66.90 Enter swp 68.79 S edge of old grade E & W follow west
70.00 Leave it.
70.90 CM&StP ROW fence
71.54 Leave swp 71.69 CM&StP RRR
72.46 West ROW fence 73.52 Enter swp Tam. Spruce
78.63 Fell .293 N of orig. Govt. cor. 1,2,11,12(page 361 1936 recr.)
N T C .00372 - 0 de. 13' C.V. 2 de. 13' E

Oct. 28,1937

Between Sections 1 & 12

58.97½ Set West 1/8 stk .210 S of ran. Tam. stk. Aspin 7 S 54 W .275
Y.P.stp. 12" N 61 E.342
39.315 Set 1/4 stk. .146 S of rand. W.P. stp. 38 N 18 E 331
W.P. stp 34 N 86 E 768
Official corner
19.65¢ Set E 1/8 stk. .073 S of rand. Blk.Oak stk Y.P. 14 N 24 E 1.36

At Sec. cor 1,2,11,12 (see page 361 1936 record) also this record-
West on rand. Δ from line from East 180 de. 00
- 2. 04
177 56 from North - Needle

averaged 3 de. 10' E

1.00 Old sleigh road E&W follow West 50 lks
1.50 Leave road S & NW 4.00 sleigh road E&W 5.00 leave N W
5.97 Leave spr. & Tam. swp 7.89 enter 11.54 Leave
35.74 Old grade SE & NW
36.06 Pot hole swp 37.48 Leave
40.00 Ne 1/4 stk. 64.61 Road S E N W
64.83 Road N & S W
73.85 Enter swp. 74.68 sleigh rd. N & S
80.525 Fell 2.895 South of orig. Gov.cor 2,3,10,11 (page 312 1936 rec)
N.T.C. .03595 - 2 de. 04' C.V. 1 de. 06 E

Bet. Sections 2 & 11

60.393 Set West 1/8 stk 2.17 N. of rand.Oak stk. J.P. 4½ N 86 E 28
Y.P. stp 12 S 88W .043
Red Oak 4 N 24 E .345
40.262 Set 1/4 stk. 1.447 N. of rand. Blk.Oak 4 N 38 W.584
Official corner Blk. Oak 7 S 31 W 52
20.131 Set East 1/8 stk .723 N. of rand. Oak St. W.P. 5 N 48 W .53
R.Oak 4 S 14 W .412

1820