




56.60 Graded road, bears N. 15° W. and S. 15° E.  
 Enter spruce and alder swamp, bears N. 20° W. and S. 20° E.  
 73.30 Center of low sandy ridge in swamp, bears N. and S.  
 78.83 The cor. of Tps. 38 and 39 N., Rs. 2 and 3 E., which is a concrete monument, 6 ins. diam., projecting 6 ins. above ground, with brass tablet, 3/4 ins. diam., embedded in top, mid. and witnessed as described in the official record.  
 Land, level and gently rolling.  
 Soil, thin, sandy, stony loam, 3rd rate, on upland; musk, 3rd and 4th rate, in swamp.  
 Timber, poplar, birch, maple, and spruce; undergrowth, alder and young timber.

Dependent Recurvey of the East Boundary of T. 39 N., R. 3 E., as Originally Surveyed by Alexander Anderson, U. S. Deputy Surveyor, in 1864.

From the cor. of Tps. 38 and 39 N., R. 3 and 4 E., bears N. 2° 27' E., bet. secs. 31 and 36, marking and blazing the true line.

26.50 Over level land, through spruce and tamarack swamp.  
 Timber changes to heavy spruce.

39.87 Proportional distance; there is no remaining evidence of the original post or bearing trees.  
 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/2 sec. cor., with brass cap mid.



W 1/4 31-37-4


A spruce, 5 ins. diam., bears S. 57 1/2° E., 25 ins. dist., mid. 1/2 S 31 E.

A spruce, 5 ins. diam., bears S. 30 1/2° W., 27 ins. dist., mid. 1/2 S 36 E.

Set a spruce post, 5x5x60 ins., 30 ins. in the ground, alongside iron post.

67.50 Timber changes to heavy cedar and spruce.  
 79.74 The point for the cor. of secs. 25, 30, 31, and 36, as determined by proportionate measurement for latitudinal position, on original blazed line bearing N. and S., for meridional position.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31, and 36, with brass cap mid.



SW 30-39-4

T39N, R3E

1935

from which

Remains of the original bearing trees,

A fallen birch, 15 ins. diam., bears N. 57° E., 35 lbs. dist., with charred base.

A rotted birch stump, 16 ins. diam., bears S. 40° E., 10 lbs. dist.

A rotted birch stump, 15 ins. diam., bears S. 60° W., 8 lbs. dist.

And new bearing trees,

A birch, 6 ins. diam., bears N. 24° E., 30 lbs. dist., mtd. T 39 N R 3 E S 32 S T.

A birch, 4 ins. diam., bears S. 70° E., 38 lbs. dist., mtd. S 6 S T.

A maple, 4 ins. diam., bears S. 42° W., 51 lbs. dist., mtd. S 6 S T.

A maple, 6 ins. diam., bears N. 42° W., 30 lbs. dist., mtd. T 39 N R 3 E S 31 S T.

Land, level and gently rolling.

Soil, muck in swamp, 4th rate; thin, stony, sandy loam on upland, 3rd rate.

Timber, spruce, tamarack, poplar, and maple; undergrowth, young timber.

N. 80° 35' W., bet. sec. 6 and 31.

Over gently rolling land, through timber and undergrowth.

31.40 Enter open muskeg swamp, bears N. and S.

40.15 Proportions to distance; there is no remaining evidence of the original post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mtd.

S 31  
S 6

1936

from which

A white birch, 4 ins. diam., bears S. 41° W., 370 lbs. dist., mtd. 1/4 S 6 S T.

A poplar, 4 ins. diam., bears N. 77° W., 306 lbs. dist., mtd. 1/4 S 31 S T.

Set a tamarack post, 1 1/2 in. diam., 36 ins. in the ground, alongside iron post.

44.90 Leave muskeg swamp, bears N. and S.; thence over gently rolling land, through timber and undergrowth.

135N, K3E


1865

56.60 Enter spruce and alder swamp, bears N. 20° W. and S. 20° E.  
 73.30 Center of low sandy ridge in swamp, bears N. and S.  
 78.83 The cor. of Tps. 38 and 39 N., Rs. 2 and 3 E., which is a concrete monument, 6 ins. diam., projecting 6 ins. above ground, with brass tablet, 3 1/2 ins. diam., embedded in top, mtd. and witnessed as described in the official records.

Land, level and gently rolling.  
 Soil, thin, sandy, stony loam, 3rd rate, on upland; musk, 3rd and 4th rate, in swamp.  
 Timber, poplar, birch, maple, and spruce; undergrowth, alder and young timber.


Dependent Recurvey of the East Boundary of T. 39 N., R. 3 E., as Originally Surveyed by Alexander Anderson, U. S. Deputy Surveyor, in 1864.

From the cor. of Tps. 38 and 39 N., Rcs. 3 and 4 E., ...  
 N. 2° 27' E., bet. secs. 31 and 36, marking and blazing the true line.  
 Over level land, through spruce and tamarack swamp.  
 26.50 Timber changes to heavy spruce.  
 39.87 Proportionate distance; there is no remaining evidence of the original post or bearing trees.  
 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/2 sec. cor., with brass cap mtd.



A spruce, 5 ins. diam., bears S. 57 1/2° E., 25 ins. dist., mtd. 1/2 S 31 S E.  
 A spruce, 5 ins. diam., bears S. 30 1/2° W., 27 ins. dist., 12 mtd. 1/2 S 36 S E.  
 Set a spruce post, 5x5x60 ins., 30 ins. in the ground, alongside iron post.

67.50 Timber changes to heavy cedar and spruce.  
 79.74 The point for the cor. of secs. 25, 30, 31, and 36, as determined by proportionate measurement for latitudinal position, on original blazed line bearing N. and S., for meridional position.  
 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25, 30, 31, and 36, with brass cap mtd.



from which

135N, R3E

1865

A cedar, 5 ins. diam., bears S. 19° W., 5 1/2 lbs. dist.,  
abd. T 39 N R 3 E S 31 S T.

A cedar, 8 ins. diam., bears S. 19 1/2° W., 5 1/2 lbs. dist.,  
abd. T 39 N R 3 E S 30 S T.

A hemlock, 6 ins. diam., bears N. 15 1/2° W., 77 lbs. dist.,  
abd. T 39 N R 3 E S 25 S T.

Land, level.  
Soil, musk, 3rd rate.  
Timber, cedar, spruce, and tamarack; undergrowth, young timber and alder.

N. 2° 00' E., bet. secs. 25 and 30.

Over level land, through cedar and spruce swamp.

4.00 Leave swamp, bears NE. and SW.; thence over gently rolling land, through timber and undergrowth.

31.00 Enter dense alder swamp, bears E. and W.

37.00 Enter cedar and tamarack swamp, bears NE. and SW.

39.86 Proportionate distance; there is no remaining evidence of the original post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap abd.

S 25 S 30

1936

from which

A white Birch, 1/2 in. diam., bears N. 33° E., 33 lbs. dist.,  
abd. 1/4 S 30 S T.

A spruce, 1/2 in. diam., bears S. 30 1/2° W., 18 lbs. dist.,  
abd. 1/4 S 25 S T.

51.00 Enter heavy cedar and balsam timber, bears E. and W.

70.00 Enter alder swamp, bears E. and W.

78.00 Enter cedar and balsam swamp, bears E. and W.

79.71 The point for the cor. of secs. 19, 21, 25, and 30, as determined from the original bearing trees.

Set an iron post, 3 ft. long, 2 in. diam., 27 ins. in the ground, for cor. of secs. 19, 21, 25, and 30, with brass cap abd.

T 39 N  
R 3 E  
S 24 S 29

S 25 S 30

1936

from which

Remains of the original bearing trees,

159N, R 3E

18654

A white pine stump, 2 1/2 ins. diam., bears S. 65° W., 13 lns. dist., mtd. T 39 N R 3 E S 24 B T.

A rotted cedar stump, bears N. 42° W., 17 lns. dist., mtd. T 39 N R 3 E S 24 B T.  
And new bearing trees,

A cedar, 5 ins. diam., bears N. 70° E., 27 lns. dist., mtd. T 39 N R 3 E S 19 B T.

A cedar, 8 ins. diam., bears S. 84° E., 14 lns. dist., mtd. T 39 N R 3 E S 30 B T.

A cedar, 5 ins. diam., bears S. 77° W., 22 lns. dist., mtd. T 39 N R 3 E S 25 B T.

A white birch, 6 ins. diam., bears N. 13° W., 5 1/2 lns. dist., mtd. T 39 N R 3 E S 24 B T.

Land, level.  
Soil, musk, 3rd rate.  
Timber, cedar, spruce, hemlock, and birch; undergrowth, alder and young timber.

N. 0° 31' E., bet. secs. 19 and 24.

0.50 Over level land, through cedar stumps; through hemlock, balsam, and birch timber.

5.00 Timber changes to heavy hemlock.

22.00 Timber changes to small birch and spruce.

39.50 The point for the 1/4 sec. cor., as determined from the original bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mtd. T 39 N R 3 E S 24 B T.

Remains of the original bearing trees, mtd. T 39 N R 3 E S 24 B T.

A hemlock, 7 ins. diam., bears N. 69° E., 20 lns. dist., mtd. T 39 N R 3 E S 24 B T.

A hemlock stub, 12 ins. diam., bears N. 37° E., 22 lns. dist., mtd. T 39 N R 3 E S 24 B T.

And new bearing trees,

A cedar, 5 ins. diam., bears N. 13 1/2° E., 78 lns. dist., mtd. T 39 N R 3 E S 24 B T.

A cedar, 5 ins. diam., bears N. 60 1/2° W., 17 lns. dist., mtd. T 39 N R 3 E S 24 B T.

N. 1° 15' E., bet. secs. 19 and 24 (N. half mile).

W/4 19-37-4

T39N.R3E

1865

0.00 Enter alder swamp, bears N. and W. 30° E. and S. 30° W.; thence over gently rolling land, through poplar and birch timber.

39.67 Proportionate distances; there is no remaining evidence of the original post or bearing trees.  
Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13, 18, 19, and 21, with brass cap mkd.

T 39 N	
R 3 E	R 4 E
S 13	S 18

1936

A spruce, 4 ins. diam., bears N. 82° E., 35 lbs. dist., mkd. T 39 N R 4 E S 18 E 2.

A poplar, 9 ins. diam., bears S. 112° E., 3 lbs. dist., mkd. T 39 N R 4 E S 19 S 2.

A spruce, 6 ins. diam., bears S. 53° W., 33 lbs. dist., mkd. T 39 N R 3 E S 21 S 2.

A tamarack, 5 ins. diam., bears N. 61° W., 51 lbs. dist., mkd. S 2.

Land, gently rolling and level.  
Soil, thin, sandy, stony loam, 3rd rate; an upland; musk, 3rd rate, in swamp.  
Timber, hemlock, balsam, birch, and spruce; undergrowth, young timber and alder.

N. 1° 13' E., bet. secs. 13 and 18.  
Over gently rolling land, through poplar and birch timber.

0.50 Enter tamarack swamp, bears E. and W.

9.00 Leave swamp, bears N. 30° E. and N. 30° W.; thence over gently rolling land, through poplar, pine, and birch timber.

13.00 Reenter swamp, bears E. and S. 25° E.

20.30 Leave swamp, bears E. and W.; thence over gently rolling land, through poplar timber.

30.00 Enter cedar swamp, bears NE. and NW.

39.67 Proportionate distances; there is no remaining evidence of the original post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/2 sec. cor., with brass cap mkd.

T 39 N	
R 3 E	R 4 E
S 13	S 18

from which

T 39 N, R 3 E

L 865

2654